

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	176	PM _{2.5}	1
2	Ahmedabad	Moderate	135	NO ₂	1
3	Ajmer	Moderate	104	PM ₁₀	1
4	Alwar	Satisfactory	65	OZONE	1
5	Amaravati	Satisfactory	55	OZONE	1
6	Ambala	Very Poor	350	PM _{2.5}	1
7	Amritsar	Poor	294	PM _{2.5}	1
8	Asanol	Poor	257	PM _{2.5}	1
9	Aurangabad	Satisfactory	63	PM ₁₀	1
10	Baghpat	Severe	465	PM _{2.5}	1
11	Bahadurgarh	Severe	434	PM _{2.5}	1
12	Ballabgarh	Severe	438	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Damoh, Dharuhera, Mandi Gobindgarh, Muzaffarnagar, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Severe	401	PM ₁₀	1
14	Bengaluru	Satisfactory	77	OZONE, PM ₁₀ , PM _{2.5}	10
15	Bhiwadi	Very Poor	349	PM ₁₀	1
16	Bhiwani	Severe	466	PM _{2.5}	1
17	Bhopal	Moderate	184	PM _{2.5}	1
18	Brajrajnagar	Moderate	198	PM _{2.5}	1
19	Bulandshahr	Severe	401	PM ₁₀	1
20	Chandigarh	Poor	254	PM _{2.5}	1
21	Chandrapur	Good	36	PM ₁₀	1
22	Chennai	Satisfactory	100	PM _{2.5} , PM ₁₀	4
23	Chikkaballapur	Good	46	OZONE	1
24	Coimbatore	Good	41	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Damoh, Dharuhera, Mandi Gobindgarh, Muzaffarnagar, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Severe	484	PM _{2.5}	32
26	Dewas	Moderate	105	OZONE	1
27	Eloor	Good	33	со	1
28	Faridabad	Severe	479	PM _{2.5}	1
29	Fatehabad	Very Poor	393	PM ₁₀	1
30	GandhiNagar	Satisfactory	73	PM ₁₀	1
31	Gaya	Poor	264	PM _{2.5}	1
32	Ghaziabad	Severe	496	PM _{2.5}	4
33	Greater_Noida	Severe	496	PM _{2.5}	2
34	Gurugram	Severe	469	PM _{2.5}	2
35	Guwahati	Moderate	150	PM ₁₀	1
36	Haldia	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Damoh, Dharuhera, Mandi Gobindgarh, Muzaffarnagar, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Severe	472	PM _{2.5}	1
38	Hisar	Severe	456	PM _{2.5}	1
39	Howrah	Poor	267	PM _{2.5}	3
40	Hubballi	Satisfactory	64	PM ₁₀	1
41	Hyderabad	Satisfactory	52	PM ₁₀ , PM _{2.5}	6
42	Indore	Moderate	121	PM ₁₀	1
43	Jabalpur	Poor	220	PM _{2.5}	1
44	Jaipur	Moderate	117	PM ₁₀ , PM _{2.5}	3
45	Jalandhar	Poor	289	PM _{2.5}	1
46	Jind	Severe	480	PM _{2.5}	1
47	Jodhpur	Moderate	129	PM _{2.5}	1
48	Jorapokhar	Moderate	140	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Damoh, Dharuhera, Mandi Gobindgarh, Muzaffarnagar, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Severe	446	PM ₁₀	1
50	Kalaburagi	Good	40	NO ₂	1
51	Kalyan	Satisfactory	85	PM ₁₀	1
52	Kanpur	Severe	403	PM _{2.5}	1
53	Karnal	Severe	407	PM _{2.5}	1
54	Katni	Very Poor	350	PM _{2.5}	1
55	Khanna	Very Poor	321	PM ₁₀	1
56	Kolkata	Poor	231	PM _{2.5} , PM ₁₀	6
57	Kota	Poor	230	PM ₁₀	1
58	Kurukshetra	Very Poor	383	PM _{2.5}	1
59	Lucknow	Very Poor	382	PM _{2.5}	4
60	Ludhiana	Poor	297	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Damoh, Dharuhera, Mandi Gobindgarh, Muzaffarnagar, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	61	PM ₁₀	1
62	Mandideep	Moderate	171	PM ₁₀	1
63	Mandikhera	Poor	235	PM _{2.5}	1
64	Manesar	Severe	427	PM _{2.5}	1
65	Meerut	Severe	410	PM _{2.5}	3
66	Moradabad	Poor	280	PM _{2.5}	1
67	Mumbai	Satisfactory	65	PM ₁₀	9
68	Muzaffarpur	Very Poor	348	PM _{2.5}	1
69	Mysuru	Good	40	OZONE	1
70	Nagpur	Satisfactory	80	PM _{2.5}	1
71	Narnaul	Poor	236	PM _{2.5}	1
72	Nashik	Good	38	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Damoh, Dharuhera, Mandi Gobindgarh, Muzaffarnagar, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Satisfactory	72	CO, PM ₁₀	3
74	Noida	Severe	499	PM _{2.5}	4
75	Pali	Satisfactory	73	PM ₁₀	1
76	Palwal	Very Poor	369	PM _{2.5}	1
77	Panchkula	Moderate	197	PM _{2.5}	1
78	Panipat	Severe	421	PM ₁₀	1
79	Patiala	Poor	252	PM _{2.5}	1
80	Patna	Very Poor	357	PM _{2.5}	1
81	Pithampur	Satisfactory	91	PM ₁₀	1
82	Pune	Satisfactory	94	SO ₂	1
83	Rajamahendravaram	Good	46	OZONE	1
84	Ramanagara	Good	39	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Damoh, Dharuhera, Mandi Gobindgarh, Muzaffarnagar, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ratlam	Moderate	137	PM ₁₀	1
86	Rohtak	Severe	467	PM _{2.5}	1
87	Rupnagar	Poor	251	PM _{2.5}	1
88	Satna	Poor	254	PM ₁₀	1
89	Siliguri	Satisfactory	87	PM ₁₀	1
90	Singrauli	Very Poor	382	PM _{2.5}	1
91	Sirsa	Severe	462	PM ₁₀	1
92	Solapur	Satisfactory	62	СО	1
93	Sonipat	Moderate	196	PM ₁₀	1
94	Thane	Satisfactory	87	SO ₂	1
95	Thiruvananthapuram	Good	49	СО	1
96	Tirupati	Good	36	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Damoh, Dharuhera, Mandi Gobindgarh, Muzaffarnagar, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Moderate	115	PM ₁₀	1
98	Ujjain	Satisfactory	99	OZONE	1
99	Vapi	Satisfactory	89	PM _{2.5}	1
100	Varanasi	Very Poor	361	PM _{2.5}	1
101	Vatva	Satisfactory	98	PM ₁₀	1
102	Visakhapatnam	Moderate	175	PM _{2.5}	1
103	Yadgir	Good	49	OZONE	1
104	Yamunanagar	Very Poor	322	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Damoh, Dharuhera, Mandi Gobindgarh, Muzaffarnagar, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.