

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	209	PM _{2.5}	1
2	Ahmedabad	Poor	293	NO ₂	1
3	Ajmer	Satisfactory	96	PM ₁₀	1
4	Alwar	Moderate	150	PM _{2.5}	1
5	Amaravati	Satisfactory	68	PM ₁₀	1
6	Ambala	Very Poor	332	PM _{2.5}	1
7	Amritsar	Poor	283	PM _{2.5}	1
8	Ankleshwar	Moderate	182	PM _{2.5}	1
9	Asanol	Moderate	140	PM _{2.5}	1
10	Aurangabad	Satisfactory	81	PM _{2.5}	1
11	Bahadurgarh	Very Poor	343	PM _{2.5}	1
12	Ballabgarh	Very Poor	316	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Coimbatore, Haldia, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Very Poor	366	PM _{2.5}	1
14	Bengaluru	Satisfactory	72	PM ₁₀ , OZONE	8
15	Bhiwadi	Very Poor	361	PM ₁₀	1
16	Bhiwani	Very Poor	398	PM _{2.5}	1
17	Bhopal	Moderate	181	PM _{2.5}	1
18	Brajrajnagar	Moderate	115	PM ₁₀	1
19	Bulandshahr	Very Poor	364	PM ₁₀	1
20	Chandigarh	Poor	274	PM _{2.5}	1
21	Chandrapur	Moderate	103	PM ₁₀ , PM _{2.5}	2
22	Chennai	Satisfactory	65	PM ₁₀ , PM _{2.5}	3
23	Chikkaballapur	Satisfactory	61	PM _{2.5}	1
24	Damoh	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Coimbatore, Haldia, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Severe	425	PM _{2.5}	35
26	Dewas	Moderate	113	OZONE	1
27	Dharuhera	Very Poor	363	PM _{2.5}	1
28	Eloor	Good	42	со	1
29	Faridabad	Severe	406	PM _{2.5}	1
30	Fatehabad	Severe	403	PM ₁₀	1
31	GandhiNagar	Moderate	181	PM _{2.5}	1
32	Gaya	Moderate	161	PM _{2.5}	1
33	Ghaziabad	Severe	453	PM _{2.5}	4
34	Greater_Noida	Severe	436	PM _{2.5}	2
35	Gurugram	Severe	402	PM _{2.5}	1
36	Guwahati	Moderate	102	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Coimbatore, Haldia, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Very Poor	346	PM ₁₀	1
38	Hisar	Severe	445	PM _{2.5}	1
39	Howrah	Moderate	155	PM ₁₀ , PM _{2.5}	3
40	Hubballi	Moderate	121	PM ₁₀	1
41	Hyderabad	Moderate	101	PM _{2.5} , PM ₁₀	6
42	Indore	Moderate	151	PM ₁₀	1
43	Jabalpur	Moderate	138	PM _{2.5}	1
44	Jaipur	Poor	203	PM _{2.5} , PM ₁₀	3
45	Jalandhar	Poor	258	PM _{2.5}	1
46	Jind	Severe	446	PM _{2.5}	1
47	Jodhpur	Moderate	125	PM ₁₀	1
48	Jorapokhar	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Coimbatore, Haldia, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Very Poor	325	PM _{2.5}	1
50	Kalaburagi	Moderate	115	PM _{2.5}	1
51	Kalyan	Moderate	122	PM _{2.5}	1
52	Kanpur	Very Poor	354	PM _{2.5}	1
53	Karnal	Very Poor	368	PM _{2.5}	1
54	Katni	Poor	245	PM _{2.5}	1
55	Khanna	Poor	257	PM _{2.5}	1
56	Kolkata	Moderate	170	PM _{2.5} , OZONE	5
57	Kota	Moderate	125	PM ₁₀	1
58	Kurukshetra	Very Poor	358	PM _{2.5}	1
59	Lucknow	Very Poor	301	PM _{2.5}	4
60	Ludhiana	Poor	263	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Coimbatore, Haldia, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Good	45	PM ₁₀	1
62	Mandi Gobindgarh	Poor	252	PM _{2.5}	1
63	Mandideep	Poor	212	PM ₁₀	1
64	Mandikhera	Very Poor	354	PM _{2.5}	1
65	Manesar	Severe	410	PM ₁₀	1
66	Meerut	Poor	269	PM _{2.5}	3
67	Moradabad	Poor	296	PM _{2.5}	1
68	Mumbai	Moderate	138	PM _{2.5} , OZONE, CO	9
69	Muzaffarpur	Poor	277	PM _{2.5}	1
70	Mysuru	Moderate	101	PM _{2.5}	1
71	Nagpur	Moderate	116	PM _{2.5}	1
72	Narnaul	Very Poor	322	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Coimbatore, Haldia, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Moderate	125	PM _{2.5}	1
74	Navi Mumbai	Moderate	149	PM _{2.5}	2
75	Noida	Severe	440	PM _{2.5}	4
76	Pali	Moderate	107	PM ₁₀	1
77	Palwal	Very Poor	360	PM _{2.5}	1
78	Panchkula	Moderate	144	PM _{2.5}	1
79	Panipat	Severe	458	PM _{2.5}	1
80	Patiala	Very Poor	321	PM _{2.5}	1
81	Patna	Poor	300	PM _{2.5}	1
82	Pithampur	Moderate	136	PM _{2.5}	1
83	Pune	Moderate	135	PM _{2.5}	1
84	Rajamahendravaram	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Coimbatore, Haldia, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Satisfactory	77	PM _{2.5}	1
86	Ratlam	Moderate	145	PM ₁₀	1
87	Rohtak	Very Poor	394	PM _{2.5}	1
88	Rupnagar	Poor	260	PM _{2.5}	1
89	Satna	Moderate	143	PM ₁₀	1
90	Siliguri	Satisfactory	100	PM ₁₀	1
91	Singrauli	Poor	270	PM _{2.5}	1
92	Sirsa	Poor	293	PM ₁₀	1
93	Solapur	Moderate	107	PM ₁₀	1
94	Sonipat	Very Poor	309	PM _{2.5}	1
95	Talcher	Poor	205	PM ₁₀	1
96	Thane	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Coimbatore, Haldia, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thiruvananthapuram	Satisfactory	63	со	1
98	Tirupati	Good	44	PM ₁₀	1
99	Udaipur	Moderate	148	PM _{2.5}	1
100	Ujjain	Moderate	167	OZONE	1
101	Vapi	Poor	237	PM _{2.5}	1
102	Varanasi	Poor	267	PM _{2.5}	1
103	Vatva	Poor	205	PM ₁₀	1
104	Visakhapatnam	Satisfactory	90	PM ₁₀	1
105	Yadgir	Satisfactory	86	OZONE	1
106	Yamunanagar	Very Poor	326	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Coimbatore, Haldia, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.