

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	308	PM _{2.5}	1
2	Ahmedabad	Moderate	164	O ₃	1
3	Ajmer	Moderate	121	PM _{2.5}	1
4	Alwar	Moderate	107	PM _{2.5}	1
5	Amaravati	Moderate	105	PM ₁₀	1
6	Ambala	Very Poor	317	PM ₁₀	1
7	Amritsar	Moderate	193	PM _{2.5}	1
8	Ankleshwar	Moderate	156	PM ₁₀	1
9	Asansol	Moderate	138	PM _{2.5}	1
10	Aurangabad	Satisfactory	76	PM ₁₀	1
11	Bagalkot	Moderate	120	PM _{2.5}	1
12	Baghpat	Very Poor	322	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Kalaburgi, Kollam, Palwal, Pune, Ramanagara, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	289	PM _{2.5}	1
14	Ballabgarh	Very Poor	305	PM _{2.5}	1
15	Bathinda	Moderate	166	PM ₁₀	1
16	Bengaluru	Satisfactory	96	PM ₁₀ , PM _{2.5}	9
17	Bhiwadi	Very Poor	332	PM _{2.5}	1
18	Bhiwani	Moderate	179	PM ₁₀	1
19	Bhopal	Moderate	150	PM ₁₀	1
20	Brajrajnagar	Moderate	118	PM _{2.5}	1
21	Bulandshahr	Very Poor	329	PM _{2.5}	1
22	Chandigarh	Moderate	125	PM ₁₀	1
23	Chandrapur	Moderate	134	PM ₁₀	2
24	Charkhi Dadri	Very Poor	386	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Kalaburgi, Kollam, Palwal, Pune, Ramanagara, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	71	PM _{2.5} , PM ₁₀	4
26	Chikkaballapur	Moderate	110	PM _{2.5}	1
27	Chikkamagaluru	Satisfactory	78	PM ₁₀	1
28	Coimbatore	Satisfactory	81	PM _{2.5}	1
29	Damoh	Moderate	107	PM ₁₀	1
30	Delhi	Poor	297	PM ₁₀ , PM _{2.5}	36
31	Dewas	Moderate	115	O ₃	1
32	Dharuhera	Very Poor	333	PM ₁₀	1
33	Eloor	Good	37	СО	1
34	Ernakulam	Satisfactory	80	СО	1
35	Faridabad	Poor	297	PM ₁₀ , PM _{2.5}	4
36	Fatehabad	Very Poor	328	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Kalaburgi, Kollam, Palwal, Pune, Ramanagara, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	97	PM ₁₀	1
38	Gaya	Satisfactory	91	O ₃	1
39	Ghaziabad	Very Poor	317	PM ₁₀ , PM _{2.5}	4
40	Greater Noida	Very Poor	324	PM ₁₀ , PM _{2.5}	2
41	Gurugram	Very Poor	313	PM ₁₀ , PM _{2.5}	4
42	Guwahati	Satisfactory	70	PM _{2.5}	1
43	Gwalior	Poor	293	PM _{2.5}	1
44	Hajipur	Moderate	128	PM _{2.5}	1
45	Hapur	Poor	244	PM ₁₀	1
46	Hisar	Poor	280	PM _{2.5}	1
47	Howrah	Poor	206	PM _{2.5}	3
48	Hubballi	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Kalaburgi, Kollam, Palwal, Pune, Ramanagara, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	126	PM _{2.5} , PM ₁₀	6
50	Indore	Moderate	158	PM ₁₀	1
51	Jabalpur	Moderate	111	PM ₁₀	1
52	Jaipur	Moderate	148	PM _{2.5}	3
53	Jalandhar	Poor	206	PM _{2.5}	1
54	Jind	Very Poor	305	PM _{2.5}	1
55	Jodhpur	Poor	238	PM ₁₀	1
56	Kaithal	Poor	271	PM _{2.5}	1
57	Kalyan	Moderate	143	PM ₁₀	1
58	Kannur	Satisfactory	52	СО	1
59	Kanpur	Poor	282	PM _{2.5}	1
60	Karnal	Poor	258	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Kalaburgi, Kollam, Palwal, Pune, Ramanagara, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Moderate	171	PM ₁₀	1
62	Khanna	Poor	226	PM _{2.5}	1
63	Kochi	Moderate	109	со	1
64	Kohima	Satisfactory	61	PM ₁₀	1
65	Kolkata	Moderate	178	PM _{2.5}	7
66	Kota	Moderate	180	PM _{2.5}	1
67	Kozhikode	Satisfactory	51	СО	1
68	Kurukshetra	Poor	287	PM _{2.5}	1
69	Lucknow	Very Poor	326	PM _{2.5}	3
70	Ludhiana	Poor	224	PM _{2.5}	1
71	Maihar	Satisfactory	51	PM ₁₀	1
72	Mandi Gobindgarh	Poor	214	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Kalaburgi, Kollam, Palwal, Pune, Ramanagara, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Moderate	126	PM _{2.5}	1
74	Mandikhera	Poor	292	PM _{2.5}	1
75	Manesar	Very Poor	302	PM _{2.5}	1
76	Meerut	Very Poor	302	PM ₁₀ , PM _{2.5}	3
77	Moradabad	Very Poor	313	PM _{2.5}	1
78	Mumbai	Moderate	130	PM _{2.5} , O ₃ , PM ₁₀	9
79	Muzaffarnagar	Poor	285	PM _{2.5}	1
80	Muzaffarpur	Poor	207	PM _{2.5} , PM ₁₀	2
81	Mysuru	Satisfactory	69	O ₃	1
82	Nagpur	Satisfactory	74	PM ₁₀	1
83	Nandesari	Good	42	PM _{2.5}	1
84	Narnaul	Moderate	145	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Kalaburgi, Kollam, Palwal, Pune, Ramanagara, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	65	O ₃	1
86	Navi Mumbai	Moderate	134	PM _{2.5} , PM ₁₀	2
87	Noida	Very Poor	301	PM _{2.5}	3
88	Pali	Moderate	117	PM ₁₀	1
89	Panchkula	Moderate	104	PM _{2.5}	1
90	Panipat	Poor	274	PM ₁₀	1
91	Patiala	Poor	219	PM _{2.5}	1
92	Patna	Poor	202	PM _{2.5} , PM ₁₀	6
93	Pithampur	Moderate	117	O ₃	1
94	Rajamahendravaram	Moderate	104	PM ₁₀	1
95	Ratlam	Moderate	144	PM ₁₀	1
96	Rohtak	Poor	256	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Kalaburgi, Kollam, Palwal, Pune, Ramanagara, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rupnagar	Moderate	188	PM ₁₀	1
98	Sagar	Moderate	117	PM _{2.5}	1
99	Satna	Satisfactory	65	PM ₁₀	1
100	Shillong	Good	22	PM _{2.5}	1
101	Singrauli	Poor	249	PM ₁₀	1
102	Sirsa	Poor	261	PM _{2.5}	1
103	Solapur	Moderate	125	PM ₁₀	1
104	Sonipat	Moderate	162	PM _{2.5}	1
105	Talcher	Moderate	172	NO ₂	1
106	Thane	Moderate	156	PM ₁₀	1
107	Thiruvananthapuram	Satisfactory	64	PM ₁₀	2
108	Thrissur	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	isfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Kalaburgi, Kollam, Palwal, Pune, Ramanagara, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Tirupati	Satisfactory	74	PM _{2.5}	1
110	Udaipur	Moderate	106	PM ₁₀	1
111	Ujjain	Poor	217	03	1
112	Vapi	Moderate	154	PM _{2.5}	1
113	Varanasi	Poor	246	PM _{2.5}	1
114	Vatva	Moderate	135	PM ₁₀	1
115	Vijayapura	Satisfactory	74	PM ₁₀	1
116	Visakhapatnam	Moderate	115	PM ₁₀	1
117	Yadgir	Satisfactory	77	PM ₁₀	1
118	Yamunanagar	Very Poor	345	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Kalaburgi, Kollam, Palwal, Pune, Ramanagara, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.