



Air Quality Index on Nov 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Severe	458	PM _{2.5}	1
2	Ahmedabad	Moderate	198	PM _{2.5}	1
3	Amaravati	Moderate	154	PM _{2.5}	1
4	Ambala	Poor	291	PM _{2.5}	1
5	Amritsar	Very Poor	311	PM _{2.5}	1
6	Ankleshwar	Moderate	197	PM _{2.5}	1
7	Asansol	Poor	214	PM _{2.5}	1
8	Aurangabad	Moderate	106	O ₃	1
9	Bagalkot	Satisfactory	74	PM _{2.5}	1
10	Baghpat	Severe	421	PM _{2.5}	1
11	Bahadurgarh	Very Poor	388	PM _{2.5}	1
12	Ballabgarh	Very Poor	362	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Alwar, Brajrajnagar, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Ratlam, Sirsa, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	127	PM ₁₀	1
14	Bengaluru	Satisfactory	59	PM ₁₀ , O ₃	9
15	Bhiwadi	Severe	445	PM ₁₀	1
16	Bhiwani	Poor	280	PM ₁₀	1
17	Bhopal	Poor	276	PM _{2.5}	1
18	Bulandshahr	Severe	435	PM _{2.5}	1
19	Chandigarh	Moderate	124	PM ₁₀	1
20	Chandrapur	Moderate	138	PM _{2.5} , PM ₁₀	2
21	Chennai	Satisfactory	85	PM _{2.5}	4
22	Chikkaballapur	Good	43	PM _{2.5}	1
23	Chikkamagaluru	Satisfactory	53	O ₃	1
24	Coimbatore	Satisfactory	55	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Alwar, Brajrajnagar, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Ratlam, Sirsa, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	197	PM _{2.5}	1
26	Delhi	Severe	416	PM _{2.5} , PM ₁₀	35
27	Dewas	Moderate	165	O ₃	1
28	Dharuhera	Severe	432	PM ₁₀	1
29	Eloor	Good	37	CO	1
30	Ernakulam	Satisfactory	76	CO	1
31	Faridabad	Severe	426	PM ₁₀ , PM _{2.5}	4
32	Fatehabad	Severe	433	PM _{2.5}	1
33	Gandhinagar	Satisfactory	95	PM ₁₀	1
34	Gaya	Moderate	151	PM _{2.5}	2
35	Ghaziabad	Severe	456	PM ₁₀ , PM _{2.5}	4
36	Greater Noida	Severe	440	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Alwar, Brajrajnagar, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Ratlam, Sirsa, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Severe	434	PM _{2.5}	3
38	Guwahati	Moderate	106	PM ₁₀	1
39	Gwalior	Very Poor	378	PM _{2.5}	1
40	Hajipur	Moderate	165	PM _{2.5}	1
41	Hapur	Severe	405	PM ₁₀	1
42	Hisar	Very Poor	399	PM _{2.5}	1
43	Howrah	Poor	257	PM _{2.5}	3
44	Hubballi	Moderate	177	PM ₁₀	1
45	Hyderabad	Moderate	143	PM _{2.5}	5
46	Indore	Poor	237	PM _{2.5}	1
47	Jaipur	Poor	272	PM _{2.5}	3
48	Jalandhar	Poor	274	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Alwar, Brajrajnagar, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Ratlam, Sirsa, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Severe	441	PM _{2.5}	1
50	Jodhpur	Poor	256	PM _{2.5}	1
51	Kaithal	Severe	434	PM _{2.5}	1
52	Kalaburgi	Moderate	110	PM ₁₀	1
53	Kalyan	Moderate	124	PM _{2.5}	1
54	Kannur	Good	35	PM _{2.5}	1
55	Kanpur	Severe	436	PM _{2.5}	1
56	Karnal	Very Poor	331	PM _{2.5}	1
57	Katni	Very Poor	327	PM _{2.5}	1
58	Khanna	Poor	248	PM _{2.5}	1
59	Kochi	Moderate	109	CO	1
60	Kohima	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Alwar, Brajrajnagar, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Ratlam, Sirsa, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Poor	248	PM _{2.5}	6
62	Kollam	Satisfactory	87	PM _{2.5}	1
63	Kota	Poor	247	PM _{2.5}	1
64	Kozhikode	Satisfactory	52	PM ₁₀	1
65	Kurukshetra	Very Poor	332	PM ₁₀	1
66	Lucknow	Very Poor	392	PM _{2.5}	3
67	Ludhiana	Very Poor	310	PM _{2.5}	1
68	Mandideep	Poor	203	PM _{2.5}	1
69	Mandikhera	Very Poor	346	PM _{2.5}	1
70	Manesar	Very Poor	399	PM _{2.5}	1
71	Meerut	Very Poor	386	PM ₁₀ , PM _{2.5}	3
72	Moradabad	Very Poor	399	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Alwar, Brajrajnagar, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Ratlam, Sirsa, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mumbai	Moderate	142	O ₃ , PM ₁₀ , PM _{2.5}	9
74	Muzaffarnagar	Very Poor	365	PM ₁₀	1
75	Muzaffarpur	Moderate	196	PM ₁₀	1
76	Nandesari	Moderate	138	CO	1
77	Nashik	Satisfactory	100	O ₃	1
78	Navi Mumbai	Moderate	145	PM _{2.5}	1
79	Noida	Severe	428	PM ₁₀ , PM _{2.5}	4
80	Pali	Moderate	102	PM ₁₀	1
81	Palwal	Poor	258	PM ₁₀	1
82	Panchkula	Moderate	181	PM _{2.5}	1
83	Panipat	Severe	405	PM ₁₀	1
84	Patiala	Very Poor	316	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Alwar, Brajrajnagar, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Ratlam, Sirsa, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patna	Poor	285	PM _{2.5} , PM ₁₀ , CO	6
86	Pithampur	Moderate	175	PM _{2.5}	1
87	Pune	Satisfactory	77	PM _{2.5}	1
88	Rajamahendravaram	Moderate	181	O ₃	1
89	Ramanagara	Satisfactory	51	O ₃	1
90	Rohtak	Very Poor	394	PM _{2.5}	1
91	Rupnagar	Poor	279	PM _{2.5}	1
92	Sagar	Poor	244	PM _{2.5}	1
93	Satna	Satisfactory	79	PM ₁₀	1
94	Shillong	Good	19	PM _{2.5}	1
95	Siliguri	Moderate	188	PM _{2.5}	1
96	Singrauli	Very Poor	335	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Alwar, Brajrajnagar, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Ratlam, Sirsa, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Solapur	Moderate	127	PM ₁₀	1
98	Sonipat	Very Poor	371	PM ₁₀	1
99	Talcher	Moderate	175	NO ₂	1
100	Thane	Poor	215	PM ₁₀	1
101	Thiruvananthapuram	Good	46	PM ₁₀	1
102	Thrissur	Satisfactory	52	PM ₁₀	1
103	Tirupati	Satisfactory	70	PM _{2.5}	1
104	Udaipur	Moderate	154	PM _{2.5}	1
105	Vapi	Poor	259	PM _{2.5}	1
106	Varanasi	Very Poor	302	PM _{2.5}	1
107	Vatva	Moderate	194	PM ₁₀	1
108	Vijayapura	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Alwar, Brajrajnagar, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Ratlam, Sirsa, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Visakhapatnam	Moderate	129	PM ₁₀	1
110	Yadgir	Moderate	104	O ₃	1
111	Yamunanagar	Very Poor	353	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Alwar, Brajrajnagar, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Ratlam, Sirsa, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.