



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	158	PM _{2.5}	1
2	Agra	Moderate	153	PM ₁₀	5
3	Ahmedabad	Moderate	139	PM _{2.5} , PM ₁₀	8
4	Aizawl	Moderate	115	PM ₁₀	1
5	Ajmer	Moderate	112	PM ₁₀	1
6	Alwar	Moderate	109	PM ₁₀	1
7	Amaravati	Satisfactory	67	PM ₁₀	1
8	Ambala	Moderate	136	PM ₁₀	1
9	Ankleshwar	Moderate	136	PM _{2.5}	1
10	Arrah	Poor	210	PM ₁₀	1
11	Asansol	Moderate	186	PM _{2.5}	1
12	Aurangabad	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	148	PM ₁₀	1
14	Bagalkot	Satisfactory	51	PM ₁₀	1
15	Baghat	Poor	267	PM ₁₀	1
16	Ballabgarh	Moderate	170	PM ₁₀	1
17	Bathinda	Moderate	170	PM ₁₀	1
18	Bengaluru	Satisfactory	99	PM _{2.5} , CO, PM ₁₀	9
19	Bettiah	Poor	288	PM _{2.5}	1
20	Bhagalpur	Poor	283	PM ₁₀ , PM _{2.5}	2
21	Bhilai	Satisfactory	67	PM ₁₀	1
22	Bhiwadi	Poor	274	PM _{2.5}	1
23	Bhiwani	Moderate	153	PM ₁₀	1
24	Bhopal	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Moderate	181	PM ₁₀	1
26	Bilaspur	Satisfactory	55	PM ₁₀	1
27	Brajrajnagar	Poor	239	O ₃	1
28	Bulandshahr	Poor	259	PM ₁₀	1
29	Buxar	Poor	220	PM ₁₀	1
30	Chamarajanagar	Good	47	PM ₁₀	1
31	Chandigarh	Moderate	184	O ₃ , PM _{2.5} , PM ₁₀	3
32	Chandrapur	Moderate	181	O ₃ , PM _{2.5}	2
33	Charkhi Dadri	Moderate	176	PM ₁₀	1
34	Chennai	Satisfactory	66	PM ₁₀	8
35	Chhapra	Poor	257	PM _{2.5}	1
36	Coimbatore	Satisfactory	70	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	111	PM ₁₀	1
38	Darbhanga	Poor	215	PM ₁₀	1
39	Davanagere	Satisfactory	90	PM ₁₀	1
40	Delhi	Poor	280	PM ₁₀	37
41	Dewas	Moderate	156	PM ₁₀	1
42	Dharuhera	Poor	297	PM ₁₀	1
43	Durgapur	Very Poor	346	PM ₁₀	1
44	Eloor	Moderate	124	PM _{2.5}	1
45	Ernakulam	Satisfactory	69	PM _{2.5}	1
46	Faridabad	Poor	300	PM ₁₀ , PM _{2.5}	3
47	Fatehabad	Moderate	158	PM ₁₀	1
48	Firozabad	Moderate	160	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udipi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Satisfactory	69	PM _{2.5}	1
50	Gandhinagar	Moderate	144	PM _{2.5} , PM ₁₀	3
51	Gaya	Moderate	132	PM ₁₀ , PM _{2.5}	3
52	Ghaziabad	Very Poor	361	PM ₁₀	4
53	Gorakhpur	Satisfactory	89	PM ₁₀	1
54	Greater Noida	Very Poor	320	PM ₁₀	2
55	Gummidipoondi	Satisfactory	61	PM _{2.5}	1
56	Gurugram	Poor	227	PM ₁₀	2
57	Guwahati	Poor	266	PM _{2.5}	2
58	Gwalior	Moderate	148	PM _{2.5}	1
59	Hajipur	Moderate	198	PM _{2.5}	1
60	Haldia	Good	49	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	197	PM _{2.5}	1
62	Hassan	Satisfactory	97	PM ₁₀	1
63	Hisar	Poor	242	PM _{2.5}	1
64	Howrah	Moderate	110	PM _{2.5} , PM ₁₀	2
65	Hubballi	Moderate	101	PM ₁₀	1
66	Hyderabad	Moderate	132	PM _{2.5} , PM ₁₀	4
67	Indore	Moderate	163	PM ₁₀	1
68	Jabalpur	Moderate	188	PM ₁₀	1
69	Jaipur	Moderate	183	PM _{2.5} , PM ₁₀	3
70	Jalandhar	Moderate	159	PM ₁₀	1
71	Jhansi	Moderate	188	PM ₁₀	1
72	Jind	Moderate	151	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	173	PM _{2.5}	1
74	Kaithal	Poor	210	PM _{2.5}	1
75	Kalyan	Poor	232	PM _{2.5}	1
76	Kannur	Satisfactory	55	CO	1
77	Kanpur	Moderate	144	PM _{2.5} , PM ₁₀	3
78	Karnal	Poor	212	PM ₁₀	1
79	Katihar	Very Poor	346	PM ₁₀	1
80	Katni	Poor	255	PM ₁₀	1
81	Khanna	Moderate	130	PM ₁₀	1
82	Kishanganj	Poor	213	PM _{2.5}	1
83	Kochi	Moderate	108	PM _{2.5}	1
84	Kohima	Moderate	156	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	95	PM ₁₀	7
86	Kollam	Satisfactory	88	PM ₁₀	1
87	Kota	Moderate	163	PM _{2.5}	1
88	Kozhikode	Satisfactory	56	PM ₁₀	1
89	Kurukshetra	Poor	272	PM _{2.5}	1
90	Lucknow	Moderate	169	PM _{2.5} , PM ₁₀	6
91	Ludhiana	Moderate	129	PM ₁₀	1
92	Madikeri	Satisfactory	59	PM ₁₀	1
93	Mandi Gobindgarh	Moderate	167	PM _{2.5}	1
94	Mandideep	Moderate	194	PM ₁₀	1
95	Mandikhera	Satisfactory	99	PM ₁₀	1
96	Manesar	Very Poor	304	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	57	CO	1
98	Manguraha	Moderate	118	PM ₁₀	1
99	Meerut	Very Poor	318	PM ₁₀	3
100	Moradabad	Moderate	154	PM ₁₀ , PM _{2.5}	4
101	Motihari	Poor	271	PM ₁₀	1
102	Mumbai	Poor	211	PM _{2.5} , PM ₁₀ , O ₃	15
103	Munger	Poor	266	PM ₁₀	1
104	Muzaffarnagar	Poor	292	PM _{2.5}	1
105	Muzaffarpur	Poor	285	PM ₁₀ , PM _{2.5}	3
106	Mysuru	Satisfactory	57	PM ₁₀	1
107	Nagpur	Moderate	101	PM ₁₀	1
108	Narnaul	Moderate	145	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	89	PM ₁₀	1
110	Navi Mumbai	Moderate	174	O ₃ , PM ₁₀ , PM _{2.5}	3
111	Noida	Poor	298	PM ₁₀	3
112	Pali	Moderate	140	PM _{2.5}	1
113	Palwal	Moderate	110	CO	1
114	Panchkula	Poor	203	PM _{2.5}	1
115	Panipat	Poor	215	PM ₁₀	1
116	Patiala	Moderate	122	PM ₁₀	1
117	Patna	Poor	243	PM _{2.5} , PM ₁₀	6
118	Pithampur	Satisfactory	91	PM ₁₀	1
119	Prayagraj	Moderate	116	PM ₁₀	3
120	Puducherry	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Moderate	160	PM _{2.5}	6
122	Purnia	Poor	238	PM _{2.5}	1
123	Raichur	Moderate	134	PM ₁₀	1
124	Rajamahendravaram	Satisfactory	77	PM ₁₀	1
125	Rajgir	Moderate	155	PM ₁₀	1
126	Ramanagara	Moderate	129	PM ₁₀	1
127	Ratlam	Moderate	133	PM ₁₀	1
128	Rohtak	Poor	293	PM _{2.5}	1
129	Rupnagar	Poor	210	PM ₁₀	1
130	Saharsa	Very Poor	303	PM ₁₀	1
131	Samastipur	Very Poor	320	PM ₁₀	1
132	Sasaram	Moderate	159	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	65	PM ₁₀	1
134	Shillong	Satisfactory	68	O ₃	1
135	Shivamogga	Satisfactory	62	PM ₁₀	1
136	Siliguri	Moderate	107	PM ₁₀	1
137	Singrauli	Very Poor	322	PM ₁₀	1
138	Siwan	Poor	252	PM ₁₀	1
139	Solapur	Moderate	126	PM _{2.5}	1
140	Srinagar	Good	24	PM ₁₀	1
141	Talcher	Satisfactory	54	SO ₂	1
142	Thane	Very Poor	324	PM ₁₀	1
143	Thiruvananthapuram	Satisfactory	60	PM ₁₀	2
144	Thoothukudi	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Satisfactory	73	PM ₁₀	1
146	Tirupati	Moderate	110	PM _{2.5}	1
147	Udaipur	Moderate	130	PM _{2.5}	1
148	Ujjain	Moderate	150	PM ₁₀	1
149	Varanasi	Moderate	101	PM ₁₀	4
150	Vatva	Moderate	113	PM ₁₀	1
151	Vijayapura	Satisfactory	51	PM ₁₀	1
152	Visakhapatnam	Moderate	113	PM ₁₀	1
153	Vrindavan	Moderate	161	PM ₁₀	1
154	Yadgir	Satisfactory	100	PM _{2.5}	1
155	Yamunanagar	Poor	252	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Araria, Bahadurgarh, Bidar, Chikkaballapur, Chikkamagaluru, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Naharlagun, Nandesari, Sagar, Sirsa, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.