



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	161	PM _{2.5}	2
2	Agra	Moderate	172	PM _{2.5}	6
3	Ahmedabad	Moderate	103	NO ₂	1
4	Aizawl	Good	25	PM ₁₀	1
5	Ajmer	Moderate	109	PM _{2.5}	1
6	Alwar	Moderate	116	PM _{2.5}	1
7	Amaravati	Moderate	137	PM _{2.5}	1
8	Ambala	Poor	257	PM _{2.5}	1
9	Amritsar	Poor	203	PM _{2.5}	1
10	Anantapur	Satisfactory	90	O ₃	1
11	Ankleshwar	Poor	222	PM _{2.5}	1
12	Araria	Moderate	200	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidiipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	337	PM ₁₀	1
14	Asansol	Poor	236	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	295	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	66	O ₃	1
17	Baddi	Moderate	182	PM _{2.5}	1
18	Bagalkot	Satisfactory	52	PM ₁₀	1
19	Baghpat	Very Poor	339	PM _{2.5}	1
20	Bahadurgarh	Poor	279	PM _{2.5}	1
21	Ballabgarh	Poor	238	PM _{2.5}	1
22	Bareilly	Moderate	140	PM ₁₀	2
23	Baripada	Poor	218	PM _{2.5}	1
24	Begusarai	Severe	460	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	168	PM _{2.5} , PM ₁₀	6
26	Bettiah	Very Poor	378	PM _{2.5}	1
27	Bhagalpur	Poor	296	PM _{2.5}	2
28	Bhiwadi	Very Poor	355	PM ₁₀	1
29	Bhiwani	Poor	236	PM _{2.5}	1
30	Bhopal	Poor	208	PM _{2.5}	2
31	Bidar	Satisfactory	73	SO ₂	1
32	Bihar Sharif	Very Poor	367	PM _{2.5}	1
33	Bilaspur	Moderate	104	PM ₁₀	1
34	Bileipada	Moderate	176	PM _{2.5}	1
35	Brajrajnagar	Satisfactory	98	PM ₁₀	1
36	Bulandshahr	Poor	256	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhillai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Buxar	Severe	439	PM _{2.5}	1
38	Chamarajanagar	Good	38	PM ₁₀	1
39	Chandigarh	Moderate	192	PM _{2.5} , PM ₁₀	3
40	Chandrapur	Poor	214	PM _{2.5}	1
41	Charkhi Dadri	Poor	207	PM _{2.5}	1
42	Chennai	Moderate	142	PM _{2.5}	8
43	Chhapra	Severe	419	PM ₁₀	1
44	Chikkaballapur	Moderate	184	PM _{2.5}	1
45	Chikkamagaluru	Good	34	CO	1
46	Chittoor	Moderate	128	PM _{2.5}	1
47	Darbhanga	Severe	427	PM ₁₀	1
48	Davanagere	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidiipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Very Poor	369	PM _{2.5} , PM ₁₀	36
50	Dewas	Moderate	117	PM ₁₀	1
51	Dharuhera	Very Poor	319	PM _{2.5}	1
52	Dharwad	Moderate	164	PM _{2.5}	1
53	Durgapur	Moderate	121	PM ₁₀	1
54	Eloor	Satisfactory	62	PM ₁₀	1
55	Faridabad	Very Poor	320	PM _{2.5}	4
56	Fatehabad	Poor	246	PM _{2.5}	1
57	Firozabad	Satisfactory	94	PM _{2.5}	2
58	Gadag	Poor	294	PM ₁₀	1
59	Gandhinagar	Satisfactory	80	PM ₁₀	1
60	Gangtok	Good	31	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Poor	276	PM _{2.5}	3
62	Ghaziabad	Very Poor	332	PM ₁₀	4
63	Gorakhpur	Moderate	136	PM _{2.5}	1
64	Greater Noida	Severe	406	PM ₁₀ , PM _{2.5}	2
65	Gurugram	Very Poor	312	PM _{2.5}	4
66	Guwahati	Moderate	101	PM _{2.5}	3
67	Gwalior	Very Poor	328	PM _{2.5}	2
68	Hajipur	Very Poor	343	PM _{2.5}	1
69	Haldia	Moderate	116	PM ₁₀	1
70	Hapur	Moderate	150	PM _{2.5}	1
71	Hassan	Satisfactory	74	PM _{2.5}	1
72	Haveri	Satisfactory	86	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Poor	276	PM _{2.5}	1
74	Hosur	Moderate	123	PM _{2.5}	1
75	Howrah	Poor	208	PM _{2.5}	3
76	Hubballi	Moderate	143	PM _{2.5}	1
77	Hyderabad	Moderate	105	PM _{2.5} , PM ₁₀	13
78	Imphal	Moderate	112	PM _{2.5} , SO ₂	2
79	Indore	Moderate	118	PM ₁₀	1
80	Jabalpur	Poor	267	PM _{2.5}	1
81	Jaipur	Moderate	164	PM ₁₀	3
82	Jalandhar	Moderate	179	PM _{2.5}	1
83	Jhansi	Poor	231	PM _{2.5}	1
84	Jind	Very Poor	311	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	148	PM ₁₀	1
86	Kaithal	Poor	293	PM _{2.5}	1
87	Kalaburgi	Moderate	167	PM _{2.5}	1
88	Kanchipuram	Satisfactory	90	PM ₁₀	1
89	Kannur	Satisfactory	80	PM ₁₀	1
90	Kanpur	Poor	215	PM _{2.5}	3
91	Karnal	Poor	264	PM _{2.5}	1
92	Katihar	Poor	289	PM ₁₀	1
93	Katni	Poor	267	PM _{2.5}	1
94	Keonjhar	Poor	256	PM _{2.5}	1
95	Khanna	Moderate	146	PM _{2.5}	1
96	Khurja	Poor	260	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kishanganj	Moderate	160	PM ₁₀	1
98	Kochi	Moderate	144	PM _{2.5}	1
99	Kohima	Satisfactory	61	PM ₁₀	1
100	Kolar	Moderate	135	PM ₁₀	1
101	Kolkata	Moderate	179	PM _{2.5}	7
102	Kollam	Satisfactory	64	PM ₁₀	1
103	Kota	Moderate	157	PM ₁₀	1
104	Kozhikode	Good	45	PM ₁₀	1
105	Lucknow	Poor	264	PM _{2.5}	6
106	Ludhiana	Poor	203	PM _{2.5}	1
107	Madikeri	Good	26	O ₃	1
108	Maihar	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Moderate	143	PM _{2.5}	1
110	Mandideep	Moderate	155	PM ₁₀	1
111	Mandikhera	Moderate	147	PM ₁₀	1
112	Manesar	Poor	285	PM _{2.5}	1
113	Mangalore	Satisfactory	73	NO ₂	1
114	Manguraha	Satisfactory	79	PM _{2.5}	1
115	Meerut	Poor	261	PM _{2.5}	3
116	Moradabad	Moderate	127	PM _{2.5}	6
117	Motihari	Severe	418	PM _{2.5}	1
118	Mumbai	Moderate	158	PM _{2.5} , PM ₁₀	19
119	Munger	Very Poor	324	PM _{2.5}	1
120	Muzaffarnagar	Poor	232	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Very Poor	380	PM _{2.5}	1
122	Mysuru	Good	49	O ₃	1
123	Nagpur	Poor	252	PM _{2.5}	1
124	Nalbari	Moderate	114	PM ₁₀	1
125	Narnaul	Poor	209	PM _{2.5}	1
126	Navi Mumbai	Moderate	187	PM _{2.5}	3
127	Nayagarh	Moderate	132	PM _{2.5}	1
128	Noida	Very Poor	344	PM _{2.5}	4
129	Pali	Moderate	128	PM _{2.5}	1
130	Palwal	Moderate	102	PM ₁₀	1
131	Panchkula	Moderate	104	PM _{2.5}	1
132	Patiala	Moderate	195	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patna	Very Poor	348	PM ₁₀ , PM _{2.5}	6
134	Pithampur	Moderate	136	PM ₁₀	1
135	Prayagraj	Poor	204	PM _{2.5} , PM ₁₀	3
136	Puducherry	Moderate	117	PM _{2.5}	1
137	Purnia	Poor	266	PM _{2.5}	1
138	Raichur	Moderate	169	PM ₁₀	1
139	Rairangpur	Moderate	198	PM _{2.5}	1
140	Rajamahendravaram	Moderate	153	PM _{2.5}	1
141	Rajgir	Very Poor	336	PM _{2.5}	1
142	Ramanagara	Moderate	153	PM _{2.5}	1
143	Ramanathapuram	Satisfactory	94	PM ₁₀	1
144	Ratlam	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rohtak	Poor	280	PM _{2.5}	1
146	Rourkela	Poor	256	PM ₁₀	1
147	Rupnagar	Moderate	124	PM ₁₀	1
148	Sagar	Moderate	112	PM _{2.5}	2
149	Salem	Moderate	112	PM _{2.5}	1
150	Samastipur	Very Poor	350	PM _{2.5}	1
151	Sasaram	Poor	260	PM _{2.5}	1
152	Satna	Satisfactory	57	PM ₁₀	1
153	Shillong	Good	23	SO ₂	1
154	Shivamogga	Satisfactory	62	O ₃	1
155	Siliguri	Satisfactory	99	PM ₁₀	1
156	Singrauli	Very Poor	322	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sirsa	Poor	267	PM _{2.5}	1
158	Sivasagar	Good	46	PM ₁₀	1
159	Siwan	Severe	454	PM _{2.5}	1
160	Sonipat	Poor	210	PM _{2.5}	1
161	Srinagar	Moderate	128	PM _{2.5}	1
162	Suakati	Poor	231	PM _{2.5}	1
163	Surat	Poor	231	PM _{2.5}	1
164	Talcher	Moderate	170	PM _{2.5}	1
165	Tensa	Poor	220	PM _{2.5}	1
166	Thane	Moderate	143	PM ₁₀	1
167	Thiruvananthapuram	Good	44	PM _{2.5} , PM ₁₀	2
168	Thrissur	Satisfactory	67	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupati	Moderate	144	PM _{2.5}	2
170	Udaipur	Moderate	177	PM _{2.5}	1
171	Udupi	Moderate	101	CO	1
172	Ujjain	Moderate	140	PM _{2.5}	1
173	Vapi	Very Poor	327	PM _{2.5}	1
174	Varanasi	Poor	216	PM _{2.5}	3
175	Vatva	Moderate	125	PM ₁₀	1
176	Vijayapura	Satisfactory	72	PM ₁₀	1
177	Visakhapatnam	Poor	236	PM _{2.5}	1
178	Vrindavan	Moderate	145	PM ₁₀	1
179	Yadgir	Moderate	112	PM _{2.5}	1
180	Yamunanagar	Poor	240	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Belgaum, Bhilai, Chengalpattu, Coimbatore, Damoh, Dehradun, Dindigul, Ernakulam, Gummidiipoondi, Jorapokhar, Kalyan, Koppal, Korba, Kurukshetra, Naharlagun, Nandesari, Nashik, Ooty, Panipat, Pune, Raipur, Saharsa, Solapur, Thoothukudi, Tirupur, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.