



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	233	PM _{2.5}	2
2	Agra	Moderate	112	PM _{2.5}	6
3	Ahmedabad	Satisfactory	90	PM ₁₀	1
4	Aizawl	Good	38	PM ₁₀	1
5	Ajmer	Moderate	146	PM _{2.5}	1
6	Alwar	Moderate	118	PM _{2.5}	1
7	Ambala	Moderate	171	PM _{2.5}	1
8	Amritsar	Poor	226	PM _{2.5}	1
9	Anantapur	Satisfactory	72	O ₃	1
10	Ankleshwar	Poor	240	PM _{2.5}	1
11	Arrah	Very Poor	348	PM _{2.5}	1
12	Asansol	Poor	256	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Very Poor	350	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Moderate	131	PM ₁₀	1
15	Baddi	Moderate	186	PM _{2.5}	1
16	Bagalkot	Good	43	PM ₁₀	1
17	Baghpat	Moderate	167	PM _{2.5}	1
18	Bahadurgarh	Poor	294	PM _{2.5}	1
19	Ballabgarh	Very Poor	341	PM _{2.5}	1
20	Bareilly	Moderate	165	PM _{2.5}	2
21	Baripada	Moderate	154	PM _{2.5}	1
22	Begusarai	Very Poor	377	PM _{2.5}	1
23	Belgaum	Satisfactory	88	PM ₁₀	1
24	Bengaluru	Moderate	128	PM _{2.5} , CO	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Very Poor	320	PM _{2.5}	1
26	Bhagalpur	Very Poor	316	PM _{2.5}	2
27	Bhiwadi	Poor	289	PM ₁₀	1
28	Bhiwani	Poor	266	PM _{2.5}	1
29	Bhopal	Poor	216	PM _{2.5}	2
30	Bidar	Satisfactory	80	SO ₂	1
31	Bihar Sharif	Very Poor	364	PM _{2.5}	1
32	Bilaspur	Satisfactory	90	PM ₁₀	1
33	Bileipada	Moderate	142	PM _{2.5}	1
34	Brajrajnagar	Satisfactory	95	PM ₁₀	1
35	Bulandshahr	Poor	266	PM _{2.5}	1
36	Chamarajanagar	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	152	PM _{2.5} , PM ₁₀	3
38	Chandrapur	Very Poor	303	PM _{2.5}	1
39	Charkhi Dadri	Poor	276	PM _{2.5}	1
40	Chennai	Moderate	132	PM _{2.5} , PM ₁₀	7
41	Chhapra	Very Poor	369	PM _{2.5}	1
42	Chikkaballapur	Moderate	142	PM ₁₀	1
43	Chikkamagaluru	Satisfactory	54	PM ₁₀	1
44	Chittoor	Satisfactory	95	PM _{2.5}	1
45	Damoh	Moderate	142	PM _{2.5}	1
46	Darbhanga	Very Poor	360	PM ₁₀	1
47	Delhi	Very Poor	368	PM _{2.5}	37
48	Dewas	Moderate	157	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Very Poor	334	PM _{2.5}	1
50	Dharwad	Moderate	148	PM ₁₀	1
51	Eloor	Satisfactory	58	PM ₁₀	1
52	Faridabad	Very Poor	312	PM _{2.5}	4
53	Fatehabad	Poor	223	PM _{2.5}	1
54	Firozabad	Moderate	154	PM _{2.5}	2
55	Gadag	Satisfactory	68	PM _{2.5}	1
56	Gandhinagar	Satisfactory	76	PM ₁₀	1
57	Gangtok	Good	33	O ₃	1
58	Gaya	Very Poor	323	PM _{2.5}	3
59	Ghaziabad	Very Poor	314	PM ₁₀	4
60	Gorakhpur	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Very Poor	384	PM ₁₀ , PM _{2.5}	2
62	Gurugram	Poor	292	PM _{2.5}	4
63	Guwahati	Moderate	116	PM _{2.5}	3
64	Gwalior	Very Poor	330	PM _{2.5}	2
65	Hajipur	Poor	281	PM _{2.5}	1
66	Haldia	Moderate	107	PM ₁₀	1
67	Hapur	Moderate	187	PM _{2.5}	1
68	Hassan	Satisfactory	82	PM _{2.5}	1
69	Haveri	Moderate	171	PM _{2.5}	1
70	Hisar	Poor	275	PM _{2.5}	1
71	Hosur	Moderate	101	PM ₁₀	1
72	Howrah	Poor	202	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Moderate	127	PM _{2.5}	1
74	Hyderabad	Moderate	123	PM _{2.5}	14
75	Imphal	Satisfactory	89	SO ₂	2
76	Indore	Moderate	121	PM ₁₀	1
77	Jaipur	Moderate	164	PM ₁₀	2
78	Jalandhar	Moderate	181	PM _{2.5}	1
79	Jhansi	Poor	217	PM _{2.5}	1
80	Jind	Poor	294	PM _{2.5}	1
81	Jodhpur	Moderate	171	PM _{2.5}	1
82	Kalaburgi	Poor	202	PM _{2.5}	1
83	Kanchipuram	Satisfactory	70	PM ₁₀	1
84	Kannur	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanpur	Moderate	191	PM _{2.5}	3
86	Karnal	Poor	227	PM _{2.5}	1
87	Katihar	Very Poor	325	PM ₁₀	1
88	Katni	Poor	243	PM _{2.5}	1
89	Keonjhar	Moderate	172	PM _{2.5}	1
90	Khanna	Moderate	200	PM _{2.5}	1
91	Khurja	Satisfactory	85	PM ₁₀	1
92	Kishanganj	Moderate	151	PM ₁₀	1
93	Kochi	Poor	228	PM _{2.5}	1
94	Kohima	Satisfactory	53	PM ₁₀	1
95	Kolar	Moderate	129	PM ₁₀	1
96	Kolkata	Moderate	189	PM _{2.5}	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kollam	Moderate	118	PM ₁₀	1
98	Koppal	Satisfactory	57	PM ₁₀	1
99	Kota	Moderate	171	PM ₁₀	1
100	Kurukshetra	Poor	257	PM _{2.5}	1
101	Lucknow	Poor	214	PM _{2.5}	6
102	Ludhiana	Moderate	188	PM _{2.5}	1
103	Madikeri	Good	40	O ₃	1
104	Maihar	Satisfactory	93	PM ₁₀	1
105	Mandi Gobindgarh	Poor	220	PM _{2.5}	1
106	Mandideep	Moderate	125	PM ₁₀	1
107	Mandikhera	Moderate	129	PM ₁₀	1
108	Manesar	Poor	287	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mangalore	Moderate	123	PM _{2.5}	1
110	Manguraha	Satisfactory	58	PM ₁₀	1
111	Meerut	Moderate	194	PM _{2.5}	3
112	Moradabad	Moderate	138	PM _{2.5}	6
113	Motihari	Very Poor	342	PM _{2.5}	1
114	Mumbai	Poor	213	PM _{2.5} , PM ₁₀	19
115	Munger	Poor	286	PM _{2.5}	1
116	Muzaffarnagar	Poor	249	PM _{2.5}	1
117	Mysuru	Satisfactory	60	PM ₁₀	1
118	Nagpur	Very Poor	333	PM _{2.5}	1
119	Nalbari	Moderate	146	PM ₁₀	1
120	Narnaul	Poor	210	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nashik	Moderate	178	PM _{2.5}	1
122	Navi Mumbai	Poor	292	PM _{2.5}	3
123	Nayagarh	Moderate	153	PM _{2.5}	1
124	Noida	Very Poor	301	PM _{2.5} , PM ₁₀	4
125	Ooty	Satisfactory	84	PM ₁₀	1
126	Pali	Moderate	110	PM _{2.5}	1
127	Palwal	Satisfactory	80	PM ₁₀	1
128	Panchkula	Moderate	115	PM _{2.5}	1
129	Patiala	Moderate	144	PM _{2.5}	1
130	Patna	Very Poor	362	PM ₁₀ , PM _{2.5}	6
131	Pithampur	Poor	234	PM _{2.5}	1
132	Prayagraj	Moderate	135	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Purnia	Very Poor	318	PM _{2.5}	1
134	Raichur	Moderate	170	PM ₁₀	1
135	Rairangpur	Moderate	145	PM _{2.5}	1
136	Rajamahendravaram	Moderate	142	PM _{2.5}	1
137	Rajgir	Very Poor	353	PM _{2.5}	1
138	Ramanagara	Moderate	119	PM _{2.5}	1
139	Ramanathapuram	Satisfactory	63	PM ₁₀	1
140	Ratlam	Moderate	113	PM ₁₀	1
141	Rohtak	Poor	256	PM _{2.5}	1
142	Rourkela	Poor	285	PM ₁₀	1
143	Rupnagar	Moderate	125	PM ₁₀	1
144	Sagar	Moderate	125	PM _{2.5} , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Saharsa	Very Poor	327	PM _{2.5}	1
146	Salem	Moderate	116	PM _{2.5}	1
147	Samastipur	Very Poor	324	PM _{2.5}	1
148	Sasaram	Very Poor	359	PM _{2.5}	1
149	Satna	Satisfactory	63	O ₃	1
150	Shillong	Good	30	PM _{2.5}	1
151	Shivamogga	Satisfactory	60	PM ₁₀	1
152	Siliguri	Moderate	117	PM ₁₀	1
153	Singrauli	Very Poor	349	PM _{2.5}	1
154	Sirsa	Moderate	185	PM _{2.5}	1
155	Sivasagar	Satisfactory	56	PM ₁₀	1
156	Siwan	Very Poor	385	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sonipat	Moderate	163	PM _{2.5}	1
158	Srinagar	Moderate	144	PM _{2.5}	1
159	Suakati	Moderate	177	PM _{2.5}	1
160	Surat	Poor	254	PM _{2.5}	1
161	Talcher	Poor	214	PM _{2.5}	1
162	Thane	Moderate	172	PM ₁₀	1
163	Thiruvananthapuram	Satisfactory	90	PM _{2.5}	2
164	Thoothukudi	Satisfactory	68	PM ₁₀	1
165	Thrissur	Satisfactory	67	PM _{2.5}	1
166	Tirupati	Moderate	112	PM _{2.5}	2
167	Tirupur	Poor	213	PM ₁₀	1
168	Udaipur	Moderate	197	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ujjain	Moderate	156	PM _{2.5}	1
170	Vapi	Very Poor	315	PM _{2.5}	1
171	Varanasi	Moderate	128	PM _{2.5}	4
172	Vatva	Moderate	122	PM ₁₀	1
173	Vijayapura	Satisfactory	74	PM ₁₀	1
174	Visakhapatnam	Moderate	125	PM _{2.5}	1
175	Vrindavan	Moderate	121	PM ₁₀	1
176	Yadgir	Satisfactory	100	PM _{2.5}	1
177	Yamunanagar	Moderate	172	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Araria, Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Dindigul, Durgapur, Ernakulam, Gummidipoondi, Jabalpur, Jorapokhar, Kaithal, Kalyan, Korba, Kozhikode, Muzaffarpur, Naharlagun, Nandesari, Panipat, Puducherry, Pune, Raipur, Solapur, Tensa, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.