



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	233	PM _{2.5}	2
2	Agra	Satisfactory	69	PM ₁₀	5
3	Ahmedabad	Moderate	163	PM _{2.5} , NO ₂	7
4	Aizawl	Moderate	145	PM ₁₀	1
5	Ajmer	Moderate	104	PM ₁₀	1
6	Alwar	Satisfactory	78	PM ₁₀	1
7	Amaravati	Satisfactory	85	PM ₁₀	1
8	Amritsar	Moderate	101	PM _{2.5}	1
9	Ankleshwar	Poor	204	PM _{2.5}	1
10	Araria	Very Poor	328	PM _{2.5}	1
11	Ariyalur	Satisfactory	75	PM _{2.5}	1
12	Arrah	Poor	241	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonapat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	201	PM _{2.5}	1
14	Aurangabad (Bihar)	Moderate	173	PM ₁₀	1
15	Aurangabad (Maharashtra)	Moderate	137	PM ₁₀	1
16	Baddi	Moderate	164	O ₃	1
17	Bagalkot	Good	43	PM ₁₀	1
18	Baghpat	Moderate	199	PM _{2.5}	1
19	Bahadurgarh	Moderate	197	PM _{2.5}	1
20	Ballabgarh	Moderate	101	PM ₁₀	1
21	Banswara	Moderate	115	PM ₁₀	1
22	Bareilly	Satisfactory	73	PM ₁₀	2
23	Baripada	Moderate	178	O ₃	1
24	Barmer	Moderate	179	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	119	PM ₁₀	1
26	Begusarai	Very Poor	340	PM _{2.5}	1
27	Belgaum	Satisfactory	100	PM ₁₀	1
28	Bengaluru	Satisfactory	95	PM ₁₀	11
29	Bettiah	Poor	237	PM _{2.5}	1
30	Bhagalpur	Poor	266	PM _{2.5}	2
31	Bharatpur	Moderate	149	PM ₁₀	1
32	Bhilai	Satisfactory	66	PM ₁₀	2
33	Bhiwadi	Poor	230	PM ₁₀	1
34	Bhiwani	Moderate	161	PM _{2.5}	1
35	Bhopal	Moderate	120	O ₃	3
36	Bidar	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Satisfactory	89	PM ₁₀	1
38	Bikaner	Poor	224	PM ₁₀	1
39	Bilaspur	Moderate	114	PM ₁₀	1
40	Bileipada	Poor	280	PM ₁₀	1
41	Brajrajnagar	Moderate	144	PM ₁₀	1
42	Bulandshahr	Moderate	126	PM ₁₀	1
43	Chamarajanagar	Good	46	PM ₁₀	1
44	Chandigarh	Moderate	120	PM _{2.5}	3
45	Chandrapur	Moderate	161	PM _{2.5}	1
46	Charkhi Dadri	Moderate	196	PM _{2.5}	1
47	Chennai	Moderate	104	PM _{2.5} , PM ₁₀	8
48	Chhal	Moderate	190	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Poor	260	PM ₁₀	1
50	Chikkaballapur	Satisfactory	97	PM ₁₀	1
51	Chikkamagaluru	Satisfactory	55	PM ₁₀	1
52	Chittoor	Satisfactory	96	PM _{2.5}	1
53	Chittorgarh	Moderate	166	PM _{2.5}	1
54	Churu	Moderate	116	PM ₁₀	1
55	Coimbatore	Moderate	150	PM _{2.5}	1
56	Cuddalore	Moderate	109	PM _{2.5}	2
57	Damoh	Good	26	CO	1
58	Dausa	Moderate	150	PM ₁₀	1
59	Davanagere	Satisfactory	95	PM ₁₀	1
60	Dehradun	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonapat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Poor	213	PM ₁₀ , PM _{2.5}	37
62	Dewas	Moderate	102	CO	1
63	Dhanbad	Moderate	179	PM _{2.5}	1
64	Dharuhera	Moderate	186	PM ₁₀	1
65	Dholpur	Satisfactory	85	PM ₁₀	1
66	Dindigul	Moderate	143	NO ₂	1
67	Durgapur	Moderate	160	PM _{2.5}	1
68	Eloor	Satisfactory	98	PM ₁₀	1
69	Faridabad	Poor	227	PM _{2.5} , PM ₁₀	3
70	Fatehabad	Moderate	123	PM _{2.5}	1
71	Firozabad	Satisfactory	80	O ₃ , PM ₁₀	2
72	Gadag	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Moderate	147	PM _{2.5} , PM ₁₀	3
74	Gangtok	Satisfactory	60	O ₃	1
75	Gaya	Moderate	158	PM ₁₀ , PM _{2.5}	3
76	Ghaziabad	Poor	213	O ₃	4
77	Gorakhpur	Moderate	104	PM _{2.5}	1
78	Greater Noida	Poor	210	PM ₁₀	2
79	Gummidipoondi	Moderate	137	PM _{2.5}	1
80	Gurugram	Moderate	160	PM _{2.5}	4
81	Guwahati	Moderate	157	PM _{2.5}	4
82	Gwalior	Moderate	116	O ₃	3
83	Hajipur	Poor	266	PM ₁₀	1
84	Haldia	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Moderate	174	O ₃	1
86	Hassan	Moderate	137	PM _{2.5}	1
87	Haveri	Moderate	104	PM _{2.5}	1
88	Hosur	Moderate	112	PM _{2.5}	1
89	Howrah	Moderate	116	PM ₁₀	2
90	Hubballi	Moderate	150	PM ₁₀ , PM _{2.5}	2
91	Hyderabad	Satisfactory	98	CO, PM ₁₀	13
92	Imphal	Moderate	170	PM _{2.5} , SO ₂	2
93	Indore	Satisfactory	100	PM ₁₀	2
94	Jabalpur	Satisfactory	85	PM ₁₀	1
95	Jaipur	Satisfactory	85	PM _{2.5} , PM ₁₀	3
96	Jalandhar	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhalawar	Moderate	165	O ₃	1
98	Jhansi	Satisfactory	64	PM ₁₀	1
99	Jhunjhunu	Poor	205	O ₃	1
100	Jind	Moderate	108	PM _{2.5}	1
101	Jodhpur	Poor	247	PM ₁₀	3
102	Jorapokhar	Moderate	154	PM ₁₀	1
103	Kalaburgi	Satisfactory	88	PM ₁₀	2
104	Kanchipuram	Satisfactory	84	PM ₁₀	1
105	Kannur	Moderate	134	CO	1
106	Kanpur	Moderate	109	PM _{2.5}	3
107	Karauli	Good	49	O ₃	1
108	Karnal	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kashipur	Satisfactory	69	PM ₁₀	1
110	Katihar	Very Poor	310	PM _{2.5}	1
111	Katni	Moderate	150	PM ₁₀	1
112	Keonjhar	Poor	209	PM _{2.5}	1
113	Khanna	Satisfactory	84	PM ₁₀	1
114	Khurja	Moderate	125	PM _{2.5}	1
115	Kishanganj	Poor	233	PM ₁₀	1
116	Kochi	Satisfactory	96	PM _{2.5}	1
117	Kohima	Moderate	198	PM _{2.5}	1
118	Kolar	Moderate	138	PM _{2.5}	1
119	Kolkata	Moderate	111	O ₃	7
120	Kollam	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Satisfactory	90	O ₃	1
122	Kota	Moderate	145	PM _{2.5}	3
123	Kozhikode	Satisfactory	63	PM _{2.5}	1
124	Kurukshetra	Moderate	116	PM _{2.5}	1
125	Lucknow	Moderate	171	PM _{2.5}	6
126	Ludhiana	Moderate	153	PM ₁₀	1
127	Madikeri	Good	41	PM _{2.5}	1
128	Maihar	Good	36	PM ₁₀	1
129	Mandi Gobindgarh	Moderate	188	PM ₁₀	1
130	Mandideep	Poor	227	PM ₁₀	1
131	Manesar	Moderate	169	PM _{2.5}	1
132	Mangalore	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonapat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Meerut	Poor	217	PM _{2.5}	3
134	Moradabad	Satisfactory	91	PM ₁₀	6
135	Motihari	Moderate	164	PM ₁₀	1
136	Mumbai	Moderate	165	NO ₂ , O ₃	18
137	Munger	Poor	234	PM ₁₀	1
138	Muzaffarnagar	Poor	218	PM _{2.5}	1
139	Muzaffarpur	Poor	292	PM _{2.5}	3
140	Mysuru	Good	48	PM ₁₀	1
141	Nagaon	Poor	265	PM _{2.5}	1
142	Nagpur	Moderate	112	PM _{2.5}	1
143	Naharlagun	Satisfactory	51	PM ₁₀	1
144	Nalbari	Moderate	181	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nandesari	Good	38	PM _{2.5}	1
146	Narnaul	Moderate	173	PM ₁₀	1
147	Nashik	Satisfactory	92	PM _{2.5}	1
148	Navi Mumbai	Poor	236	PM _{2.5}	2
149	Nayagarh	Very Poor	318	PM _{2.5}	1
150	Noida	Poor	211	PM ₁₀ , PM _{2.5}	4
151	Ooty	Moderate	120	PM _{2.5}	1
152	Pali	Satisfactory	94	PM ₁₀	1
153	Palwal	Satisfactory	72	PM ₁₀	1
154	Panchkula	Satisfactory	97	CO	1
155	Panipat	Moderate	126	PM ₁₀	1
156	Patiala	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Poor	281	PM ₁₀ , PM _{2.5}	6
158	Pithampur	Moderate	101	PM ₁₀	1
159	Prayagraj	Moderate	122	O ₃ , PM ₁₀	3
160	Puducherry	Satisfactory	94	PM _{2.5}	1
161	Pune	Moderate	139	PM _{2.5} , PM ₁₀	3
162	Purnia	Moderate	192	PM _{2.5}	1
163	Raichur	Moderate	115	PM ₁₀	1
164	Raipur	Moderate	104	NO ₂	4
165	Rairangpur	Moderate	149	PM _{2.5}	1
166	Rajamahendravaram	Moderate	171	PM _{2.5}	1
167	Rajsamand	Satisfactory	98	PM _{2.5}	1
168	Ramanagara	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanathapuram	Satisfactory	69	PM ₁₀	1
170	Ratlam	Moderate	116	PM ₁₀	1
171	Rishikesh	Satisfactory	52	PM ₁₀	1
172	Rohtak	Moderate	105	PM _{2.5}	1
173	Rourkela	Very Poor	304	PM ₁₀	3
174	Rupnagar	Moderate	101	PM ₁₀	1
175	Sagar	Satisfactory	93	O ₃	1
176	Saharsa	Very Poor	305	PM _{2.5}	1
177	Samastipur	Poor	276	PM _{2.5}	1
178	Sasaram	Moderate	104	PM ₁₀	1
179	Sawai Madhopur	Moderate	152	O ₃	1
180	Shillong	Moderate	198	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shivamogga	Good	40	O ₃	1
182	Sikar	Moderate	163	PM ₁₀	1
183	Silchar	Satisfactory	80	PM ₁₀	1
184	Siliguri	Moderate	168	PM _{2.5}	1
185	Singrauli	Poor	241	PM _{2.5}	1
186	Sirohi	Satisfactory	97	O ₃	1
187	Sirsa	Moderate	103	PM ₁₀	1
188	Sivasagar	Satisfactory	57	PM _{2.5}	1
189	Siwan	Very Poor	322	PM _{2.5}	1
190	Solapur	Moderate	128	PM ₁₀	1
191	Sri Ganganagar	Poor	246	PM _{2.5}	1
192	Srinagar	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Suakati	Moderate	171	PM _{2.5}	1
194	Surat	Poor	212	PM _{2.5}	1
195	Thane	Poor	225	O ₃	1
196	Thiruvananthapuram	Satisfactory	72	PM ₁₀ , PM _{2.5}	2
197	Thoothukudi	Satisfactory	69	PM ₁₀	1
198	Tirupati	Satisfactory	97	PM _{2.5}	1
199	Tonk	Moderate	163	PM ₁₀	1
200	Tumidih	Moderate	126	O ₃	1
201	Udaipur	Moderate	112	PM ₁₀	1
202	Udupi	Satisfactory	73	O ₃	1
203	Ujjain	Moderate	148	PM ₁₀	1
204	Vapi	Poor	228	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonpat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Varanasi	Satisfactory	91	PM ₁₀	4
206	Vatva	Poor	218	PM _{2.5}	1
207	Vijayapura	Good	42	PM ₁₀	1
208	Vijayawada	Moderate	178	PM _{2.5}	1
209	Visakhapatnam	Poor	205	PM ₁₀	1
210	Vrindavan	Moderate	152	PM ₁₀	1
211	Yadgir	Satisfactory	89	PM ₁₀	1
212	Yamunanagar	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Anantapur, Buxar, Byrnihat, Chengalpattu, Darbhanga, Dharwad, Ernakulam, Hanumangarh, Hisar, Kadapa, Kaithal, Kalyan, Korba, Kunjemura, Mandikhera, Manguraha, Milupara, Pratapgarh, Rajgir, Salem, Satna, Sonipat, Talcher, Tensa, Thrissur, Tirupur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.