

DOC:CB/CL/QR7.4/FWL-1	Issue No. 3	Issue date: 19.02.2014	Revision No.: 3	Revision date: 18.09.2020
-----------------------	-------------	------------------------	-----------------	---------------------------

Sample Reg. No.:



CENTRAL POLLUTION CONTROL BOARD
Parivesh Bhawan, East Arjun Nagar, Delhi-110032

FRESH WATER LABORATORY

Requisition for Analysis of Fresh Water Samples for Physico-Chemical Parameters

- 1 Division :
- 2 Project :
- 3 Sampling source :
- 4 Name of Sampling point/Sample code :
- 5 Sample Collected by :
- 6 Date & Time of Sampling :
- 7 Sampling depth(m) :
- 8 Sample details :

S.No.	Parameter	Nature of Sample		Sample Preserved in	Sample Volume (ml)	Container Condition	
		Grab	Composite (hr.)			OK	Not Satisfactory
1.							
2.							
3.							
4.							
5.							

9. Remarks:

Indentor I/C Indenting Division I/C Water Lab Sample Receiver

.....

Sample Reg. No.:

ACKNOWLEDGEMENT

Received.....samples from No.....to.....on.....at.....a.m./p.m.
from.....Division/Zonal Office/SPCB for Physico-Chemical.....testing.

Remarks:

Date:

Signature of Sample receiver

