

By Speed Post

F.NO. CP-12/02/2021-IPC-III-HO-CPCB-HO 3779

July 22, 2021

To

The Member Secretary,
Punjab Pollution Control Board (PPCB)
Vatavaran Bhawan, Nabha Road,
Patiala - 147 001

Sub: Inspection of M/s Chopra Process, Bahadurke Road, Dyeing Complex,
Ludhiana -Regd.

Sir,

It is to inform you that M/s Chopra Process, Bahadurke Road, Dyeing Complex, Ludhiana was inspected by a team of CPCB officials on 25.06.2021 to verify the compliance status of the industries under the special drive in catchment of River Sutlej within the jurisdiction of Punjab. As reported, the unit was discharging the effluent into 15 MLD CETP for dyeing cluster of Bahadur Ke Road, Ludhiana. However, the consent granted is found silent in this regard and accordingly condition for compliance of discharge norms notified to the inlet of said CETP.

In this context, it is requested to make necessary amendment in the consent order to incorporate proper discharge norms by the unit and send the ATR report to CPCB.

This issues with the approval of the Competent Authority.

Yours faithfully,

o/c




(P.K. Mishra)
Additional Director &
Divisional Head- IPC-III

Copy to:

1. The Regional Director, : For follow-up action please.
Regional Directorate, CPCB
Second Floor, Telephone
Exchange, Sector 49,
Chandigarh - 160047

o/c



22/07/21
(P.K. Mishra)

केन्द्रीय प्रदूषण नियंत्रण बोर्ड
निर्गत... N.Singh...
दिनांक... 26/07/2021