

TABLE - 1: WATER QUALITY OF GROUND WATER IN ANDHRA PRADESH - 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
26	WELL AT VIJAYWADA	ANDHRA PRADESH	25.0	27.0	7.9	8.1	1410	1732	0.6	0.8	2	2	400	400	2.65	4.21
1513	BOREWELL KRISHNA MURTHY, D.NO. 48-16-43 AUTONAGAR VIJAYAWADA	ANDHRA PRADESH	26.0	29.0	8.0	8.2	1180	1729	0.8	0.8	2	2	400	400	0.00	1.53
1514	BOREWELL VIJAY KUMAR AUTONAGAR VIJAYAWADA	ANDHRA PRADESH	26.0	28.0	7.8	8.2	1410	1604	0.8	1.0	2	2	400	400	1.28	4.35
1516	BOREWELL OF NAVLOK GARDENS, NELLORE	ANDHRA PRADESH	27.0	27.0	8.3	8.3	1020	1074	0.8	0.9	2	2	400	400	0.99	1.12
1517	BOREWELL NEAR TUNGBHADRA RIVER KURNOOL	ANDHRA PRADESH	21.0	23.0	7.6	7.9	2240	4700	0.7	1.0	2	2	2	2	2.12	4.40
1518	BOREWELL AT NANDYAL (KUNDU)	ANDHRA PRADESH	23.0	24.0	7.7	7.8	4400	4420	0.8	1.0	2	2	2	2	3.00	4.00
1519	BOREWELL AT NAGIRI	ANDHRA PRADESH	25.0	31.0	7.5	7.5	1763	1973	0.5	1.0	2	2	2	2	1.80	2.80
1520	BOREWELL NEAR SWARNAMUKHI RIVER AT SRIKALAHASTI	ANDHRA PRADESH	26.0	29.0	7.6	7.7	735	1285	0.7	1.0	2	2	2	2	1.10	1.30
1521	OPEN WELL NEAR RAMA TEMPLE , WARD NO.2 , MINDI , VISAKHAPATNAM	ANDHRA PRADESH	26.0	27.0	6.9	7.3	2787	3163	2.0	2.0	13	15	380	460	9.78	10.06
1522	OPEN WELL PEDDANUVVI - VIZIANAGARAM	ANDHRA PRADESH	26.0	28.0	7.2	7.9	514	782	1.7	1.9	11	11	150	210	1.15	3.41
1523	BOREWELL NEAR M/S ANDHRA SUGARS LTD. , KOVVUR	ANDHRA PRADESH	25.0	26.0	6.9	7.7	464	590	1.4	1.5	9	9	45	65	2.44	3.82
1524	OPEN WELL NEAR PARTAP NAGAR BRIDGE - KAKINADA	ANDHRA PRADESH	27.0	29.0	6.9	7.8	1403	1681	1.4	1.8	9	9	45	120	2.07	3.40
3087	BORE WELL NEAR VILLAGE SECRETARIAT, PATHAPADU (V)	ANDHRA PRADESH	26.0	26.0	7.3	7.7	2110	2310	0.8	1.0	2	2	400	400	0.38	0.48
3089	HAND PUMP AT TANAM VILL., VISHAKHAPATNAM	ANDHRA PRADESH	25.0	27.0	7.3	7.5	2223	2234	1.6	1.8	11	11	210	210	4.64	10.63
3090	HAND PUMP AT PITTAVANIPALEM, VISHAKHAPATNAM	ANDHRA PRADESH	22.0	26.0	7.0	7.3	2076	2267	1.5	1.5	9	11	45	45	10.89	13.72
3091	BORE WELL AT KAPULUPPADA DUMPSITE, VISHAKHAPATNAM	ANDHRA PRADESH	26.0	29.0	7.2	7.3	2715	3609	1.4	1.6	7	7	460	460	10.77	23.37
3092	BORE WELL AT ARINAMA AKKIVALASA, SRIKAKULAM	ANDHRA PRADESH	27.0	28.0	7.7	7.8	862	1009	1.4	1.6	11	15	69	110	3.03	6.82
3093	BORE WELL AT ALLADAPALEM VILLAGE, PYDIBHIMAVARAM	ANDHRA PRADESH	26.0	26.0	7.7	7.8	1645	1888	1.5	2.3	7	9	45	65	4.44	4.68

Note:- BOD Value < 1.0 mg/l is BDL (Below Detection Limit)

Data received from SPCB's & PCC's

TABLE - 2: WATER QUALITY OF GROUND WATER IN ASSAM - 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1533	DIGBOI, TINSUKIA DISTT., ASSAM	ASSAM	22.0	22.0	6.2	6.3	212	450	1.2	1.4	2	2	2	2	0.70	1.80
1534	GROUND WATER AT KARBI ANGLONG DISTT., ASSAM	ASSAM	26.0	26.0	5.6	5.8	186	1134	0.8	1.1	2	150	2	200	0.30	0.90
1535	GROUND WATER AT SIBSAGAR GOVT ME SCHOOL WARD 6, RED CROSS ROAD , ASSAM	ASSAM	23.0	29.0	6.1	6.6	189	277	0.6	1.5	2	2	2	2	1.00	2.50
1536	GROUND WATER NEAR BPMS H.S. SCHOOL SONARI TOWN DIST CHARAIDEO	ASSAM	24.0	28.0	6.4	6.5	176	200	0.6	1.2	2	2	2	2	0.50	1.70
1537	GROUND WATER AT (JORHAT, ASSAM)	ASSAM	23.0	27.0	6.4	7.4	179	275	0.6	1.4	2	2	2	2	0.80	1.40
1538	GROUND WATER AT SILCHAR, ASSAM	ASSAM	25.0	26.0	5.5	7.1	61	125	0.6	0.8	2	2	2	2	0.70	1.80
1539	GROUND WATER AT BARPETA, ASSAM	ASSAM	27.0	28.0	7.3	7.8	272	309	0.8	1.1	2	2	2	300	0.40	1.90
1540	GROUND WATER AT BONAIGAON, ASSAM	ASSAM	28.0	29.0	6.0	6.1	143	190	1.4	1.6	2	2	2	2	2.50	7.90
1541	GROUND WATER AT NOONMATI GUWAHATI, ASSAM	ASSAM	26.0	28.0	6.9	7.1	344	464	1.0	2.3	2	2	2	2	2.10	2.30
1542	GROUND WATER AT SIJUBARI MAZAR, NATBOMA HATIGAON	ASSAM	26.0	28.0	6.4	7.0	457	783	2.4	2.6	2	3500	2	5300	1.70	2.20
2243	GROUND WATER FROM LEDO, MARGHERITA, ASSAM	ASSAM	22.0	22.0	5.1	6.0	142	224	0.6	1.3	2	2	2	2	1.00	1.90
2244	GROUND WATER FROM NAZIRA, ASSAM	ASSAM	24.0	26.0	6.5	7.1	247	251	1.0	2.6	2	2	2	2	0.70	1.70
2245	GROUND WATER FROM NUMALIGARH (NEAR NRL TE LABOR COLONY), ASSAM	ASSAM	25.0	27.0	4.9	5.6	160	170	1.4	2.1	2	2	2	2	1.00	1.80
2246	GROUND WATER FROM SEMENCHAPARI, ASSAM	ASSAM	20.0	22.0	6.2	7.0	188	236	0.9	2.2	2	2	2	2	0.40	0.40
2247	GROUND WATER FROM SILAPATHAR, ASSAM	ASSAM	20.0	23.0	6.3	6.4	94	225	1.4	1.8	2	2	2	2	0.60	1.10
2248	GROUND WATER FROM LAKHIMPUR TOWN, ASSAM	ASSAM	26.0	30.0	6.0	6.8	134	343	1.4	2.8	2	2	2	2	1.80	3.50
2249	GROUND WATER FROM TEZPUR (MISSION CHARIALI), ASSAM	ASSAM	26.0	27.0	6.1	6.4	249	251	0.9	2.2	2	2	2	2	0.30	2.70
2250	GROUND WATER FROM NAGAON (PANIGAON), ASSAM	ASSAM	29.0	30.0	6.0	6.3	285	513	1.8	2.4	2	2	2	2	0.50	2.70
2251	GROUND WATER FROM JAGIROAD NEAR HPC EFFLUENT DISCHARGE POINT, ASSAM	ASSAM	29.0	29.0	5.1	5.4	463	755	1.1	1.1	2	730	2	2000	0.60	1.10
2252	GROUND WATER NEAR MSW DUMPING SITE AT GARCHUK-GUWAHATI, ASSAM	ASSAM	22.0	29.0	6.2	6.6	202	221	1.2	2.3	2	2	2	2	0.10	0.80
2253	GROUND WATER FROM NALBARI, ASSAM	ASSAM	22.0	30.0	6.2	6.3	190	194	1.1	2.1	2	2	2	2	0.10	2.10
2254	GROUND WATER FROM BARPETA ROAD(RLY STATION), ASSAM	ASSAM	28.0	28.0	6.9	7.1	526	660	0.6	1.4	2	2	2	2	0.30	2.70
2255	GROUND WATER NEAR BPRL, DHALIGAON, ASSAM	ASSAM	28.0	30.0	5.7	6.7	293	408	1.4	2.2	2	2	2	2	1.80	6.40
2256	GROUND WATER FROM KOKRAJHAR DISTRICT (HS SCHOOL), ASSAM	ASSAM	28.0	30.0	5.6	6.7	57	154	0.5	0.8	2	2	2	2	0.30	2.80

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2257	GROUND WATER FROM DHUBRI DISTRICT (COLLEGE NAGAR), ASSAM	ASSAM	24.0	32.0	6.5	7.7	427	454	0.6	1.0	2	2	2	2	0.20	2.70
2258	GROUND WATER FROM GOALPARA DIST. (GOALPARA COLLEGE), ASSAM	ASSAM	26.0	30.0	6.4	6.6	244	246	1.1	2.2	2	2	2	2	2.40	3.20
2259	GROUND WATER FROM DIPHU (GOVT. COLLEGE), ASSAM	ASSAM	27.0	27.0	7.1	7.2	751	837	0.8	1.0	2	2	2	2	0.60	1.00
2260	GROUND WATER FROM HAMREN, ASSAM	ASSAM	26.0	29.0	6.0	6.2	94	104	1.4	1.6	2	2	2	2	0.40	0.70
2261	GROUND WATER FROM HAFLONG, ASSAM	ASSAM	20.0	24.0	6.1	7.2	90	122	0.8	1.0	2	2	2	2	0.70	2.10
2262	GROUND WATER FROM KARIMGANJ (COLLEGE), ASSAM	ASSAM	25.0	25.0	5.7	7.1	84	149	1.0	1.2	2	2	2	2	0.60	1.70
2263	GROUND WATER FROM HIALAKANDI (NEAR ASTC BUS STAND), ASSAM	ASSAM	25.0	25.0	7.4	7.4	154	198	0.6	1.3	2	2	2	2	0.50	2.70
2264	GROUND WATER IN PANCHGRAM MARKET NEAR CACHAR PAPER MILL, ASSAM	ASSAM	25.0	25.0	6.6	6.7	153	171	1.4	3.1	2	2	2	2	0.70	1.70
3761	BISWANATH CHARIALI TOWN	ASSAM	26.0	26.0	7.1	7.1	177	177	1.1	1.1	2	2	2	2	1.70	1.70
3762	MUNICIPAL WASTE PROCESSING FACILITY, MORABHARLI, TEZPUR	ASSAM	27.0	27.0	6.3	6.3	384	384	3.0	3.0	2	2	2	2	1.60	1.60
3766	MANGALDOI TOWN	ASSAM	27.0	27.0	6.4	6.4	287	287	2.8	2.8	2	2	2	2	2.40	2.40
3770	GROUND WATER NEAR GARMUR RECREATION GROUND, JORHAT	ASSAM	28.0	28.0	7.2	7.2	157	157	1.8	1.8	2	2	2	2	0.80	0.80
3771	GROUND WATER FROM TITABAT URBAN WATER SUPPLY, TITABAR	ASSAM	27.0	27.0	7.8	7.8	277	277	1.7	1.7	2	2	2	2	1.00	1.00
3779	GROUND WATER FROM GARMUR, MAJULI	ASSAM	27.0	27.0	7.5	7.5	391	391	1.9	1.9	2	2	2	2	0.20	0.20
3790	GOGAMUKH PUBLIC WATER SUPPLY SCHEME, GOGAMUKH, DHEMAJI	ASSAM	22.0	22.0	7.5	7.5	180	180	2.2	2.2	2	2	2	2	1.40	1.40
3793	TUBE WELL AT R/O SRI TANKESWAR DAS, RUPJYOTI COLONY (NAGABALI) MUNICIPALITY DUMPING SITE, GOLAGHAT	ASSAM	27.0	27.0	6.8	6.8	451	451	1.6	1.6	700	700	1500	1500	2.10	2.10
3794	TUBE WELL AT R/O SRI ANIL BAORA AT BOSAGAON NEAR BY THE ATHKHALIA, NAMGHAR, PO: PULIKAITONI	ASSAM	27.0	27.0	6.7	6.7	489	489	2.2	2.2	2	2	2	2	2.70	2.70
3795	TUBE WELL OF WOKHA GORONGA GIRLS ME SCHOOL, GOROUNGA TINIALI, FURKATING	ASSAM	26.0	26.0	7.5	7.5	370	370	1.4	1.4	2	2	2	2	1.60	1.60
3801	GROUND WATER FROM MEHEPUR TRENCHING GROUND, MEHERPUR, CACHAR	ASSAM	25.0	25.0	7.4	7.4	545	545	5.1	5.1	2	2	2	2	1.50	1.50
3802	GROUND WATER FROM MEHEPUR NEAR A CLUSTER OF NURSING HOME & DIAGNOSTIC CENTRE, MEHERPUR, CACHAR	ASSAM	25.0	25.0	7.1	7.1	331	331	2.0	2.0	2	2	2	2	1.20	1.20
3805	GROUND WATER NEAR BADARPUR INDUSTRIAL AREA AT BADARPUR GHAT, KARIMGANJ	ASSAM	26.0	26.0	6.8	6.8	162	162	2.2	2.2	2	2	2	2	1.70	1.70
3813	GROUND WATER FROM BONDIA, GUWAHATI	ASSAM	27.0	27.0	5.6	5.6	309	309	1.7	1.7	2	2	2	2	1.90	1.90
3815	GROUND WATER FROM KHANAPARA, GUWAHATI	ASSAM	24.0	24.0	7.8	7.8	286	286	0.8	0.8	2	2	2	2	1.90	1.90

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
3816	GROUND WATER FROM BASISTHA, GUWAHATI	ASSAM	24.0	24.0	7.9	7.9	280	280	0.5	0.5	2	2	2	2	0.10	0.10
3817	GROUND WATER FROM KAHILIPARA, GUWAHATI	ASSAM	25.0	25.0	7.0	7.0	331	331	0.8	0.8	2	2	2	2	0.10	0.10
3818	GROUND WATER FROM MALIGAON, GUWAHATI	ASSAM	26.0	26.0	7.3	7.3	280	280	1.0	1.0	2	2	2	2	0.30	0.30

TABLE - 3: WATER QUALITY OF GROUND WATER IN BIHAR - 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1825	BORE WELL WATER AT KATRA BAZAR WATER TANK, MALSALAMI, PATNA	BIHAR	26.0	30.0	8.1	8.7	446	449			2	2	2	2	0.00	0.00
1826	BORE WELL WATER AT BHUT NATH ROAD WATER TANK SEC-3, KANKARBAGH, PATNA	BIHAR	26.0	32.0	7.8	8.0	455	456			2	2	2	2	0.00	0.00
1827	TAP WATER COMING FROM OVER HEAD TANK PMCH CAMPUS, PATNA	BIHAR	26.0	32.0	7.4	7.4	554	558			2	2	2	2	0.00	0.00
1828	BORE WELL WATER IN CAMPUS OF PATNA WATER BOARD HEAD OFFICE, NEAR HIGH COURT, PATNA	BIHAR	26.0	30.0	7.8	7.8	520	521			2	2	2	2	0.00	0.00
1829	BORE WELL WATER FROM IGIMS CAMPUS, PATNA	BIHAR	26.0	30.0	7.6	7.8	560	560			2	2	2	2	0.00	0.00
1830	BORE WELL WATER (PHED PUMP HOUSE) SADAR HOSPITAL CAMPUS, MUZAFFARPUR	BIHAR	24.0	28.0	7.2	7.5	995	1000			2	2	2	2	0.00	0.00
1831	BORE WELL WATER MMC PUMP HOUSE BRAHMPURA NAKA, MUZAFFARPUR	BIHAR	24.0	28.0	7.8	8.0	628	642			2	7	2	12	0.00	0.00
1832	TAP WATER IN CAMPUS OF KALI ASTHAN, BEGUSARAI	BIHAR	26.0	27.0	7.2	7.4	612	768			2	2	2	2	0.00	0.00
1833	TAP WATER IN CAMPUS OF S.P OFFICE, POKHARIA, BEGUSARAI	BIHAR	26.0	26.0	7.2	7.3	688	730			2	2	2	2	0.00	0.00
1834	HAND PUMP WATER NEAR GOVT. HOSPITAL, PURNEA	BIHAR	20.0	22.0	7.2	7.6	554	692			2	2	2	2	0.00	0.00
1835	HAND PUMP WATER NEAR COURT LOWER COURT, PURNEA	BIHAR	20.0	22.0	7.1	7.5	602	834			2	2	2	2	0.00	0.00
1836	HAND PUMP WATER NEAR BUS STAND TILKS MANJHI CHOWK, BEGUSARAI	BIHAR	28.0	32.0	7.3	7.4	332	402			2	2	2	2	0.00	0.00
1837	BEGUSARAI	BIHAR	28.0	32.0	7.2	7.3	413	446			2	2	2	2	0.00	0.00
1838	TAP WATER NEAR VEER KUWAR SINGH CHOWK, MUNGER	BIHAR	25.0	30.0	7.2	7.2	596	648			2	2	2	2	0.00	0.00
1839	HAND PUMP WATER IN CAMPUS OF KASTURBA WATER WORKS, MUNGER	BIHAR	26.0	28.0	7.3	7.6	580	600			2	2	2	2	0.00	0.00
1840	TAP WATER PHED PUMP HOUSE MAIN ROAD, MOTIHARI	BIHAR	28.0	29.0	7.4	8.0	581	589			2	2	2	2	0.00	0.00
1841	TAP WELL WATER FROM T. MODAL INTER SCHOOL, G.B ROAD, GAYA	BIHAR	26.0	31.0	7.1	7.1	889	1850			2	4	2	7	0.00	0.00
1842	TAP WATER SAMPLE AT RAMKUND, GAYA	BIHAR	26.0	31.0	7.1	7.2	895	1700			2	2	2	2	0.00	0.00
1843	PHED WATER SUPPLY NEAR BUS STAND, RAJGIR	BIHAR	25.0	30.0	7.2	7.2	478	897			2	2	2	2	0.00	0.00
1844	BORE WELL WATER NEAR COMMISSIONARY OFFICE, CHAPRA	BIHAR	28.0	32.0	7.0	7.1	1088	1140			2	2	2	2	0.00	0.00
2576	HAND PUMP WATER AT CIVIL COURT, AURANGABAD	BIHAR	24.0	30.0	7.1	7.2	468	1080			2	2	2	2	0.00	0.00
2577	HAND PUMP WATER AT COURT CAMPOUND, ARARIA	BIHAR	29.0	32.0	7.1	7.2	545	595			2	4	2	7	0.00	0.00

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2578	HAND PUMP WATER AT SARDAR PATEL BUS STAND, BHOJPUR	BIHAR	22.0	30.0	7.1	7.2	826	857			2	2	2	2	0.00	0.00
2579	TUBE WELL WATER AT COLLECTRIATE CAMPUS, BUXAR	BIHAR	21.0	25.0	7.4	7.5	491	3111			2	2	2	2	0.00	0.00
2580	HAND PUMP WATER FROM NAGAR PARISHAD, BHABHUA	BIHAR	28.0	29.0	7.1	7.3	310	1004			2	2	2	2	0.00	0.00
2581	HAND PUMP WATER AT KILA GATE NEAR RAMBAGH MITHILA UNIVERSITY, DARBHANGA	BIHAR	21.0	23.0	7.5	7.8	447	603			2	2	2	2	0.00	0.00
2582	HAND PUMP WATER AT DARBHANGA BUS STAND, DARBHANGA	BIHAR	21.0	22.0	7.4	7.6	640	651			2	2	2	2	0.00	0.00
2583	HAND PUMP WATER AT BUS STAND, GOPALGANJ	BIHAR	26.0	30.0	7.2	7.7	511	870			2	2	2	2	0.00	0.00
2584	HAND PUMP WATER AT THAWAY MANDIR CAMPUS, GOPALGANJ	BIHAR	26.0	31.0	7.3	7.4	1040	1070			2	2	2	2	0.00	0.00
2585	TAP WATER NEAR PANI TANKI AT JAHANABAD COURT, JAHANABAD	BIHAR	26.0	26.0	6.9	7.4	410	1800			2	2	2	2	0.00	0.00
2586	HAND PUMP WATER AT BUS STAND, KATIHAR	BIHAR	21.0	23.0	7.2	7.4	540	585			2	2	2	2	0.00	0.00
2587	HAND PUMP WATER NEAR SADAR HOSPITAL, KHAGARIA	BIHAR	28.0	28.0	7.4	7.4	624	624			7	7	12	12	0.00	0.00
2588	HAND PUMP WATER AT D.M OFFICE, KISHANGANJ	BIHAR	25.0	25.0	7.3	7.4	294	599			2	7	2	12	0.00	0.00
2589	HAND PUMP WATER NEAR D.M OFFICE, MADHEPURA	BIHAR	21.0	26.0	7.0	7.7	614	961			2	2	2	2	0.00	0.00
2590	HAND PUMP WATER AT COLLECTRIATE OFFICE, MADHUBANI	BIHAR	22.0	24.0	7.4	7.5	604	635			2	2	2	2	0.00	0.00
2591	TAP WATER INSIDE THE CAMPUS OF TOURIST CAFETERIA, NALANDA	BIHAR	26.0	29.0	7.2	7.3	687	1200			2	2	2	2	0.00	0.00
2592	NALANDA-HAND PUMP WATER AT CIVIL COURT, BIHAR SARIF	BIHAR	25.0	28.0	7.1	7.5	616	788			2	2	2	2	0.00	0.00
2593	NAWADA-HAND PUMP WATER AT COLLECTRIATE CAMPUS	BIHAR	25.0	30.0	7.1	7.3	634	1450			2	2	2	2	0.00	0.00
2594	SAHARSA-HAND PUMP WATER NEAR SADAR HOSPITAL	BIHAR	24.0	27.0	7.0	7.6	610	774			2	2	2	2	0.00	0.00
2595	SAMASTIPUR-HAND PUMP WATER COLLECTRIATE CAMPUS	BIHAR	21.0	23.0	7.4	7.5	583	873			2	2	2	2	0.00	0.00
2596	SITAMARHI-HAND PUMP WATER AT SHRI JANKI MANDIR	BIHAR	24.0	30.0	7.1	7.4	304	399			2	2	2	2	0.00	0.00
2597	SIWAN-BOREWELL WATER AT COLLECTRIATE CAMPUS	BIHAR	27.0	34.0	7.3	7.4	563	1038			2	2	2	2	0.00	0.00
2598	WELL-1 ROHTAS BOREWELL WATER FROM WATER TANK NEAR DHARAMSHALA SASARAM	BIHAR	27.0	31.0	6.9	7.4	395	1220			2	7	2	12	0.00	0.00
2599	WELL-2 ROHTAS HANDPUMP WATER AT BUS STAND SASARAM	BIHAR	26.0	31.0	6.8	7.5	550	1200			2	2	2	2	0.00	0.00
2600	VAISHALI TAP WATER AT RAILWAY STATION CAMPUS HAJIPUR	BIHAR	24.0	30.0	7.3	7.4	304	339			2	2	2	2	0.00	0.00
3138	ARRAH(BHOJPUR)-BORE WELL WATER AT STATION ROAD NEAR RAILWAY STATION	BIHAR	22.0	30.0	7.2	7.2	783	790			2	2	2	2	0.00	0.00

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
3139	ARARIA-HANDPUMP WATER AT BUS STAND	BIHAR	27.0	32.0	7.0	7.0	675	705			2	4	2	7	0.00	0.00
3140	BETTIAH- HANDPUMP WATER AT RAILWAY STATION	BIHAR	26.0	31.0	7.1	7.4	1580	1589			2	7	2	12	0.00	0.00
3141	BODHGAYA- HANDPUMP WATER AT NEAR LONG LORD BUDH TEMPLE	BIHAR	25.0	31.0	6.9	7.9	541	1819			2	4	2	7	0.00	0.00
3142	BIKRAMGANJ –HANDPUMP WATER AT BUS STAND CHAWK	BIHAR	24.0	30.0	7.0	7.3	400	565			2	2	2	2	0.00	0.00
3143	BAGAHA- HAND PUMP WATER AT BAGAHA BAZAR	BIHAR	26.0	31.0	7.0	7.3	523	560			2	2	2	2	0.00	0.00
3144	BARH-HANDPUMP WATER NEAR A.N.S. COLLEGE BARH	BIHAR	25.0	26.0	7.5	7.6	525	796			2	2	2	2	0.00	0.00
3145	DEHRI ON SONE-HAND PUMP WATER NEAR MUFFASIL THANA MORE	BIHAR	23.0	25.0	6.8	7.3	642	785			2	2	2	2	0.00	0.00
3146	DUMRAON- BORE WELL WATER AT PANI TANKI, BUXAR	BIHAR	22.0	28.0	7.2	7.3	820	896			2	2	2	2	0.00	0.00
3147	JAYNAGAR-HANDPUMP WATER AT RAILWAY STATION	BIHAR	20.0	21.0	7.6	7.8	315	620			2	2	2	2	0.00	0.00
3148	JAMALPUR-HANPDUMP WATER AT POLICE STATION	BIHAR	26.0	30.0	7.2	7.2	605	619			2	2	2	2	0.00	0.00
3149	KUDRA-HANDPUMP WATER AT RAILWAY STATION	BIHAR	24.0	30.0	6.8	7.4	293	1090			2	2	2	2	0.00	0.00
3150	MANER-HANDPUMP WATER AT MAIN ROAD NEAR KALI MANDIR	BIHAR	22.0	28.0	7.3	7.6	360	377			2	2	2	2	0.00	0.00
3151	MOHANIA-HANDPUMP WATER AT MOHANIA GUEST HOUSE	BIHAR	26.0	29.0	7.1	7.8	416	1150			2	2	2	2	0.00	0.00
3152	NARKATIAGANJ-HANDPUMP WATER AT BUS STAND	BIHAR	24.0	29.0	7.6	7.6	298	302			2	2	2	2	0.00	0.00
3153	PIRO-HANDPUMP WATER AT CHURCH HIGH SCHOOL PIRO	BIHAR	23.0	29.0	6.9	7.2	515	914			2	7	2	12	0.00	0.00
3154	GAYA TAPE WATER SAMPLE AT RAMKUND	BIHAR	25.0	31.0	7.2	7.3	685	1800			2	7	2	12	0.00	0.00
3155	SUPJAL-HAND PUMP WATER AT BUS STAND	BIHAR	23.0	30.0	7.4	7.5	594	605			2	2	2	2	0.00	0.00
3156	SAMASTIPUR-HANDPUMP WATER AT BUS STAND	BIHAR	21.0	23.0	7.6	7.7	682	1060			2	2	2	2	0.00	0.00
3157	SULTANGANJ-HANDPUMP WATER AT SULTANGANJ CHAWK	BIHAR	30.0	30.0	7.4	7.4	305	305			2	2	2	2	0.00	0.00
3158	SHERGHATI-BOREWELL WATER AT BUS STAND	BIHAR	24.0	30.0	6.8	7.2	633	1320			2	7	2	12	0.00	0.00
3159	SHAHPUR-HANDPUMP WATER AT SHAHPUR HIGH SCHOOL	BIHAR	21.0	28.0	7.1	7.2	640	688			2	2	2	2	0.00	0.00
3160	RAXAUL-HAND PUMP WATER AT BUS STAND	BIHAR	31.0	31.0	7.6	7.6	336	336			2	2	2	2	0.00	0.00
3161	KATIHAR-HAND PUMP WATER AT BUS STAND	BIHAR	21.0	23.0	7.2	7.3	259	585			2	2	2	2	0.00	0.00
3162	VAISHALI-HANDPUMP WATER AT VAISHALI BLOCK	BIHAR	24.0	34.0	7.2	7.4	759	794			2	2	2	2	0.00	0.00

TABLE - 4: WATER QUALITY OF GROUND WATER IN CHANDIGARH - 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2039	SECTOR 15, CHANDIGARH	CHANDIGARH	26.0	30.0	6.6	6.6	744	949	1.0	1.0	2	2	2	2	4.40	4.90
2040	SECTOR 22, CHANDIGARH	CHANDIGARH	26.0	28.0	6.8	7.1	647	829	1.0	5.0	2	2	2	2	0.80	1.20
2043	PALSORA VILLAGE, CHANDIGARH	CHANDIGARH	25.0	26.0	6.7	7.3	801	1171	1.0	7.0	2	2	2	4	0.70	1.00
2044	DHANAS VILLAGE, CHANDIGARH	CHANDIGARH	26.0	26.0	6.9	7.4	553	669	1.0	5.0	2	13	2	21	0.70	1.00
2045	DADU MAJRA, CHANDIGARH	CHANDIGARH	26.0	28.0	6.8	7.4	532	677	1.0	4.0	2	2	2	2	1.00	1.40

TABLE - 5: WATER QUALITY OF GROUND WATER IN CHHATTISGARH - 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1620	AT RAIPUR REGION, CHHATISGARH.	CHHATTISGARH	23.0	30.0	7.4	7.9	522	664	0.2	0.4			2	6	0.20	2.30
1621	AT RAIPUR REGION, CHHATISGARH.	CHHATTISGARH	24.0	32.0	7.3	7.7	548	566	0.3	0.6			2	4	1.10	2.30
1622	AT BILASPUR REGION, CHHATISGARH.	CHHATTISGARH	30.0	30.0	7.5	7.5	360	378	0.1	0.1			2	2	0.40	0.40
1623	AT BILASPUR REGION, CHHATISGARH.	CHHATTISGARH	29.0	30.0	7.2	7.5	432	449	0.1	0.1			2	2	0.40	0.50
3171	HAND PUMP WATER 17/10 NEPALI MOHLLA, SHANKAR NAGAR, HEAVY INDUSTRIAL AREA, BHILAI, CHHATISGARH.	CHHATTISGARH			7.4	7.5									0.00	0.00
3172	BOREWELL/ HANDPUMP IN ROGBAHRI VILLAGE, KORBA, CHHATISGARH.	CHHATTISGARH	26.1	27.7	7.2	7.2			0.2	0.2					0.00	0.00
3173	BOREWELL/ HANDPUMP IN PARSABHATA, BALCO, KORBA, CHHATISGARH.	CHHATTISGARH	26.3	27.6	7.2	7.2			0.4	3.4					0.00	0.00
3174	BOREWELL/ HANDPUMP IN DHANRAS, NTPC, KORBA, CHHATISGARH.	CHHATTISGARH	26.2	27.6	7.1	7.2			0.4	0.4					0.00	0.00

TABLE - 6: WATER QUALITY OF GROUND WATER IN DADRA & NAGAR HAVELI – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2453	VILLAGE KHANVEL, DADRA	DADRA & NAGAR HAVELI	28.0	28.0	7.3	7.3	586	586	1.0	1.0	10	10	210	210	1.60	1.60
2454	VILLAGE ATHAL, DADRA	DADRA & NAGAR HAVELI	28.0	28.0	7.4	7.4	620	620	1.0	1.0	7	7	24	24	1.80	1.80
2455	VILLAGE MASAT, DADRA	DADRA & NAGAR HAVELI	28.0	28.0	7.6	7.6	1410	1410	3.0	3.0	1	1	14	14	0.90	0.90
2456	VILLAGE PIPERIA, DADRA	DADRA & NAGAR HAVELI	28.0	28.0	7.3	7.3	1260	1260	1.0	1.0	20	20	80	80	2.10	2.10
2457	VILLAGE GALONDA, DADRA	DADRA & NAGAR HAVELI	28.0	28.0	7.5	7.5	816	816	1.0	1.0	10	10	130	130	1.20	1.20
2458	VILLAGE, DADRA	DADRA & NAGAR HAVELI	28.0	28.0	7.4	7.4	1490	1490	1.0	1.0	13	13	25	25	1.20	1.20

TABLE - 7: WATER QUALITY OF GROUND WATER IN DAMAN & DIU – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1440	WELL AT SOMNATH INDUSTRIAL ESTATE, DAMAN	DAMAN & DIU	28.0	28.0	7.5	7.6	610	925	1.0	1.0	10	130	170	210	0.80	1.18
2448	VILLAGE BHIMPORE, DAMAN	DAMAN & DIU	29.0	29.0	7.6	7.6	660	660	1.0	1.0	1600	1600	1600	1600	1.40	1.40
2449	VILLAGE RINGANWADA, DAMAN	DAMAN & DIU	28.0	28.0	7.5	7.5	1220	1220	1.0	1.0	14	14	30	30	0.54	0.54
2450	VILLAGE DUNETHA, DAMAN	DAMAN & DIU	29.0	29.0	7.5	7.5	568	568	1.0	1.0	70	70	380	380	1.80	1.80
2451	VILLAGE DABHEL, DAMAN	DAMAN & DIU	28.0	28.0	7.5	7.5	660	660	1.0	1.0	40	40	220	220	1.40	1.40
2452	VILLAGE KACHIGAM, DAMAN	DAMAN & DIU	28.0	28.0	7.6	7.6	972	972	3.0	3.0	3	3	510	510	1.80	1.80

TABLE - 8: WATER QUALITY OF GROUND WATER IN GOA – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2277	WELL AT VERNA INDI.ESTATE.(M/S CIPLA LIMITED)	GOA	31.5	32.0	6.2	6.8	277	341	0.5	1.2	2	2	2	5	0.01	0.16
2278	WELL AT SANCOALE INDL.ESTATE	GOA	29.0	29.9	6.2	7.1	96	128	0.1	1.5	2	23	2	130	0.05	0.30
2279	WELL AT ZUARI INDUSTRIES LTD, ZUARI NAGAR	GOA													0.00	0.00
2280	WELL AT KUDAI INDL. ESTATE(M/S CADILA HEALTHCARE LIMITED)	GOA	31.5	32.0	6.5	6.8	277	339	0.4	0.6	2	2	2	2	0.00	0.11
2281	WELL AT CORLIM INDL. ESTATE	GOA	31.0	31.0	4.4	5.8	67	82	0.3	1.1	2	2	2	2	0.07	0.91
2282	WELL AT PILERNE INDUSTRIAL ESTATE(M/S UNICHEM)	GOA	30.0	34.0	7.6	7.6	262	291	1.1	1.4	2	17	2	33	0.00	0.02
3192	BORE WELL AT PILERNE INDUSTRIAL ESTATE	GOA	30.0	34.0	7.6	7.6	262	291	1.1	1.4	2	17	2	33	0.00	0.02
3193	BORE WELL AT CUNCOLIM INDUSTRIAL ESTATE	GOA	32.0	32.0	5.8	6.5	385	749	1.3	2.2	2	2	2	2	0.06	1.12
3194	BORE WELL AT BETHORA INDUSTRIAL ESTATE	GOA	31.0	33.0	5.4	5.6	95	100	0.2	0.6	2	2	2	2	0.05	2.50
3195	BORE WELL AT MADKAIM INDUSTRIAL ESTATE	GOA	32.0	33.5	5.8	5.9	66	69	0.1	0.5	2	2	2	2	0.02	1.90

TABLE - 9: WATER QUALITY OF GROUND WATER IN GUJARAT – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
3	WELL AT AHMEDABAD,	GUJARAT	30.0	30.0	7.7	8.0			1.5	1.7	2	2	2	2	2.07	2.69
6	WELL AT BARODA,	GUJARAT	29.0	30.0	8.2	8.3	447	1752	0.2	0.2	2	2	2	2	0.39	0.80
1226	WELL AT NAROL, AHMEDABAD,	GUJARAT	33.0	33.0	8.1	8.5	273	458	1.7	1.8	2	2	2	2	0.06	1.88
1948	BHAVNAGAR	GUJARAT	30.0	31.0	6.4	8.1	1720	1720	1.4	1.6	2	2	2	2	0.20	0.25
1949	AMRELI	GUJARAT	29.0	33.0	8.0	8.0	1510	1530	1.4	1.6	2	2	2	4	0.15	0.18
1950	JUNAGADH	GUJARAT	24.0	25.0	7.6	7.7	1180	1220	0.5	0.8	2	2	2	2	1.79	4.42
1951	RAJKOT	GUJARAT	26.0	27.0	7.4	7.7	855	1160	0.7	0.8	2	2	2	2	0.81	3.25
1952	SURENDRANAGAR	GUJARAT	25.0	26.0	7.2	8.4	785	3120	0.0	0.6	2	2	2	2	0.82	1.21
1953	JAMNAGAR	GUJARAT	28.0	29.0	7.9	7.9	850	900	0.4	0.4	2	2	2	2	0.28	0.36
1954	BHUJ	GUJARAT	29.0	29.0	7.7	8.5	3110	3150	1.3	1.3	2	2	2	2	0.40	1.20
1955	PALANPUR	GUJARAT	28.0	28.0	7.6	7.6	1441	1520	1.7	1.8	2	2	2	2	1.70	2.88
1956	MEHASANA	GUJARAT	26.0	29.0	7.2	8.3	2209	2323	1.2	2.0	2	2	2	2	2.64	3.44
1957	SIDDHPUR (DIST.PATAN)	GUJARAT	30.0	37.0	7.7	7.7	1420	1838	1.5	2.0	2	2	2	2	2.98	4.13
1958	HIMATNAGAR	GUJARAT	27.0	27.0	8.0	8.2	657	703	1.3	1.7	2	2	2	2	2.90	3.94
1959	NADIAD	GUJARAT	31.0	31.0	7.7	8.2	1700	1864	0.5	0.9	2	2	2	2	0.26	0.47
1960	DAHOD	GUJARAT	30.0	30.0	7.7	7.9	8	905	0.3	0.5	2	2	2	2	0.63	0.86
1961	GODHARA	GUJARAT	30.0	30.0	7.4	7.7	662	1018	0.3	0.6	2	2	2	2	0.40	0.47
1962	VADODARA (INDUSTRIAL-NANDESARI)	GUJARAT	28.0	29.0	7.5	7.5	2840	3380	0.7	3.2	2	2	2	2	0.44	0.52
1964	PANDESARA (INDSTRIL) SURAT	GUJARAT													0.00	0.00
1965	MORA-HAJIRA (INDUSTRIAL), HAJIRA	GUJARAT	28.0	35.0	8.3	8.4	2994	3094	1.3	2.3	2	6	17	150	0.07	0.08
1966	GABHENI VILLAGE, SURAT (INDUSTRIAL)	GUJARAT	29.0	35.0	8.0	8.2	808	1295	0.9	1.4	172	542	345	542	0.08	0.09
1967	ATUL, VILLAGE G.W, (VALSAD)	GUJARAT	26.0	27.0	7.5	8.2	946	996	2.1	2.1	2	2	2	2	0.19	0.29
1968	VAPI INDUSTRIAL AREA IN D/S, VAPI	GUJARAT	26.0	27.0	6.8	7.4	1989	5954	2.4	2.6	2	2	2	2	0.24	1.15
1969	SARIGAM VILLAGE (D/S OF INDUSTRIALAREA), VAPI	GUJARAT	26.0	28.0	7.3	7.6	744	994	1.6	1.8	2	2	2	2	0.29	0.68
1970	BOREWELL D/S TSDF SITE, GIDC INDUSTRIAL AREA, VAPI	GUJARAT	26.0	27.0	7.6	7.8	718	1680	2.1	2.3	2	2	2	2	0.26	0.72
2083	BORE WELL OF CHHATRAL GIDC.	GUJARAT	22.0	30.0	7.2	8.4	2255	3004	1.0	2.2	2	2	2	2	1.70	3.74
2084	BORE WELL OF PALSANA VILLAGE.	GUJARAT	29.0	30.0	7.1	7.8	2791	2888	1.2	1.9	2	2	2	2	0.00	2.53
2085	BORE WELL OF SANTEJ VILLAGE.	GUJARAT	28.0	30.0	7.6	7.9	1877	1930	1.3	1.9	2	2	2	2	0.00	2.43

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2086	BORE WELL AT MSW DISPOSAL SITE OF SURAT MUNICIPAL CORPORATION AT VILL. KHAJOD, DIST. SURAT.	GUJARAT													0.00	0.00
2087	B/W- HAZARDOUS W. DISPOSAL SITE (GUJ. ENVIRO P.& I. LTD.)	GUJARAT	29.0	29.0	8.2	8.2	697	697	2.0	2.0	4	4	21	21	0.00	0.14
2088	BORE WELL OF SACHIN GIDC.	GUJARAT	28.0	33.0	7.7	7.8	7548	11040	1.1	2.7	4	8	8	33	0.00	0.13
2089	B/W NEAR INDL. AREA BORASARA & NAVAPURA, DIST. SURAT.	GUJARAT	27.0	35.0	7.7	8.3	2924	3870	0.9	1.5	4	8	12	26	0.08	0.08
2090	WELL AT OLPAD.	GUJARAT	27.0	34.0	7.2	7.8	12930	13700	0.9	2.1	26	27	58	130	0.00	0.13
2091	BORE WELL OF NAVSARI GIDC INDUSTRIES ASSOCIATION OFFICE.	GUJARAT	27.0	31.0	7.6	7.7	2185	3236	1.0	1.6	27	33	63	84	0.00	0.09
2092	WATER WORKS OF NAVSARI NEAR DHUDIA TALAV.	GUJARAT													0.00	0.00
2093	WELL OF BARDOLI AT REST HOUSE.	GUJARAT	27.0	35.0	7.9	8.0	1590	2304	0.9	1.9	172	212	426	426	0.07	0.10
2094	WELL AT ANKLESHWAR INDUSTRIAL AREA (BORE WELL OF M/S INDUSTRIAL CARBON AT ANKLESHWAR- RAJIPLA ROAD.	GUJARAT	29.0	30.0	7.3	7.6	3520	4910	0.8	0.8	2	2	2	2	0.39	0.51
2095	BORE WELL AT STP MADHAPAR, DIST. RAJKOT.	GUJARAT	26.0	27.0	7.5	7.6	1810	2160	0.7	1.1	2	2	2	2	0.84	0.91
2096	BORE WELL, SNR. VINAYAK JAL SUDDHIKARAN SAHAKARI MANDALI LTD. (CETP), VILL. BAVLA, DIST. AHMEDABAD.	GUJARAT	28.0	29.0	7.5	7.5	4780	5518	1.4	1.9	2	2	2	2	2.69	2.75
2097	BORE WELL OF SOMESHWAR RICE MILL, NR. BAVLA ECO PROJECT, (CETP), VILL. BAVLA, DIST. AHMEDABAD.	GUJARAT	28.0	29.0	8.1	8.2	4088	4706	0.5	1.5	2	2	2	2	3.09	3.36
2098	BORE WELL OF PIRANA TERMINAL PUMPING STATION, PIRANA, NR. V. N. BRIDGE, AHMEDABAD.	GUJARAT	28.0	30.0	7.5	7.5	2913	3028	1.1	1.8	2	2	2	2	2.14	3.88
3207	BOREWELL OF GIDC, JHAGADIA	GUJARAT	30.0	32.0	7.2	7.6	1360	1520	0.8	0.9	2	2	2	2	0.44	0.75
3208	JILLA PANCHAYAT SCHOOL, NEAR GRAM PANCHAYAT KATA FALIA, VILLAGE NAMDHA, VALSAD	GUJARAT	25.0	27.0	7.0	8.0	698	1284	2.1	2.4	2	2	2	2	0.17	0.31
3209	BOREWELL OF GAYATRI PRAGNA SCHOOL, BHADARWAD ROAD, BAZAR FALIA, SARIGAM, VALSAD	GUJARAT	26.0	27.0	7.1	7.2	1088	1288	1.6	2.1	2	2	2	2	0.38	0.42
3210	BOREWELL AT PIRAMAL GLASS, VILLAGE TARSADI AT KOSAMBA INDUSTRIAL AREA, SURAT	GUJARAT	27.0	35.0	7.4	7.9	3786	4025	1.0	1.6	4	5	10	12	0.00	0.13
3211	BOREWELL AT PRIMARY HEALTH CENTER, KADODARA, SURAT	GUJARAT	27.0	35.0	7.2	8.3	1631	1844	1.0	1.8	6	17	43	212	0.09	0.11
3212	BOREWELL NEAR CENTER OF EXCELLENCE BUILDING, GIDC, VATVA, AHMEDABAD	GUJARAT	30.0	34.0	7.9	8.0	2384	2683	1.6	2.1	2	2	2	2	2.25	3.19
3213	BOREWELL, CETP-NARODA, GIDC, NARODA-AHMEDABAD	GUJARAT	30.0	34.0	7.8	8.2	1499	1658	1.8	1.9	2	2	2	2	2.11	2.75

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
3214	BOREWELL NEAR GIDC ODHAV INDUSTRIAL ASSOCIATION BUILDING, GIDC, ODHAV, AHMEDABAD	GUJARAT	30.0	33.0	7.9	8.0	1680	1828	1.8	2.1	2	2	2	2	1.99	2.42
3215	BOREWELL NEAR MUNICIPAL SOLID WASTE SITE- GYASPUR, NAROL, AHMEDABAD	GUJARAT	25.0	31.0	7.2	8.5	2288	5372	1.3	3.0	2	2	2	2	0.26	4.88
3216	BOREWELL NEAR TSDF SITE OF GREEN ENVIRONMNET SERVICES CO. OP.LTD, VATVA, AHMEDABAD	GUJARAT	33.0	34.0	7.8	7.9	2506	2833	2.0	2.0	2	2	2	2	2.17	4.91
3217	BOREWELL NEAR TSDF SITE OF NARODA ENVIRO PROJECT.LTD, ODHAVE, AHMEDABAD	GUJARAT	32.0	34.0	8.1	8.1	1848	2250	1.4	2.6	2	2	2	2	2.56	3.48
3218	WELL OF MODASA, NAGAR PALIKA, VARIGRUH, MODASA	GUJARAT	27.0	27.0	7.7	7.8	916	1207	1.5	1.6	2	2	2	2	2.96	5.48
3219	WELL OF IDAR, NAGAR PALIKA, SAKARIA, IDAR	GUJARAT	27.0	27.0	7.9	8.1	1243	1316	1.8	1.8	2	2	2	2	3.01	4.31
3220	BOREWELL OF GIDC-NADIAD AT GIDC OFFICE, GIDC NADIAD, KHEDA	GUJARAT	28.0	31.0	7.8	8.0	2700	3110	0.3	0.9	2	2	2	2	0.15	0.37
3221	BOREWELL OF TOWN RAJPIPLA, DIST.NARMADA	GUJARAT	30.0	32.0	7.7	8.3	800	945	0.8	0.8	2	2	2	2	0.33	0.34
3222	BOREWELL OF GIDC, PANOLI	GUJARAT	31.0	33.0	7.7	8.4	4020	4350	0.9	0.9	2	2	2	2	0.16	0.33
3223	BOREWELL KADI INDUSTRIAL AREA	GUJARAT	27.0	30.0	7.7	8.1	1525	1792	1.6	1.9	2	2	2	2	2.64	3.69
3224	DEESA BOREWELL	GUJARAT	28.0	30.0	7.5	7.7	720	862	1.7	1.7	2	21	2	43	0.25	5.01
3225	VISNAGAR BOREWELL	GUJARAT	27.0	30.0	7.7	8.2	818	2290	1.6	1.8	2	2	2	2	2.25	2.93
3226	PATAN BOREWELL	GUJARAT	27.0	36.0	7.9	8.3	9	195	1.4	1.7	2	2	2	2	0.83	5.21
3227	VIJAPUR (RANASAN) BOREWELL	GUJARAT	27.0	32.0	7.1	7.1	5	1710	1.8	2.0	2	2	2	2	3.17	4.59
3228	GIDC, HALOL, PANCHMAHAL	GUJARAT	29.0	30.0	7.4	7.5	2900	2970	0.3	0.6	2	2	2	2	0.46	2.26
3229	GIDC, DAHOD, DAHOD	GUJARAT	30.0	30.0	7.2	7.4	944	1379	0.3	0.3	2	2	2	2	0.44	0.46
3230	BOREWELL OF GIDC, JUNAGADH	GUJARAT	24.0	25.0	7.1	7.2	1470	5310	0.6	0.9	2	2	2	2	1.67	1.68
3231	BOREWELL NEAR TSDF SITE OF SAURASHTRA ENVIRO PROJECT LTD., JUNA KATARIYA, BHACHAU	GUJARAT	28.0	33.0	7.9	8.9	1767	2520	1.5	6.1	2	2	2	2	0.50	3.20
3232	BOREWELL OF GIDC, ANTALIA WATER SUPPLY, BILLIMORA, GANDEVI	GUJARAT	27.0	31.0	7.8	7.9	12	2360	1.1	1.5	109	177	278	345	0.00	0.09
3233	BOREWELL OF KALIAWADI GRID ROAD, NAVSARI	GUJARAT	27.0	31.0	7.7	8.0	2617	3768	1.0	1.5	2	2	2	2	0.00	0.11
3234	BOREWELL NERA TSDF OF NANDESARI ENVIRO CONTROL LIMITED, NADESARI, VADODARA	GUJARAT	28.0	29.0	7.0	7.0	7430	10140	3.2	12.3	2	2	2	2	0.56	3.24
3235	BOREWELL OF GIDC KALOL, B/H GIDC OFFICE, GIDC, KALOL, GANDHINAGR	GUJARAT	28.0	28.0	7.5	7.6	2837	3080	1.6	1.7	2	2	2	2	0.00	3.04
3236	BOREWELL OF M/S ALFA ECA (I) LTD., UNIT-1, SR.NO. 249, UMA IND. ESTATE, VASNA , IYAVA, SANAND, AHMEDABAD	GUJARAT	28.0	28.0	7.7	8.0	1915	2002	1.7	2.3	2	2	2	2	3.05	3.51
3237	BOREWELL OF L & T LTD., PLOT NO. 144/146, SARKHEJ-BAVLA ROAD, SANAND, AHMEDABAD	GUJARAT	29.0	29.0	6.8	7.7	6460	6465	1.0	1.7	2	2	2	2	2.19	2.59

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
3238	BOREWELL OF GIDC KANSARI	GUJARAT	28.0	28.0	8.0	8.3	4370	4510	0.4	0.4	2	2	2	2	0.40	0.42
3239	BOREWELL OF GIDC, SOJITRA	GUJARAT	28.0	30.0	7.9	8.3	3080	3180	0.6	0.7	2	2	2	2	0.40	0.46
3240	BOREWELL OF AJI GIDC, RAJKOT	GUJARAT	26.0	27.0	7.6	7.7	1125	1920	0.8	0.9	2	2	2	2	0.86	0.97
3241	BOREWELL NEAR MUNICIPAL SOLID WASTE SITE, NAKARWADI, RAJKOT	GUJARAT	26.0	26.0	7.3	7.4	1130	2620	0.9	1.1	2	2	2	2	0.91	0.91
3242	BOREWELL NEAR TSDF OF GUJARAT MARITIME BOARD, ALANG, BHAVNAGAR	GUJARAT	29.0	30.0	8.1	8.1	1320	1780	1.8	1.8	2	2	2	2	0.23	0.29
3243	BOREWELL OF GIDC, VARTEJ, BHAVNAGAR	GUJARAT	30.0	31.0	8.1	8.3	1998	3070	1.6	1.8	2	2	2	2	0.03	0.34
3244	BOREWELL NEAR TSDF OF BHARUCH ENVIRO INFRASTRUCTURE LIMITED, ANKLESHWAR, BHARUCH	GUJARAT	29.0	30.0	7.1	7.3	3010	4630	0.9	1.0	2	2	2	2	0.48	0.50
3245	BOREWELL AT DHANGADHRA NEAR DHANGADHRA CHEMICALS	GUJARAT	27.0	27.0	8.2	8.2	1	2440	0.6	0.9	2	2	2	2	0.00	1.89
3246	BOREWELL OF GIDC OFFICE, SHANKAR TEKRI, UDHYOGNAGAR, JAMNAGAR	GUJARAT	28.0	28.0	7.7	7.8	1440	2050	0.4	0.4	2	2	2	2	0.30	0.31
3247	BOREWELL OF SHRI MAHAVIR METAL CRAFT PVT. LTD., PLOT NO. 3059, ROAD NO.6, NR. MAHAVIR CIRCLE, PHASE-III, GIDC, DARED, JAMNAGAR	GUJARAT	28.0	28.0	7.8	7.8	2540	4200	0.4	0.4	2	2	2	2	0.28	1.13

TABLE - 10: WATER QUALITY OF GROUND WATER IN HIMACHAL PRADESH – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1555	AT KALA AMB,	HIMACHAL PRADESH	18.0	18.0	8.0	8.0	711	1108	0.1	0.1	2	2	2	2	2.48	2.48
1556	AT PAONTA SAHIB	HIMACHAL PRADESH	17.0	17.0	7.3	7.7	827	982	0.1	0.1	2	2	2	2	2.89	2.91
1557	AT PARWANOO	HIMACHAL PRADESH			7.2	7.2	695	695	0.4	0.4	2	2	2	2	9.46	9.46
1558	AT BADDI	HIMACHAL PRADESH	15.3	24.3	7.3	8.4	500	1009	0.2	0.8	2	2	2	2	0.10	10.43
1559	AT BAROTIWALA	HIMACHAL PRADESH	15.4	25.5	7.3	8.2	355	1070	0.2	0.4	2	2	2	2	0.00	8.41
1560	AT NALAGARH	HIMACHAL PRADESH	15.6	25.4	7.2	7.7	983	1579	0.1	1.0	2	2	2	2	0.54	15.42
1561	AT DAMTA	HIMACHAL PRADESH	16.0	16.0	7.7	7.8	772	855	0.1	0.2	2	2	2	2	0.00	0.04
1562	AT UNA	HIMACHAL PRADESH	17.0	20.0	7.9	8.4	523	946	0.1	0.1					0.00	0.04
1872	SHIMLA D/S OF MSW DUMPING SIOT	HIMACHAL PRADESH	9.0	20.0	6.4	7.9	245	902	4.0	16.0	14	94	26	920	0.52	12.34
1873	DHARAMSHALA KANGRA D/S OF MSW DUMPING SIOT	HIMACHAL PRADESH	13.0	18.0	6.5	6.7	409	417	0.2	0.2	2	2	2	2	0.02	0.13
1874	SOLAN-D/S OF MSW DUMPING SIOT-	HIMACHAL PRADESH			7.5	8.9	308	664	0.1	1.8	2	2	2	4	0.43	1.12
1877	BADDI INDUSTRIAL AREA	HIMACHAL PRADESH	14.3	22.5	7.3	8.5	349	973	0.1	0.8	2	2	2	2	0.00	13.78
1878	BAROTIWALA INDUSTRIAL AREA	HIMACHAL PRADESH	14.8	24.0	7.3	8.0	775	1222	0.1	0.4	2	2	2	2	12.67	14.67
1879	NALAGARH INDUSTRIAL AREA	HIMACHAL PRADESH	15.6	24.0	7.2	8.0	445	1579	0.1	0.8	2	2	2	2	0.00	15.42
1880	KALA AMB INDUSTRIAL AREA	HIMACHAL PRADESH	19.0	19.0	7.7	7.9	784	918	0.2	0.2	2	2	2	4	2.04	2.04
1881	PAONTA SAHIB INDUSTRIAL AREA	HIMACHAL PRADESH	18.0	18.0	8.0	8.2	718	978	0.1	0.1	2	2	2	4	2.14	2.21
1882	MEHATPUR INDUSTRIAL AREA	HIMACHAL PRADESH	13.0	19.0	7.8	8.1	901	1065	0.1	0.1					0.00	0.03
1883	UNA INDUSTRIAL AREA	HIMACHAL PRADESH	19.0	19.0	7.6	8.2	936	946	0.2	0.2					0.00	0.04
2628	HAND PUMP AT SHAMSHI	HIMACHAL PRADESH	19.0	20.0	6.1	8.1	446	813	0.0	0.0	2	2	2	2	0.00	0.67
2630	HAND PUMP AT HAMIRPUR TOWN	HIMACHAL PRADESH	19.0	19.0	7.5	7.9	1075	1546	0.1	0.1					0.02	0.12
2631	HAND PUMP AT NADAUN TOWN	HIMACHAL PRADESH	18.0	19.0	7.8	8.2	926	967	0.2	2.0					0.00	0.04
2632	HAND PUMP AT BILASPUR TOWN	HIMACHAL PRADESH	18.0	24.0	7.3	7.9	580	1032	0.0	0.0	2	2	2	2	0.00	3.63
2633	HAND PUMP AT RECONGPEO	HIMACHAL PRADESH			7.3	7.3	364	364	0.1	0.1					0.32	0.32
2634	HAND PUMP AT SHIMLA	HIMACHAL PRADESH	13.0	13.0	7.3	8.1	253	355	0.1	0.4	2	2	2	2	0.42	0.59
2635	HAND PUMP AT RAMPUR	HIMACHAL PRADESH			7.3	7.3	368	368	0.1	0.1					0.52	0.52
2636	HAND PUMP AT KANGRA TEMPLE/ TOWN	HIMACHAL PRADESH	14.0	14.0	7.1	7.4	883	984	0.2	0.3	2	2	2	2	0.07	0.09
2637	HAND PUMP AT JWALAJI TEMPLE	HIMACHAL PRADESH	13.0	13.0	7.3	8.0	1429	1430	0.1	0.1	2	2	2	2	0.00	0.09
2638	HAND PUMP AT CHINTPURNI TEMPLE/ TOWN	HIMACHAL PRADESH	5.0	15.0	7.6	7.9	640	1337	0.1	0.2	2	2	2	2	0.00	0.09

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2639	HAND PUMP AT CHAMUNDA DEVI TEMPLE/TOWN	HIMACHAL PRADESH	16.0	18.0	7.8	8.4	116	217	0.1	0.1					0.03	0.04
2640	HAND PUMP AT SANSARPUR TERRACE IA	HIMACHAL PRADESH	13.0	13.0	8.1	8.3	461	524	0.1	0.1	2	2	2	2	0.00	0.09
2641	HAND PUMP AT CHAMBA TOWN	HIMACHAL PRADESH	14.3	14.3	7.6	7.7	317	838	0.1	0.1	15	15	280	280	0.00	0.12
2642	HAND PUMP AT DALHOUSIE TOWN	HIMACHAL PRADESH	14.4	14.6	7.9	8.2	553	730	0.1	0.1	2	2	2	2	0.02	0.02
2645	HAND PUMP AT NAHAN	HIMACHAL PRADESH	18.0	18.0	7.7	7.8	986	1352	0.1	0.1	2	2	2	4	3.37	6.38
2646	HAND PUMP AT KALA AMB	HIMACHAL PRADESH	19.0	19.0	7.5	8.0	1090	1831	0.3	0.3	2	4	2	6	4.38	4.38
2647	HAND PUMP AT TAHLIWAL IA	HIMACHAL PRADESH	19.0	19.0	7.8	8.3	903	927	0.1	0.1					0.00	0.06
2648	HAND PUMP AT KEYLONG	HIMACHAL PRADESH			7.7	7.7	449	449	0.1	0.1	2	2	2	2	0.00	0.00

TABLE - 11: WATER QUALITY OF GROUND WATER IN JAMMU & KASHMIR – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2759	DUGWELL AT GAGHWAL(KATHUA DISTT)	JAMMU & KASHMIR	16.0	26.0	7.0	7.2	440	460							0.30	0.31
2760	MALADHAR TALAB(POND)HATLI (KATHUA)	JAMMU & KASHMIR	22.0	26.0	7.6	8.6	266	380	1.4	14.0					0.02	0.71
2761	TUBE WELL KATHUA SICOP INDUSTRIAL AREA KATHUA	JAMMU & KASHMIR	16.0	24.0	7.2	7.5	140	200							0.01	0.82
2762	R.S. PURA TEHSIL, JAMMU	JAMMU & KASHMIR	20.0	22.0	8.6	8.6	1140	1920	15.0	32.0					0.20	0.43
3288	GROUND WATER AT IQBAL PARK	JAMMU & KASHMIR	16.0	16.0	7.1	7.1	569	569	3.0	3.0					0.00	0.00
3290	GROUND WATER AT ZANAKOT (I)	JAMMU & KASHMIR	15.0	15.0	7.2	7.2	668	668	3.5	3.5					0.00	0.00
3291	GROUND WATER AT ZANAKOT (II)	JAMMU & KASHMIR	15.0	15.0	7.2	7.2	679	679	4.6	4.6					0.00	0.00
3292	GROUND WATER AT SADAKADAL	JAMMU & KASHMIR	18.0	18.0	7.3	7.3	917	917	5.0	5.0					0.00	0.00

TABLE - 12: WATER QUALITY OF GROUND WATER IN KARNATAKA – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
3564	BOREWELL WATER NEAR MANGALIYOTHI SCHOOL MSW SITE VAMMANJOOR	KARNATAKA	27.0	29.0	6.7	7.7	128	302	1.0	37.0	2	11	2	60	0.08	2.40

TABLE - 13: WATER QUALITY OF GROUND WATER IN KERALA – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
19	WELL AT ELOOR, KERALA	KERALA	27.0	27.8	5.7	5.8	100	135	1.0	1.4	100	350	1500	4800	0.54	1.48
22	WELL AT CHUNGAPALLY, KERALA	KERALA	28.0	28.0	6.5	8.0	130	141	0.5	1.1	30	280	40	350	0.00	2.50
35	WELL AT PUNALUR, KERALA	KERALA	24.0	27.5	6.3	6.8	231	240	1.0	2.2	10	40	40	120	0.12	0.89
1581	PAPPANAMKODE, THIRUVANANTHAPURAM, KERALA	KERALA	30.0	33.0	6.0	6.3	500	580	0.6	1.2	65	80	120	125	0.00	0.00
1582	NEDUMANGAD, THIRUVANANTHAPURAM, KERALA	KERALA	30.0	33.0	6.3	7.0	200	500	0.6	2.0	32	80	81	120	0.00	0.00
1583	KUNDARA, KOLLAM DISTT. , KERALA	KERALA	23.0	27.5	6.8	6.8	148	210	0.8	0.8	10	10	30	40	0.10	0.68
1584	CHERTHALA, ALLEPPY, KERALA	KERALA	29.0	29.0	7.3	7.8	248	428	1.2	3.0	0	200	2	400	0.08	0.15
1585	VYTTILA, ERNAKULAM DISTT. , KERALA	KERALA	28.0	30.1	7.1	7.4	315	560	2.3	2.4	700	1000	2800	4900	0.35	5.90
1586	EDAYAR ERNAKULAM DISTT., KERALA	KERALA	27.0	27.9	5.6	5.8	158	172	1.3	3.0	12	20	31	270	0.53	0.82
1587	KALAMASSERY ERNAKULAM DISTT. , KERALA	KERALA	27.0	28.0	5.6	6.2	294	327	1.4	3.0	20	350	79	540	0.57	6.46
1588	PUNKUNNAM TRISSUR DISTT. , KERALA	KERALA	30.0	30.0	7.2	8.2	299	360	0.3	0.7	20	220	190	350	2.10	3.10
1589	MALAPURAM , KERALA	KERALA	30.5	31.5	7.5	7.8	260	335	0.9	2.1	28	32	56	68	0.22	5.30
1590	MAVOOR, KOZHICCODE DISTT. , KERALA	KERALA	27.0	29.0	6.6	7.9	83	126	0.5	0.5	52	100	58	190	2.40	3.00
1591	KANNUR (MUNICIPALITY) KANNUR DISTTM , KERALA	KERALA	27.0	27.0	3.9	5.4	98	100	0.8	1.2	12	480	750	2570	1.99	3.91
1592	PAYYANNUR, KANNUR DISTT. , KERALA	KERALA	28.0	29.0	5.6	6.7	272	340	0.4	1.3	0	350	2	550	1.87	5.86
2308	FATHIMAPURAM (CHANGANASSERY)	KERALA	27.0	28.0	6.2	6.2	142	213	0.1	0.3	200	400	1000	1100	1.07	5.22
2309	KAROOR (PALA)	KERALA	27.0	27.5	5.6	6.2	56	84	0.2	1.2	0	800	100	2000	0.05	3.81
2310	VAIKOM	KERALA	28.0	29.0	6.5	7.9	202	204	0.4	3.5	0	0	2	2	2.08	3.13
2311	VADAVATHOOR (KOTTAYAM)	KERALA	27.0	28.0	5.8	5.9	103	224	0.3	3.2	200	400	800	1000	1.11	3.54
2313	SARVODAPURAM, ALAPPUZHA	KERALA	29.0	29.0	7.2	7.7	450	750	0.9	2.1	0	300	2	540	0.09	0.15
2314	KUREEPUZHA (KOLLAM)	KERALA	24.0	28.0	6.3	7.6	158	269	1.3	2.7	60	120	150	380	0.09	0.92
2315	K.M.M.L. (KOLLAM)	KERALA	24.0	27.5	8.0	8.1	380	600	1.1	3.4	30	160	80	500	0.02	1.10
2316	CHELLORA TRENCHING GROUND (KANNUR)	KERALA	27.0	28.0	3.7	5.7	36	183	1.2	1.3	12	480	130	540	0.03	1.46
2317	PUNNALPETTIPALAM (TELLICHERRY MUNICIPALITY)	KERALA	27.0	28.0	5.6	6.1	100	411	0.2	1.3	72	90	130	820	0.24	13.09
2320	MANJERI	KERALA	30.0	31.5	6.5	7.2	170	207	2.7	4.5	20	24	38	48	0.15	1.80
2321	LALOOR (THRISSUR)	KERALA	29.0	30.0	6.3	7.4	101	252	1.1	1.5	180	200	320	600	1.40	4.30
2322	OLLUR (THRISSUR)	KERALA	30.0	30.0	5.5	6.6	227	290	0.5	2.6	10	120	280	450	3.00	5.80

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2323	BRAHMAPURAM M.S.W. DUMPARK (ERNAKULAM)	KERALA	26.0	27.1	6.1	6.2	275	300	1.5	3.2	200	540	1300	2200	0.58	2.04
2324	HAZARDOUS WASTE DUMP (AMBALAMUGHAL)	KERALA	29.8	31.0	6.0	6.7	135	215	1.3	1.4	0	40	12	790	0.40	5.31
2327	KARUKAMANI	KERALA	29.0	29.0	7.6	8.0	780	795	0.8	2.4	278	290	410	420	0.00	0.70
3463	WELL AT VELLIPARAMBA, KOZHEKODE	KERALA	27.0	27.0	6.7	7.5	120	127	0.5	1.0	30	730	38	1400	0.73	2.10
3472	WELL OF TEMPLE PARASSINIKADAVU, KANNUR	KERALA	27.0	27.0	7.1	7.1	575	968	0.5	2.7	32	250	320	450	2.15	2.70
3474	WELL AT PAYANOR, KANNUR	KERALA	27.0	28.0	6.8	7.1	190	245	0.3	0.5	172	250	320	670	0.80	1.73
3475	WELL AT KARIMBAM, KANNUR	KERALA	26.0	27.0	4.2	6.3	53	153	0.9	1.3	4	70	40	80	1.05	6.08

TABLE - 15: WATER QUALITY OF GROUND WATER IN MADHYA PRADESH – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
52	WELL, SHRI RAO PRAJAPATI WELL , M. P.	MADHYA PRADESH	22.5	31.0	7.4	8.7	92	454	0.8	1.4	1	2	30	40	0.00	0.90
1616	OPEN WELL/TUBE WELL INDUSTRIAL AREA, GOVINDPURA, BHOPAL, M.P	MADHYA PRADESH	6.0	6.0	7.9	7.9	278	278	1.3	1.3	2	2			0.00	0.00
1617	OPEN WELL/TUBE WELL INDUSTRIAL AREA MANDIDEEP, DISTT. RAISEN, M.P	MADHYA PRADESH	28.0	28.0	6.7	7.5	342	384	0.9	0.9	2	2	130	130	0.00	0.00
1618	GROUND WATER SAMPLING AT TWO POINTS IN INDUSTRIAL AREA MALANPUR, M.P	MADHYA PRADESH	24.0	26.0	7.2	7.6	700	785	1.2	1.4			33	34	0.00	1.38
1619	GROUND WATER SAMPLING AT TWO POINTS IN INDUSTRIAL AREA MALANPUR, M.P	MADHYA PRADESH	24.0	26.0	7.5	7.7	675	880	1.2	1.3			22	34	0.00	1.40
1897	TUBE WELL AT JAINABAD, NEAR TAPTI RIVER BRIDGE, PUMPING STN. BURHANPUR, M.P.	MADHYA PRADESH	23.0	29.0	7.2	7.5	698	986	0.6	7.7	1	1	4	7	0.00	2.68
2143	KATHODA, JABALPUR	MADHYA PRADESH	18.0	19.0	7.7	8.3	386	450	1.2	1.2	2	2	2	2	0.20	0.80
2144	MADAI GRAM, JABALPUR	MADHYA PRADESH	17.0	19.0	7.7	8.4	416	435	1.1	1.1	2	2	2	2	0.20	0.50
2145	MEHATWAS, NAGDA	MADHYA PRADESH			7.9	7.9	1523	2462	1.4	2.0					5.28	6.17
2146	BHAGATPURI VILLAGE, NAGDA	MADHYA PRADESH	27.0	27.0	7.8	8.2	2068	2173	1.8	2.8					3.69	8.15
2148	DOSIGAON, RATLAM	MADHYA PRADESH			7.3	7.4	2174	3532	1.8	3.2	7	7	90	90	7.63	8.27
2149	CULVERT ON A.B. ROAD, MAKSI	MADHYA PRADESH			7.8	7.8	1514	1514	2.0	2.0					2.26	2.26
2150	TRENCHING GROUND, NEAR GARDEN, DEV GURADIYA ROAD, INDORE	MADHYA PRADESH	23.0	29.0	7.4	7.6	1135	4581	0.8	1.5	1	1	4	6	0.00	8.13
2151	TRENCHING GROUND IN THE PREMISES OF M/S RISHABH MASALA UDYOG, INDORE	MADHYA PRADESH	23.0	29.0	7.2	7.4	2778	4581	1.5	2.8	1	1	6	12	0.00	9.48
2152	TRENCHING GROUND IN THE PREMISES OF M/S LAKHANI FOOT WEAR, INDORE	MADHYA PRADESH	23.0	29.0	7.4	7.8	1290	3076	0.8	1.6	1	1	4	7	0.00	7.86
2153	IBRAHIMGANJ NEAR BUS STAND, BHOPAL	MADHYA PRADESH	26.0	26.0	7.8	7.8	338	338	1.2	1.2	2	2	90	90	0.00	0.00
2154	NEAR PRIMARY SCHOOL, PILUKHEDI, RAJGARH.	MADHYA PRADESH	21.0	27.0	8.0	8.6	1612	1800	2.0	2.8					0.00	0.00
3333	HAND PUMP WATER AT BANSKHEDI, BHOPAL	MADHYA PRADESH	26.0	26.0	7.9	7.9	282	282	1.4	1.4	2	2	90	90	0.00	0.00
3334	TUBE WELL NEAR BUS STAND AT BETUL	MADHYA PRADESH	25.0	26.0	7.6	7.7	312	338	1.2	1.4	2	2	110	110	0.00	19.20
3335	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA RECHHAI, JABALPUR	MADHYA PRADESH	18.0	18.0	7.5	7.5	432	460	1.2	1.2	2	2	2	2	0.10	0.70

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
3336	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA, CHHINDWAR	MADHYA PRADESH	30.0	30.0	8.2	8.2			1.2	1.2	3	3	11	11	0.80	0.80
3336	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA, CHHINDWARA	MADHYA PRADESH	20.0	36.0	7.4	8.2	639	860	1.2	3.2	2	15	11	43	2.00	2.60
3337	TUBE WELL/ HAND PUMP AT INDL AREA SEONI NEAR BARAPATTHAR	MADHYA PRADESH	19.0	19.0	7.6	8.6	363	441	0.8	0.8	2	2	2	2	0.10	0.63
3338	HAND PUMP NEAR PANCHAYAT BHAWAN, VILLAGE TINAWALI RAIRU	MADHYA PRADESH	24.0	32.0	7.2	7.5	580	630	1.1	1.2	2	2	13	34	1.20	1.32
3339	TUBE WELL/ HAND PUMP NEAR MANGLIA INDUSTRIAL AREA , INDORE	MADHYA PRADESH	21.0	31.0	6.9	7.4	1321	2510	0.0	1.0	1	2	3	50	0.00	10.01
3340	TUBE WELL AT NEAR TRENCHING GROUND, INDORE	MADHYA PRADESH	23.0	29.0	7.3	8.6	619	2090	0.6	0.8	1	1	5	8	0.00	10.65
3341	TUBE WELL AT SECTOR-III, PITHAMPUR INDUSTRIAL AREA	MADHYA PRADESH	24.0	24.0	7.7	7.7	2012	2012	0.7	0.7	1	1	4	4	0.00	3.03
3342	BOREWELL WATER AT VILLAGE TARPUR, SECTOR-II, PITHAMPUR, IDUSTRIAL AREA	MADHYA PRADESH	24.0	24.0	7.3	8.0	378	534	0.8	0.8	1	1	4	4	0.00	2.01
3343	TUBE WELL NEAR INDUSTRIAL AREA UDYOG VIHAR , CHURAT, REWA	MADHYA PRADESH	30.0	30.0	7.1	7.1	1	1	1.1	1.1	2	2	4	6	2.69	5.70
3344	TUBEWELL AT INDL AREA, SHAHDOL	MADHYA PRADESH	20.2	35.0	8.0	8.2	522	1214	0.3	0.5	2	2	2	2	1.20	2.40
3345	TUBEWELL AT INDL AREA, ANUPPUR	MADHYA PRADESH	28.0	29.0	7.9	8.1	461	683	0.1	0.4	2	2	2	2	0.00	1.24
3822	GROUND WATER NEAR BUS STAND, DIST NARSINGPUR	MADHYA PRADESH	19.0	20.0	7.2	7.4	374	1047	0.6	0.6	2	2	4	4	0.10	0.10
3823	GROUND WATER NEAR BUS STAND, DIST BALAGHAT	MADHYA PRADESH	18.0	19.0	7.3	7.4	526	536	0.2	0.2	2	2	2	2	0.10	0.70
3824	GROUND WATER VILL BHEEMJORI, MALAJKH, DIST BALAGHAT	MADHYA PRADESH	19.0	19.0	7.2	7.7	374	463	0.1	0.1	2	2	2	2	0.10	0.20
3825	GROUND WATER NEAR BUS STAND, DIST MANDLA	MADHYA PRADESH	19.0	19.0	7.5	8.2	329	426	0.1	0.1	2	2	2	2	0.10	0.80
3826	GROUND WATER NEAR BUS STAND, DIST SEONI	MADHYA PRADESH	18.0	18.0	7.6	8.3	343	448	0.1	0.1	2	2	2	2	0.10	0.76
3827	GROUND WATER VILL IMALIA, DIST JABALPUR	MADHYA PRADESH	19.0	20.0	8.1	8.1	311	419	0.3	0.3	2	2	2	2	0.10	0.84
3837	GROUND WATER PRIMARY SCHOOL DHOBI GHAT, DIST SINGROULI	MADHYA PRADESH	20.0	20.0	7.4	7.6	281	410	1.1	1.4	2	2	2	2	0.84	2.14
3838	GROUND WATER NCL, JINGURDHA, QSHF-176 METENCE OFF, DIST SINGROULI	MADHYA PRADESH	20.0	22.0	7.6	7.7	276	378	1.1	1.7	2	2	2	2	0.06	0.84
3839	GROUND WATER NEAR SHIV MANDIR, AMLORI NCL, PROJECT SINGROULI	MADHYA PRADESH	19.0	22.0	7.4	7.5	274	386	1.1	1.7	2	2	2	2	0.86	1.43

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
3840	GROUND WATER NEAR SUBJEE MANDI NCL JAYANT (BESIDE POLICE STATION), SINGROULI	MADHYA PRADESH	18.0	22.0	7.6	7.6	282	348	1.2	1.4	2	2	2	2	0.09	0.86
3841	GROUND WATER SARVESWAR RAJA COLONY JAYANT, SINGROULI	MADHYA PRADESH	19.0	22.0	7.4	7.6	278	386	1.2	1.4	2	2	2	2	0.84	1.18
3842	GROUND WATER NEAR SUB STATION SECTOR-B, DUDHICHUA NCL PROJECT, SINGROULI	MADHYA PRADESH	18.0	21.0	7.5	7.6	387	476	1.0	1.6	2	2	2	2	0.05	0.86
3843	GROUND WATER NEAR ENTRANCE GAGE OF VIVEKANANAD STATUE, NIGAH, SINGROULI	MADHYA PRADESH	19.0	23.0	7.4	7.5	365	394	1.0	1.7	2	2	2	2	0.84	1.02
3844	GROUND WATER NEAR COMMERCIAL AUTO MOBILE NEAR BHARAT PETROL PUMP, VINDHYA NAGAR, SINGROULI	MADHYA PRADESH	19.0	22.0	7.4	7.6	275	387	1.2	1.7	2	2	2	2	0.55	0.86
3854	TUBE WELL WATER SAMPLE OF SIDHI CITY	MADHYA PRADESH	28.5	30.0	7.1	7.4	0	1	0.8	1.0	2	2	4	6	5.20	6.36

TABLE - 16: WATER QUALITY OF GROUND WATER IN MAHARASHTRA – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1985	MIRA-BHAYANDER	MAHARASHTRA	28.0	33.0	7.6	7.8	2774	5760	3.0	5.0	17	17	46	130	0.40	1.30
1986	DAHANU	MAHARASHTRA	30.0	30.0	7.1	7.1	735	735	3.0	3.0	22	22	120	120	0.50	0.50
1987	VASAI	MAHARASHTRA	28.0	33.0	7.0	7.4	2182	2680	3.2	3.4	11	26	31	70	0.60	1.60
1988	PALGHAR	MAHARASHTRA	30.0	30.0	7.0	7.0	1648	1648	3.2	3.2	63	63	140	140	1.70	1.70
1989	MSW SITE, TALOJA, RAIGAD	MAHARASHTRA	28.0	28.0	7.1	7.1	1133	1133	4.0	4.0	11	11	70	70	0.90	0.90
1992	MSW SITE, PIMPRI-CHINCHWAD, PUNE	MAHARASHTRA	27.0	30.0	7.8	8.0	1010	1591	4.2	6.0	20	20	200	200	1.70	3.90
1993	PHANDARPUR, GANGAPUR, AURANGABAD	MAHARASHTRA	24.0	24.0	8.2	8.2	1320	1320	3.2	3.2	2	2	110	110	0.98	0.98
1994	TPS-DURGAPUR, CHANDRAPUR	MAHARASHTRA	26.0	26.0	8.2	8.2	1192	1192	4.8	4.8					0.46	0.46
1995	KHAPERKHEDA, NAGPUR	MAHARASHTRA	27.0	29.0	7.5	8.5	950	998	3.2	5.0	49	49	130	130	0.22	4.40
1996	KORADI, NAGPUR	MAHARASHTRA	27.0	29.0	7.4	8.4	1002	1166	5.8	7.0	17	17	70	70	0.30	3.80
1997	RAIPUR, NAGPUR	MAHARASHTRA	32.0	42.0	7.6	8.0	316	980	3.8	5.2					0.22	0.40
1998	BHAHMNI, KALMESHWAR, NAGPUR	MAHARASHTRA	27.0	29.0	7.1	8.4	982	2558	3.0	3.8	31	31	58	58	0.36	0.36
1999	SANGERA GONDIA	MAHARASHTRA	32.0	32.0	7.7	8.2	640	1080	3.1	3.2					0.30	0.33
2001	SUKALI, AMRAVATI	MAHARASHTRA	23.0	26.0	7.9	7.9	654	1636	4.6	5.4	13	23	58	79	0.72	4.50
2002	AKOT, AKOLA	MAHARASHTRA	23.5	31.0	7.3	8.0	656	1602	3.0	4.2	17	17	94	94	0.22	0.33
2003	SAWARGAON, YAVATMAL	MAHARASHTRA	27.0	27.0	8.3	8.3	1022	1022	3.0	3.0					0.32	0.32
2004	PARVATI INDL. ESTATE, YADRAV, SHIROL	MAHARASHTRA			7.4	7.6	1395	1607	3.2	3.4	8	8	23	23	1.12	1.58
2005	KHANJIRENAGAR, ICHALKARANJI	MAHARASHTRA			7.2	7.4	789	1555	3.0	3.2	21	21	84	84	1.10	1.41
2006	MIDC, SHINOLI, CHENDGAD	MAHARASHTRA			7.5	7.8	296	670	2.0	3.0	13	13	46	46	0.48	1.15
2007	SAVALI, SANGLI	MAHARASHTRA	20.0	21.0	7.2	7.3	1787	2686	2.4	3.4	8	8	23	23	1.07	1.40
2008	RASULWADI-SAMBARWADI, SANGLI	MAHARASHTRA	21.0	21.0	7.5	7.6	2389	2584	2.6	3.2	4	4	31	31	0.94	2.11
2200	BORE WELL AT KATPUR, NEAR Z.P SCHOOL.	MAHARASHTRA	23.0	24.0	8.0	8.5	489	1265	3.0	4.0	2	4	140	170	0.20	0.90
2202	DUG WELL AT GHANE KUNT, NEAR AWASTHI, OWNED BY SHRI RAJENDRA AMRE	MAHARASHTRA	23.0	24.0	7.2	7.5	79	480	2.4	2.4	4	4	13	13	0.46	0.62
2203	HAND PUMP IN THE PREMISES OF ZILLA PARISHAD PRIMARY SCHOOL	MAHARASHTRA	32.0	42.2	6.9	8.0	315	1210	4.2	5.4					0.42	0.43
2819	DUG WELL OWNED BY SHRI DESHMUKH, MALEGAON, BARAMATI, PUNE	MAHARASHTRA	27.0	30.0	7.6	7.7	1990	4995	4.8	7.0	25	250	225	1800	1.60	21.00
2820	DUG WELL OWNED BY SHRI SHIVAJI BABAN DAREKAR, SANASWADI, SHIRUR, PUNE	MAHARASHTRA	26.0	30.0	7.8	8.2	695	2011	5.4	6.0	40	40	350	350	1.50	4.50

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2821	BORE WELL AT BALE RAILWAY STATION PREMISES OWNED BY SHRI DIGAMBAR JOSHI, DAHEGAON, NORTH SOLAPUR	MAHARASHTRA	26.0	30.0	7.6	7.8	93	775	5.5	8.8	17	45	130	550	0.20	4.00
2822	BORE WELL NEAR CHINCHOLI, MOHOL, SOLAPUR	MAHARASHTRA	28.0	30.0	7.5	7.9	2550	5107	6.0	9.5	20	40	140	425	4.70	7.40
2823	BORE WELL AT SHETE VASTI NEAR OLD TULJAPUR ROA, TULJPUR NAKA, SOLAPUR	MAHARASHTRA	23.0	33.0	7.9	8.0	1194	1500	4.4	5.0	11	20	110	350	4.20	5.90
2825	BORE WELL AT WAHEGAON NEAR ZILLA PARISHET SCHOOL, PAITHAN, AURANGABAD	MAHARASHTRA	23.0	24.0	7.7	8.4	1050	1922	4.4	5.0	4	6	170	180	0.86	1.00
2826	DUG WELL NEAR RAILWAY STATION, COTTON MARKET, WARDHA	MAHARASHTRA	32.0	42.0	7.0	8.0	320	1492	3.2	6.4					0.42	0.56
2828	DUG WELL NEAR JILLA PARISHET PRIMARY SCHOOL, VISAPUR, BALLARPUR, CHANDRAPUR	MAHARASHTRA	28.0	28.0	8.1	8.1	998	998	5.2	5.2					0.62	0.62
2829	BORE WELL AT MIDC SHIROLI NEAR M/S PRATIBHA ENTERPRISES, HATKANANGALE, KOLHAPUR	MAHARASHTRA			7.1	7.7	509	530	2.6	3.2	21	21	110	110	0.57	1.50
2830	BORE WELL AT MIDC GOKUL-SHIRGAON, KARVIR, KOLHAPUR	MAHARASHTRA			7.6	8.2	806	1367	3.2	3.4	17	17	94	94	0.96	1.39
2831	DUG WELL AT SAKHARALI NEAR MIDC ISLAMPUR NEAR KRISHNA MILK INDUSTRY, WALWA, SANGLI	MAHARASHTRA	22.0	22.0	7.1	7.1	1412	1412	2.6	2.6	5	5	46	46	0.84	0.84
2832	DUG WELL NO-1 AT BRAHMANWADI ANJANWEL OWNED BY SHRI VAIDYA, GUHAGAR, RATNAGIRI	MAHARASHTRA	22.0	23.0	7.8	8.3	75	285	2.6	3.2	13	13	34	34	0.49	1.11
2833	DUG WELL NO-1 AT GROUP GRAM PANCHAYAT AT ARKETWADI NEAR MASJID, KHED, RATNAGIRI	MAHARASHTRA	23.0	24.0	7.4	7.5	164	287	2.6	3.2	5	5	14	14	0.36	0.66
2834	DUG WELL NO-2 AT ARKETWADI, KHED, RATNAGIRI	MAHARASHTRA	23.0	24.0	6.5	7.4	170	2210	2.8	3.4	7	7	14	14	0.48	0.69
2835	DUG WELL NO-2 OWNED BY GROUP GRAM PANCHAYAT BRAHMANWADI, ANJANWEL, GUHAGAR, RATNAGIRI	MAHARASHTRA	22.0	23.0	7.7	8.0	65	170	2.4	2.8	17	17	31	31	0.45	0.65

TABLE - 17: WATER QUALITY OF GROUND WATER IN MANIPUR – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1923	MOREH	MANIPUR	23.1	23.1	7.2	7.2	290	290	3.0	3.0			93	93	0.00	0.00

TABLE - 18: WATER QUALITY OF GROUND WATER IN MEGHALAYA – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1634	POLICE BAZAR, SHILLONG	MEGHALAYA	18.0	19.0	5.2	6.6	280	327	1.8	2.0	10	12	30	45	9.50	14.60
1635	MAWLAI, SHILLONG	MEGHALAYA	18.0	18.0	5.8	6.7	289	312	1.8	1.9	12	20	48	60	8.74	16.28
1636	INDUSTRIAL ESTATE, BYRNIHAT	MEGHALAYA	25.0	25.0	6.0	6.5	112	115	1.0	2.0	12	20	60	120	0.68	2.54
1637	SOHRA, CHERRAPUNJEE	MEGHALAYA	15.0	19.0	5.5	6.6	110	117	1.2	2.1	6	8	24	28	1.20	5.00
1638	SHANGPUNG	MEGHALAYA	18.0	23.0	5.8	7.1	130	155	1.0	1.2	2	4	22	28	8.20	9.34
3385	MAWTHADRISHAN WELL AT MARKASA	MEGHALAYA	14.0	16.0	6.7	6.9	47	50	2.0	2.0	8	8	22	30	0.27	0.40
3386	JAKREM HOT SPRING AT JAKREM	MEGHALAYA	42.0	45.0	9.4	9.6	340	345	1.0	1.0	2	2	17	20	0.41	0.45

TABLE - 19: WATER QUALITY OF GROUND WATER IN MIZORAM – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2054	RAMHLUM (NORTHERN PART)	MIZORAM	18.0	25.0	7.2	7.9	104	277	0.6	2.2	0	0	93	1100	0.02	0.09
2055	MISSION VENGTHLANG (SOUTHERN PART)	MIZORAM	12.0	22.0	6.6	7.8	147	351	0.4	5.7	0	0	1100	1100	0.04	0.09
3725	LUNGLI TUIKHUR, REPUBLIC VENG	MIZORAM	18.0	22.0	7.2	7.6	105	276	0.8	1.7	9	9	2400	2400	0.02	0.06
3726	RAMHLUN S TUIKHUR, NEAR COMMUNITY HALL	MIZORAM	18.0	24.0	7.0	7.7	127	237	0.3	2.4	0	0	460	460	0.00	0.08
3727	TUITHANG VENG, TUIKHUR	MIZORAM	18.0	22.5	6.9	7.5	112	261	0.6	1.6	0	0	2400	2400	0.04	0.57
3728	KHURPUI TUIKHUR, S HLIMEN	MIZORAM	15.0	22.0	6.2	7.4	156	944	0.9	2.1	0	0	2400	2400	0.02	0.06
3729	BAWNGKAWN HAND PUMP, NEAR HPPETROL PUMP	MIZORAM	18.0	25.0	7.0	7.5	144	404	0.3	2.3					0.03	0.10
3730	SELESIH HAND PUMP	MIZORAM	17.0	23.0	2.8	7.5	124	420	0.4	2.5					0.02	0.10
3731	TUIKUAL HAND PUMP	MIZORAM	17.0	24.0	6.4	7.5	117	429	0.2	2.7					0.03	0.10
3732	CHALTLANG HAND PUMP, NEAR REMI TYRE WORKS	MIZORAM	18.0	23.0	6.0	7.6	133	566	0.3	2.5					0.02	0.08
3733	S HLIMEN HAND PUMP	MIZORAM	18.0	22.0	6.2	7.7	144	917	0.5	2.3					0.02	0.07
3737	VAITUI TUIKHUR, THEIRIAT, LUNGLEI	MIZORAM	15.0	24.0	6.6	7.5	120	310	0.7	2.2					0.02	0.07
3738	SAP TUIKHUR, SERKAWN NEARBY	MIZORAM	13.0	23.0	7.1	7.4	114	278	0.9	4.0					0.02	0.06
3739	ZOBAWK VENG HAND PUMP, LUNGLEI	MIZORAM	18.0	24.0	6.9	7.9	111	310	0.1	5.1					0.04	0.11
3741	KHUPUI TUIKHUR, LAWNGTLAI	MIZORAM	18.0	26.0	6.5	7.6	92	361	1.0	2.6					0.02	0.08
3742	CHANMARI HAND PUMP, LAWNGTLAI	MIZORAM	19.0	25.0	6.9	7.7	84	364	0.3	4.0					0.02	0.13
3745	CHHOCHHOPA TUIKHUR, SAIHA	MIZORAM	14.0	23.0	7.2	8.3	97	302	1.1	2.1					0.02	0.09
3748	PROJECT VENG HAND PUMP, SERCHHIP	MIZORAM	15.0	22.0	7.2	7.5	104	333	1.1	2.1					0.03	0.10
3753	HMAG VENG TUIKHUR, KOLASIB	MIZORAM	10.0	25.0	6.2	7.4	142	400	1.0	2.5					0.02	0.09
3758	BETHEL VENG HAND PUMP, CHAMPHAI	MIZORAM	15.0	23.0	6.7	7.3	152	324	0.5	2.3					0.04	0.11

TABLE - 20: WATER QUALITY OF GROUND WATER IN NAGALAND – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2896	BOREWELL AT KOHIMA VILLAGE IN KOHIMA	NAGALAND	19.7	27.5	7.4	8.5	460	712							0.00	0.06
2897	BOREWELL AT KAMDJI BAZAR, PEREN	NAGALAND	25.0	28.1	6.5	8.0	200	236							0.00	0.05
2898	OPENWELL AT DOYAPUR DHANSIRIPAR DIVISION, DIMAPUR	NAGALAND	27.0	27.4	5.5	6.3	120	183							0.00	1.59
2899	BOREWELL AT DHANSIRIPAR, DHANSIRIPAR DIVISION, DIMAPUR	NAGALAND			7.5	7.5	248	248							0.12	0.12
2900	OPENWELL AT TOULAZOUMA VILLAGE, DIMAPUR	NAGALAND	26.4	26.4	5.5	8.3	254	294							0.00	2.88
2901	OPENWELL AT LUNGWIRAM VILLAGE, DIMAPUR	NAGALAND	34.0	34.0	6.5	7.6	160	575							0.00	1.40
2902	BOREWELL AT THAHEKHU VILLAGE, DIMAPUR	NAGALAND	28.8	28.8	7.1	8.5	9	376							0.00	0.12
2903	OPENWELL AT SIGNAL ANGAMI VILLAGE, DIMAPUR	NAGALAND	24.5	24.5	7.2	7.5	460	523							0.00	0.29
2904	OPENWELL AT NAGA CEMETERY, DIMAPUR	NAGALAND	25.7	25.7	5.5	7.8	654	922							0.00	5.20
2905	BOREWELL AT SIGNAL POINT, DIMAPUR	NAGALAND	26.3	26.3	6.5	7.8	256	442							0.00	0.11

TABLE - 21: WATER QUALITY OF GROUND WATER IN ODISHA- 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1644	JAGATPUR INDUSTRIAL AREA, CUTTACK	ODISHA	23.0	29.0	7.1	8.4	405	541	0.1	0.5	2	2	2	2	0.23	0.95
1645	MADHUPATNA- KALYAN NAGAR AREA, CUTTACK	ODISHA	29.0	29.0	8.3	8.3	576	576	0.4	0.4	2	2	2	2	0.17	0.17
1646	BIDANASHI - TULASIPUR AREA, CUTTACK	ODISHA	23.0	29.0	7.7	8.3	147	207	0.2	0.5	2	2	2	2	0.47	2.73
1647	BADAMBARI AREA, CUTTACK	ODISHA	22.0	29.0	7.6	8.4	327	639	0.7	1.3	2	2	2	2	0.28	1.03
1648	RANIHAT- MANGALABAGH AREA, CUTTACK	ODISHA	24.0	29.0	7.9	8.3	362	393	0.1	0.6	2	4	2	4	4.34	6.52
1649	KHANDAGIRI AREA, BHUBANESWAR	ODISHA	29.0	29.0	7.0	7.6	236	904	1.4	1.6	2	2	2	2	0.13	6.57
1650	CAPITAL HOSPITAL AREA, BHUBANESWAR	ODISHA	29.0	30.0	6.7	7.6	254	267	0.1	0.3	2	2	2	2	0.37	6.25
1651	OLD TOWN- SAMANTARAAIPUR AREA, BHUBANESWAR	ODISHA	28.0	29.0	7.4	7.5	550	660	0.7	1.1	26	1400	110	3500	2.09	3.27
1652	KALPNA - LAXMINAGAR AREA, BHUBANESWAR	ODISHA	28.0	30.0	5.3	6.3	65	140	0.2	0.7	2	2	2	2	2.26	7.20
1654	SECRETARIAT- GOVERNOR HOUSE- OLDBUS STAND AREA, BHUBANESWAR	ODISHA	26.0	26.0	6.9	6.9	209	209	0.3	0.3	2	2	2	2	3.27	3.27
1655	NEAR SEA BEACH, PURI	ODISHA	26.0	29.0	7.1	7.9	1247	19840	0.2	0.5	2	2	2	23	0.11	0.61
1656	NEAR JAGANNATH TEMPLE, PURI	ODISHA	25.0	29.0	7.5	7.9	1138	1257	0.3	1.2	2	2	2	130	3.93	10.62
1657	HOSPITAL - BUS STAND- MAUSHIMA TEMPLE AREA, PURI	ODISHA	21.0	29.0	7.5	7.9	1020	1205	1.5	1.9	2	130	2	330	4.08	6.42
1658	NEAR RIVER KUSHABHADRA, PURI, ORISSA	ODISHA	26.0	30.0	7.9	8.4	286	486	0.2	3.4	2	5400	2	9200	0.31	1.55
3964	NEAR MKCG MEDICAL COLLEGE, BERHAMPUR	ODISHA	23.0	30.0	8.0	8.1	548	780	0.4	0.8	2	280	33	1600	0.23	0.36
3965	NEAR BUS STAND, BERHAMPUR	ODISHA	23.0	30.0	7.9	8.1	1068	1155	0.6	0.6	2	17	2	350	0.37	3.96
3966	NEAR BADABAZAR, BERHAMPUR	ODISHA	26.0	30.0	7.5	7.6	982	1467	0.1	0.7	2	11	11	79	3.45	10.68
3967	NEAR RAILWAY STATION STAND, BERHAMPUR	ODISHA	23.0	30.0	7.6	7.7	1022	1867	0.3	1.1	2	140	2	140	9.52	18.01
3968	NEAR VSS MEDICAL COLLEGE, BURLA, SAMBALPUR	ODISHA	28.0	32.0	7.7	7.8	507	657	0.2	0.9	2	130	49	540	0.72	0.90
3969	NEAR RAILWAY STATION, SAMBALPUR	ODISHA	30.0	30.0	7.8	7.8	359	359	0.4	0.4	2	2	2	2	3.78	3.78
3970	NEAR PANTHANIVAS, SAMBALPUR	ODISHA	29.0	30.0	7.7	8.1	379	687	0.5	0.5	17	49	130	350	1.59	4.45
3971	ANGUL TOWNSHIP	ODISHA	27.0	28.0	7.5	7.7	1369	1373	0.1	0.8	2	5	2	5	11.25	19.24
3972	NALCO TOWNSHIP, TALCHER	ODISHA	28.0	28.0	7.9	8.2	363	483	0.2	0.5	2	2	2	2	0.33	1.04
3973	MAHANADI COAL FIELD AREA, TALCHER	ODISHA	27.0	27.0	7.6	7.8	642	648	1.0	1.6	2	2	2	2	1.75	7.50
3974	KANIHA, TALCHER	ODISHA	27.0	28.0	7.9	8.2	271	503	0.5	0.6	2	2	2	2	0.20	0.27
3975	TALCHER TOWN	ODISHA	28.0	28.0	7.7	7.9	690	834	0.1	1.2	2	2	2	2	0.37	10.21
3976	MERAMUNDALI AREA, TALCHER	ODISHA	28.0	28.0	7.9	8.7	699	776	0.1	0.6	2	2	2	79	1.80	3.80

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
3977	TALCHER THERMAL AREA	ODISHA	28.0	28.0	7.7	7.7	1246	1562	0.1	0.6	2	2	2	2	0.15	0.20
3978	BANARPAL, TALCHER	ODISHA	28.0	29.0	7.5	8.3	713	803	0.1	0.7	2	2	2	2	3.45	5.93
3979	KULAD, TALCHER	ODISHA	28.0	28.0	8.1	8.7	647	1141	0.1	0.2	2	2	2	2	4.84	7.68
3981	BURKHAMUNDA, JHARSUGUDA	ODISHA	20.0	30.0	7.7	7.9	142	180	0.4	1.0	2	2	2	2	2.09	4.53
3982	BADAMANI INDUSTRIAL ESTATE, JHARSUGUDA	ODISHA	20.0	32.0	7.3	7.7	133	143	0.5	1.5	2	2	2	2	0.40	4.10
3983	BUDHIPADAR, JHARSUGUDA	ODISHA	19.0	35.0	7.3	7.6	114	143	0.5	0.6	2	2	2	2	2.55	3.07
3984	BRAJARAJ NAGAR MINING BELT, JHARSUGUDA	ODISHA	20.0	37.0	7.1	7.5	146	351	1.5	1.6	2	2	2	2	0.26	0.82
3985	RAMPUR AREA (WATER TANK), JHARSUGUDA	ODISHA	19.0	38.0	7.8	8.2	307	330	0.1	1.2	2	330	2	1300	0.54	2.45
3986	IB THERMAL POWER STATION, JHARSUGUDA	ODISHA	21.0	39.0	7.1	7.9	269	315	0.1	0.8	2	5400 0	2	92000	0.40	3.81
3987	BELPAHAR AREA, JHARSUGUDA	ODISHA	20.0	40.0	7.4	8.6	414	526	0.8	1.5	2	9200	2	16000	0.85	1.13
3988	BADA PADIA MARKET COMPLEX, PARADEEP	ODISHA	22.0	29.0	8.2	8.3	1824	1925	1.6	1.7	2	2	2	5	1.64	2.20
3989	MUSADIHA, PARADEEP	ODISHA	22.0	27.0	8.3	8.3	2491	3543	0.5	0.7	2	540	70	1600	2.50	2.85
3990	TISCO, SUKINDA	ODISHA	26.0	28.0	7.8	8.1	245	332	0.1	0.8	2	2	2	2	2.78	3.40
3991	SARUABIL, SUKINDA	ODISHA	26.0	27.0	7.4	7.6	270	317	0.1	0.4	2	2	2	2	4.18	4.35
3992	KALIAPANI, SUKINDA	ODISHA	26.0	28.0	7.5	7.6	166	193	0.1	0.7	2	2	2	2	0.32	0.34
3993	KAMARDA, SUKINDA	ODISHA	25.0	26.0	8.4	8.5	115	381	0.1	0.7	2	2	2	2	0.23	3.06
3994	CHAKULIA, BALASORE	ODISHA	22.0	26.0	6.0	7.9	510	1045	0.1	0.6	2	2	2	2	3.17	10.03
3995	KUANRPUR, BALASORE	ODISHA	22.0	25.0	7.0	8.4	376	1203	0.4	0.6	2	2	2	2	0.24	1.43
3996	NAIGOPALPUR, BALASORE	ODISHA	22.0	26.0	6.1	8.0	105	1125	0.2	0.4	2	2	2	2	0.21	8.97

TABLE - 22: WATER QUALITY OF GROUND WATER IN PUDUCHERRY – 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1397	WELL AT MUTHIALPET AREA(I) RAMAKRISHNA NAGAR/ KRISHNA NAGAR	PUDUCHERRY	32.0	32.0	6.2	6.4	418	431	0.0	0.0	2	2	2	2	7.45	15.76
1398	WELL AT THENGAITHITTU AREA, (II)	PUDUCHERRY	33.0	33.0	6.5	7.8	1380	1380	0.0	0.0	2	2	2	2	0.04	0.06
1453	WELL AT MUTHIRAPPALAYAM (PWD)	PUDUCHERRY	30.0	32.0	6.9	7.0	616	621	0.0	0.0	2	2	2	2	2.08	5.39
1454	WELL AT KALAPET, PONDI. UNIVERSITY ADMN. BLOCK	PUDUCHERRY	30.0	33.0	6.3	7.0	258	270	0.0	0.0	2	2	2	2	1.21	1.53
1687	WELL AT NEHRU STATUE MISSION ST. - CHETTY KOIL	PUDUCHERRY	30.0	31.0	7.4	8.3	1755	1757	0.0	0.0	2	280	13	1600	1.66	1.79
1688	WELL AT KATTERIKUPPAM	PUDUCHERRY	30.0	30.0	7.5	8.2	668	686	0.0	0.0	2	140	2	280	0.69	1.32
2009	WELL AT KURUMBAPET	PUDUCHERRY	32.0	32.0	6.5	6.8	618	624	0.0	0.0	2	280	14	300	0.06	3.29
2010	WELL AT METTUPALAYAM	PUDUCHERRY	30.0	32.0	6.7	6.9	884	1379	0.0	0.0	2	140	2	170	0.65	1.21
2011	WELL AT URUVAIYAR	PUDUCHERRY	32.0	33.0	7.6	8.4	4950	5150	0.0	0.0	2	2	2	2	0.02	0.07
2012	WELL AT MARUTHI SCHOOL, KARUVADIKUPPAM	PUDUCHERRY	30.0	32.0	6.8	7.2	1148	2200	0.0	0.0	2	90	4	280	0.36	1.02
2013	WELL AT T.R.PATTINAM, KARAIKAL	PUDUCHERRY	25.0	34.0	8.1	8.5	1915	1952	0.0	0.0					0.37	0.52
2014	WELL AT VADAMATTAM, KARAIKAL	PUDUCHERRY	26.5	30.0	8.2	8.6	1465	1575	0.0	0.0					0.16	0.21
2446	WELL AT PALLUR	PUDUCHERRY	28.0	28.0	7.0	7.0	195	195	0.0	0.0					7.15	7.15
2447	WELL AT PANTHAKKAL	PUDUCHERRY	28.0	28.0	7.0	7.0	120	120	0.0	0.0					2.20	2.20
3882	WELL AT ECHANKADU, KIRUMAMBAKKAM	PUDUCHERRY	33.0	33.0	7.5	7.5	440	440	0.0	0.0	2	2	2	2	0.05	0.05
3883	WELL NEAR BY LAKE BAHOUR	PUDUCHERRY	33.0	33.0	8.4	8.4	345	345	0.0	0.0	2	2	2	2	0.03	0.03
3884	WELL AT CHEVALIER SELLANE GOVERNMENT HIGH SECONDARY SCHOOL, KALAPET	PUDUCHERRY	34.0	34.0	7.4	7.4	665	665	0.0	0.0	2	2	2	2	4.85	4.85
3885	WELL AT DHANDERAR KULAM, SEDARAPET	PUDUCHERRY	32.0	32.0	7.7	7.7	1710	1710	0.0	0.0	2	2	2	2	1.84	1.84
3886	WELL AT KOTHAPURINATHAM, THIRUVANDARKOIL	PUDUCHERRY	32.0	32.0	8.4	8.4	1138	1138	0.0	0.0	2	2	2	2	2.60	2.60

TABLE - 23: WATER QUALITY OF GROUND WATER IN PUNJAB– 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1898	PETROL PUMP OPP. HERO CYCLE, LUDHIANA	PUNJAB	17.0	17.0	7.1	7.5	1115	1164	0.0	0.0	2	2	2	2	4.40	12.60
1899	BHAGWAN SINGH, H.NO.907, DASMESH NAGAR, GALI NO. 6, LUDHIANA	PUNJAB			7.3	7.8	736	770	0.0	0.0	2	2	2	2	2.37	13.20
1900	GURCHAARAN SINGH HAIBOWAL DAIRY COMPLEX, LUDHIANA	PUNJAB			7.2	7.8	741	753	0.0	0.0	2	2	2	2	1.30	3.00
1901	DUSSHERA GROUND INDUSTRIAL ESTATE, LUDHIANA	PUNJAB	30.0	30.0	7.7	8.0	744	789	0.0	0.0	2	2	2	2	6.00	13.70
1902	SHUKLA TEA STAL POINT, LUDHIANA	PUNJAB	16.0	16.0	6.4	6.9	1411	1455	0.0	0.0	2	2	2	2	0.32	7.20
1903	PUNJAB AGRICULTUREAL UNIVERSITY, LUDHIANA	PUNJAB			7.4	7.5	645	810	0.0	0.0	2	2	2	2	1.60	6.20
2916	NEAR LANDFILL SITE, AMRITSAR, PUNJAB	PUNJAB			7.3	7.4	823	897	0.0	0.0	2	2	2	2	0.50	3.90
2917	NEAR HARMANDIR SAHEB, AMRITSAR, PUNJAB	PUNJAB			7.2	7.4	1202	1276	0.0	0.0	2	2	2	2	3.90	7.40
2918	DERA BASSI, PUNJAB	PUNJAB			7.1	7.2	2654	2904	0.0	0.0	2	2	2	2	8.90	12.00
2919	DERA BASSI, PUNJAB	PUNJAB			7.2	7.2	2694	2899	0.0	0.0	2	2	2	2	9.10	15.00
2920	HAMIRA VILLAGE, PUNJAB	PUNJAB			7.2	7.4	672	1256	0.0	0.0	2	2	2	2	0.70	2.70
2921	HAMIRA VILLAGE, PUNJAB	PUNJAB			7.5	7.8	452	620	0.0	0.0	2	2	2	2	0.20	7.40
2922	LEATHER COMPLEX, JALANDHAR, PUNJAB	PUNJAB			7.3	7.5	1823	2066	0.0	0.0	2	2	2	2	2.30	7.30
2923	LEATHER COMPLEX, JALANDHAR, PUNJAB	PUNJAB			7.2	7.2	1534	1985	0.0	0.0	2	2	2	2	2.70	7.60
2924	MANDI GOBINDGARH, PUNJAB	PUNJAB	23.0	23.0	7.6	8.4	866	984	0.0	0.0	2	2	2	2	1.40	8.70
2925	MANDI GOBINDGARH, PUNJAB	PUNJAB	23.0	23.0	7.6	7.6	1664	1940	0.0	0.0	2	2	2	2	3.00	3.30
2926	NANGAL, PUNJAB	PUNJAB	29.0	29.0	7.0	7.1	1076	1399	0.0	0.0	2	2	2	2	6.40	12.00
2927	NANGAL, PUNJAB	PUNJAB	29.0	29.0	7.0	7.1	1155	1418	0.0	0.0	2	2	2	2	6.80	14.00
2928	ROPAR, PUNJAB	PUNJAB	29.0	29.0	7.1	7.2	656	714	0.0	0.0	2	2	2	2	2.50	2.80
2929	ROPAR, PUNJAB	PUNJAB	29.0	29.0	7.3	7.5	512	544	0.0	0.0	2	2	2	2	0.20	4.20
2930	TOANSA, PUNJAB	PUNJAB	32.0	32.0	7.4	7.5	1224	1719	0.0	0.0	2	2	2	2	3.10	3.50
2931	TOANSA, PUNJAB	PUNJAB	32.0	32.0	7.3	7.4	11	1203	0.0	0.0	2	2	2	2	1.00	24.40

TABLE - 24: WATER QUALITY OF GROUND WATER IN RAJASTHAN– 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1415	WELL OF LOOMJI, CHAUDHARY, NEAR NAYAGAON, PALI, (U/S 1 KM. FROM PALI TOWN), RAJASTHAN	RAJASTHAN	22.0	22.0	8.5	8.5	1880	1880	2.0	2.0	3	3	3	3	0.00	2.46
1416	WELL OF BHOPAL SINGH, 24 KM. FROM PALI TOWN, RAJASTHAN	RAJASTHAN	23.0	25.0	8.6	8.9	6900	12900	1.8	1.9	3	3	3	3	3.15	3.16
1706	RIICO PUMP HOUSE NEAR MONTO MOTORS, MIA, ALWAR, RAJASTHAN	RAJASTHAN	29.0	31.0	7.2	7.7	810	1130	1.8	1.8	3	3	3	3	2.74	2.74
1707	BORE WELL IN MODI ALKALIS & CHEMICALS, MIA, ALWAR, RAJASTHAN	RAJASTHAN	30.0	32.0	7.3	7.6	1580	1640	2.1	2.2	3	3	3	3	2.62	3.10
1708	WELL KOTHI IN VILLAGE BAGAR RAJPUT, ALWAR, RAJASTHAN	RAJASTHAN	27.0	28.0	7.4	7.4	1270	1320	2.0	2.1	3	3	4	4	0.00	2.10
1709	WELL AT VILLAGE SANTHLA VERY NEAR BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	28.0	29.0	7.4	7.5	1190	1480	2.1	2.4	3	3	3	3	2.80	3.07
1710	WELL AT VILLAGE ALUPUR, VERY NEAR BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	28.0	29.0	7.2	7.3	1670	1900	2.1	2.2	3	3	3	3	2.80	3.07
1711	WELL AT VILLAGE HARCHANDPUR, VERY NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	27.0	27.0	7.2	7.3	1410	1900	2.2	2.2	3	3	3	3	2.80	3.10
1712	WELL AT VILLAGE BHIWADI , VERY NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	28.0	28.0	7.3	7.4	1160	1460	2.0	2.2	3	3	3	3	2.46	2.74
1713	WELL AT VILLAGE GATTAL, NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	28.0	29.0	7.2	7.2	800	1250	1.4	1.4	3	3	3	3	1.84	2.20
1715	HAND PUMP NEAR SECONDARY SCHOOL ABOUT 300MT. FROM KANSUA NALLAH KOTA, RAJASTHAN	RAJASTHAN	25.0	27.0	7.2	8.4	1000	1240	1.7	1.8	3	3	3	3	1.70	2.10
1720	CHAUDHARY KA WELL VILLAGE PANIALA, KOTAPUTALI NEAR ASSOCIATED ALCOHOL BREWERIES LTD JAIPUR, RAJASTH	RAJASTHAN	28.0	29.0	8.3	8.3	1120	1120	2.7	2.7	3	3	3	3	2.10	2.10
1721	PHED WELL NEAR RAILWAY LINE JHOTAWARA, JAIPUR, RAJASTHAN	RAJASTHAN	27.0	29.0	8.3	8.4	530	570	1.3	1.3	3	3	3	3	1.60	2.74
1723	HAND PUMP OF VIDHANI VILLAGE GONER ROAD JAIPUR, RAJASTHAN	RAJASTHAN	28.0	28.0	8.2	8.3	2900	3600	3.2	3.3	3	3	3	3	2.80	3.14
1724	WELL OF GOOJARON KI TALAI, MOHANA ROAD SANGANER JAIPUR, RAJASTHAN	RAJASTHAN	30.0	31.0	8.2	8.4	550	1230	2.1	2.2	3	3	3	3	3.16	3.16
1725	PUBLIC HAND PUMP BEFORE SANGANER PULIA, RAJASTHAN	RAJASTHAN	28.0	29.0	7.8	8.0	1690	1700	2.1	2.2	3	3	3	3	2.74	3.10
2015	PABUPURA ROAD NEAR CIVIL AIR PORT, JODHPUR (MANGILAL RATHOR)	RAJASTHAN	28.0	31.4	7.5	7.6	5200	6300	2.2	2.6	3	3	4	4	4.20	4.72
2016	VILLAGE VINAYAKIA, JODHPUR (HIRALAL KUMHAR)	RAJASTHAN	29.5	30.5	7.6	7.8	1900	2400	2.7	2.8	3	3	4	4	1.20	1.66

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2017	VILLAGE VINAYAKIA, JODHPUR (BADRI KUMHAR)	RAJASTHAN	29.8	30.8	7.7	7.7	2700	2700	1.2	1.2	3	3	4	4	1.84	2.28
2018	VILLAGE VINAYAKIA, JODHPUR (HUKUM SINGH RATHORE)	RAJASTHAN	29.9	32.0	7.4	7.5	6800	9200	3.0	3.0	3	3	4	4	7.70	8.30
2019	NEAR UIT BRIDGE, UDAIPUR	RAJASTHAN	16.0	22.0	7.1	7.2	1160	1800	1.3	1.4	3	3	3	3	1.84	2.10
2020	NEW FATEHPURA, 200 FT.FROM PANCHWATI NALLAH, UDAIPUR	RAJASTHAN	16.0	22.0	7.1	7.2	1600	1770	1.4	1.6	3	3	3	3	2.10	2.10
2021	NEAR ARVIND GENERAL STORE, ALOO FACTORY, KACCHI BASTI, SARDARPURA, UDAIPUR	RAJASTHAN	16.0	22.0	6.8	7.0	1340	1900	1.3	1.6	3	3	3	3	1.60	2.10
2022	NEAR RANA PRATAP NAGAR, RAILWAY STATION, UDAIPUR	RAJASTHAN	16.0	24.0	6.8	6.9	1650	1700	0.6	1.7	3	3	3	3	2.47	3.07
2023	HOTEL ORIENT PLACE, SUBHAS NAGAR, UDAIPUR	RAJASTHAN	18.0	24.0	6.9	7.2	1380	1800	1.8	1.9	3	3	4	4	2.74	2.80
2024	IN SIDE SHIV TEMPLE NEAR AIR FORCE STATION AMER ROAD, JAIPUR	RAJASTHAN	25.0	27.0	8.3	8.3	2100	2600	1.3	1.4	3	3	4	4	1.40	2.06
2025	NEAR SHREE KALYANESHWAR MAHADEV TEMPLE, JAI SINGH PURA KHURD, JAIPUR.	RAJASTHAN	27.0	27.0	8.2	8.3	1550	1760	1.2	1.2	3	3	3	3	2.74	3.00
2026	NEAR FOJI NAGAR, KACCHI BASTI, AMBABARI, JAIPUR.	RAJASTHAN	28.0	28.0	8.1	8.3	810	910	1.2	1.2	3	3	3	3	1.84	2.10
2027	NEAR ABN CENTRAL ACADEMY, SUSILPURA, SODALA, JAIPUR.	RAJASTHAN	26.0	28.0	8.1	8.4	1480	1900	2.1	2.2	3	3	3	3	3.14	3.16
2028	NEAR SAMSHAN VISHWAKARMA NAGAR, MAHARANIFARM, JAIPUR	RAJASTHAN	28.0	28.0	8.0	8.2	810	900	1.8	1.9	3	3	3	3	2.80	3.10
2029	NEAR GANDHI BHWAN, AJMER	RAJASTHAN	27.0	27.0	8.0	8.6	880	950	1.9	2.1	3	3	3	3	1.84	2.10
2030	OPPOSITE PRIVATE BUS STAND, AJMER	RAJASTHAN	27.0	28.0	7.9	8.5	2000	3400	1.5	1.6	3	3	3	3	2.80	3.15
2031	NEAR 9 NO. PETROL PUMP, NEAR ADARSH NAGAR GATE, AJMER	RAJASTHAN	27.0	27.0	7.7	8.3	950	960	2.0	2.2	3	3	4	4	2.74	3.10
2032	NEAR KHANPURA TALAB, AJMER	RAJASTHAN	27.0	27.0	7.5	8.3	340	400	1.5	1.6	3	3	3	3	1.60	1.84
2960	WELL INFRONT OF SINGHANA POLICE STATION, SINGHANA, JHUNJHUNU, RAJASTHAN	RAJASTHAN	30.0	30.0	7.2	8.4	3000	4300	2.1	2.4	3	3	4	4	3.10	3.40
2961	WELL OF SH MNAGAL CHAND MEENA, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	25.0	26.0	8.3	8.7	540	590	1.7	1.8	3	3	3	3	2.36	3.07
2962	WELL OF SH MOOL CHAND RAIGER, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	25.0	26.0	8.4	8.8	590	640	1.2	1.3	3	3	4	4	2.62	2.80
2963	WELL OF RICO AT LEATHER COMPLEX, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	27.0	27.0	8.3	8.4	1580	1700	1.5	1.6	3	3	3	3	2.46	3.10
2964	WELL AT INDIA PUBLIC SCHOOL, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	27.0	27.0	8.2	8.3	1900	2100	1.5	1.5	3	3	3	3	1.60	2.62
2965	SHRI GIRDHARI SINGH CHOUDHARY NEAR BANDI RIVER BRIDGE, PALI BYE PASS ROAD, PALI, RAJASTHAN	RAJASTHAN	22.0	22.0	8.3	8.3	1580	1580	1.3	1.3	3	3	3	3	0.00	2.10
2966	SHRI GIRDHARI SINGH RAJPUROHIT NEAR VILLAGE PUNAYATA, JODHPUR- SUMERPUR BYE PASS ROAD, PALI, RAJASTHAN	RAJASTHAN	22.5	22.5	8.5	8.5	3300	3300	1.8	1.8	3	3	3	3	0.00	3.04

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2967	SH. POL SINGH PUROHIT, VILLAGE PUNAYATA, PALI, RAJASTHAN	RAJASTHAN	23.0	25.5	7.6	8.3	1620	3100	2.4	2.5	3	3	3	3	2.80	3.15
2968	SH. BHANA RAM KALAL, DHARU NAGAR, NEAR MAIN MANDIA ROAD, OPP. VILLAGE MANDIA, PALI, RAJASTHAN	RAJASTHAN	23.5	24.0	8.4	8.6	1900	3200	2.3	2.4	3	3	3	3	0.00	3.10
2969	M/S SPECIALTY SILICA LTD., MIA ALWAR AGRO FOOD PARK, ALWAR, RAJASTHAN	RAJASTHAN	28.0	29.0	7.1	7.4	760	770	1.9	1.9	3	3	3	3	2.80	3.00
2970	RIICO TUBE WELL, RIA, BEHROR, RAJASTHAN	RAJASTHAN	29.0	31.0	7.3	7.4	1570	1650	2.2	2.3	3	3	3	3	3.15	3.15
2971	RIICO TUBE WELL, RIA, NEEMRANA, RAJASTHAN	RAJASTHAN	28.0	28.0	7.4	7.4	2100	2100	1.7	1.7	3	3	3	3	0.00	2.20
2972	RIICO TUBE WELL, RIA, SOTANALA, RAJASTHAN	RAJASTHAN	28.0	28.0	7.3	7.3	2700	2700	2.1	2.1	3	3	3	3	0.00	3.07
2973	RIICO TUBE WELL, RIA, SHAHJAHANPUR, RAJASTHAN	RAJASTHAN	28.0	30.0	7.2	7.3	3700	4900	2.2	2.3	3	3	3	3	2.80	3.14
2974	VILLAGE AGYARA, TEHSIL- RAMGARH, ALWAR, RAJASTHAN	RAJASTHAN	28.0	29.0	7.8	8.1	1420	1480	1.5	1.6	3	3	3	3	2.80	3.10
2975	VILLAGE BAGER MEO, TEHSIL- RAMGARH, ALWAR, RAJASTHAN	RAJASTHAN	28.0	29.0	7.1	7.3	3200	3300	1.3	1.4	3	3	3	3	3.15	3.16
2976	SUJAN GANGA, BHARATPUR, RAJASTHAN	RAJASTHAN	28.0	31.0	8.0	8.4	7100	7900	25.0	25.5	150	460	1100	1100	13.10	15.35
2977	WELL OF RAM CHANDRA DEWRA, VILLAGE-SANGARIA, JODHPUR, RAJASTHAN	RAJASTHAN	25.9	30.0	8.0	8.0	21000	21000	3.4	3.7	3	3	4	4	7.40	11.00
2982	WELL OF BIRMA RAM PATEL, SALAWAS, JODHPUR, RAJASTHAN	RAJASTHAN	26.0	30.0	8.0	8.0	1690	11000	3.5	3.6	3	3	4	4	3.04	3.16
2985	WELL OF GIRDHARI RAM MEGHWAL, VILLAGE-NANDWAN, JODHPUR, RAJASTHAN	RAJASTHAN	27.8	32.8	7.2	7.6	15000	15100	2.6	4.3	3	3	4	4	15.35	15.80
2986	TUBE WELL OF GIRDHARI LAL, BHITUJA, RAJASTHAN	RAJASTHAN	24.0	32.0	7.5	8.0	9100	12600	2.9	3.0	3	3	3	3	2.80	3.07
2987	CWR OF PHED, BHITUJA, RAJASTHAN	RAJASTHAN	24.0	32.0	7.3	8.0	8600	9800	2.3	2.3	3	3	3	3	3.04	3.16
2988	WELL OF PEMA RAM MALI, BHITUJA, RAJASTHAN	RAJASTHAN	24.0	32.0	7.6	8.1	5400	8200	2.5	2.6	3	3	3	3	3.04	3.10
2989	WELL OF BABULAL UKKAD JI MALI, SAKARNA BERA, BALOTRA, JODHPUR, RAJASTHAN	RAJASTHAN	24.0	32.0	7.7	8.2	6000	13200	3.0	3.1	3	3	4	4	3.10	3.10
2990	WELL OF BHIKSINGH S/O AMAR SINGH PUROHIT, SAKARNA BERA, BALOTRA, JODHPUR, RAJASTHAN	RAJASTHAN	24.0	32.0	7.4	8.1	10000	18300	2.4	2.7	3	3	4	4	2.74	3.07
2991	WELL OF BHAG JI LAXMAN RAM MALI, SAKARNA BERA, BALOTRA, JODHPUR, RAJASTHAN	RAJASTHAN	24.0	32.0	7.5	8.3	11200	11300	3.3	3.5	3	3	4	4	3.15	3.15
2993	WELL OF CHOUTHA RAM PUSA PAM, LEFT SIDE OF BRIDGE LUNI, BALOTRA, RAJASTHAN	RAJASTHAN	24.0	32.0	8.3	8.6	4900	12000	3.0	3.0	3	3	4	4	2.74	3.12
2999	BORE WELL SH. PREM CHAND, VILLAGE PHALSHA MODE RIA CHOPNADI, RAJASTHAN	RAJASTHAN	26.0	26.0	7.0	7.0	1350	1350	2.1	2.1	3	3	3	3	1.60	1.60
3000	BORE WELL SH. UMESH KUMAR S/O SH. HORIDWARI RAM 3A-16 UIT, BHUTUJA, RAJASTHAN	RAJASTHAN	26.0	27.0	6.9	7.4	1750	2100	2.0	2.3	3	3	3	3	2.74	3.07

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
3001	BORE WELL SH. BHRAM JEET SERVICE STATION, BHIWADI, RAJASTHAN	RAJASTHAN	27.0	29.0	6.9	6.9	2100	2700	1.9	2.0	3	3	3	3	2.74	3.07
3002	BORE WELL M/S R.C. PALACE HOTEL, BHIWADI, RAJASTHAN	RAJASTHAN	29.0	29.0	7.1	7.3	1120	1260	2.2	2.4	3	3	3	3	2.80	3.00
3003	BORE WELL OFFICE OF RAJ. HOUSING BOARD, BHIWADI, RAJASTHAN	RAJASTHAN	28.0	29.0	7.3	7.3	1700	2700	2.0	2.0	3	3	3	3	1.84	2.06
3004	BORE WELL OF M/S MODERN PUBLIC SCHOOL, BHIWADI, RAJASTHAN	RAJASTHAN	28.0	29.0	7.8	7.8	1900	2500	2.3	2.3	3	3	3	3	1.84	2.10
3005	BORE WELL OF M/S KUNDAN EDIBLE FOOD PRODUCT, KHUSKHERA, RAJASTHAN	RAJASTHAN	27.0	27.0	6.9	6.9	870	870	2.2	2.2	3	3	3	3	1.60	1.60
3006	HAND PUMP NEAR NEVTA TIRAHA, NEVTA DAM, SANGANER, JAIPUR, RAJASTHAN	RAJASTHAN	27.0	29.0	8.3	8.4	2100	2600	1.9	2.1	3	3	3	3	2.46	2.74

TABLE - 25: WATER QUALITY OF GROUND WATER IN TAMIL NADU– 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
32	WELL AT MUSIRI, TAMIL NADU	TAMIL NADU	26.0	28.0	7.1	7.5	317	1366	1.4	1.8	2	78	4	250	1.00	1.00
1449	COLLECTOR WELL AT THIRUPUVANAM FOR MADURAI WAT. SUPPLY SCHEME, TAMILNADU	TAMIL NADU													0.00	0.00

TABLE - 26: WATER QUALITY OF GROUND WATER IN TELANGANA– 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
15	WELL AT KUYYYURA	TELANGANA	29.0	29.0	7.0	7.0	261	261	0.0	0.0			2	2	0.30	0.30
16	WELL AT TADAVAI A.P.	TELANGANA	29.0	29.0	7.6	7.6	1244	1244	3.0	3.0			4	4	0.50	0.50
27	WELL AT PEDDAVOORA	TELANGANA													0.00	0.00
1515	B/W. - NAGARAM(V), PALVONCHA, KHAMMAM DIST.	TELANGANA	32.0	32.0	7.6	7.6	2689	2689	3.0	3.0			2	2	6.30	6.30
1525	B/W - IDA , NEAR CHAITANYA CHLORIDES , PASHAMAYLAM , MEDAK DIST.	TELANGANA	26.0	26.0	7.2	7.2	3330	3330			4	4	15	15	20.68	20.68
1791	B/W. - EAST OF SAICHERUVU , PAIDIPALLY (V), WARANGAL DIST.	TELANGANA	30.0	30.0	7.5	7.5	1230	1230	3.0	3.0			12	12	3.70	3.70
1792	B/W -NEAR CKM COLLEGE , ENUMAMULA (V) , WARANGAL DIST.	TELANGANA	30.0	30.0	8.4	8.4	2199	2199	2.0	2.0			10	10	7.90	7.90
1793	O/W - BHOOAIAH NEAR ASHPONDS OF NTPC , KUNDANPALLY (V) , RAMAGUNDAM , KARIMNAGAR	TELANGANA	26.0	26.0	7.7	7.7	1678	1678	2.0	2.0			4	4	0.30	0.30
1794	B/W - MANAKONDUR (V) , KARIMNAGAR DIST.	TELANGANA	26.0	26.0	8.1	8.1	912	912	3.0	3.0			6	6	0.50	0.50
1795	B/W. - PANCHAYAT OFFICE , , BOLLARAM (V) MEDAK DIST.	TELANGANA	26.0	26.0	7.1	7.1	4640	4640			4	4	15	15	35.70	35.70
1810	B/W - SRI RAMNAGAR COLONY, SAKKAR NAGAR, BODHAN, NIZAMABAD DIST.	TELANGANA	26.0	26.0	7.5	7.5	2875	2875	3.0	3.0	4	4	15	15	25.40	25.40
1811	B/W. - PRIMARY SCHOOL - RUDRAVELLI (V) , BIBINAGAR (M), NALGONDA DIST.	TELANGANA													0.00	0.00
3088	B/W AT J.NARASIMHA RAO'S HOUSE, 14NOS. AREA, RAMAVARAM, NEAR MWS DUMPSITE, KOTHAGUDEM, KHAMMAM	TELANGANA	33.0	33.0	7.0	7.0	1808	1808	6.0	6.0			2	2	4.80	4.80
3094	B/W AT AKBARNAGAR, RAMAGUNDAM, KARIMNAGAR	TELANGANA	29.0	29.0	8.4	8.4	866	866	2.0	2.0			2	2	1.30	1.30

TABLE - 27: WATER QUALITY OF GROUND WATER IN TRIPURA– 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1405	WELL AT UDAIPUR (TUBEWELL), TRIPURA	TRIPURA	24.5	27.0	7.7	8.6	93	199	0.0	0.0	2	2	2	2	0.41	1.17
1406	WELL AROUND UDAIPUR (TUBEWELL), TRIPURA	TRIPURA	25.0	27.0	6.5	7.7	173	289	0.0	0.0	2	2	2	2	0.00	0.47
1730	KUNJBAN, AGARTALA, TRIPURA	TRIPURA	25.0	27.0	6.1	7.4	127	198	0.0	0.0	2	2	2	2	0.11	0.42
1731	LANKAMURA, TRIPURA	TRIPURA	25.0	27.0	6.4	7.6	88	165	0.0	0.0	2	2	2	2	0.00	0.26
1732	A.D.NAGAR, AGARTALA, TRIPURA	TRIPURA	25.0	27.0	5.9	7.3	89	194	0.0	0.0	2	2	2	2	0.00	0.27
1733	SHIBNAGAR, AGARTALA, TRIPURA	TRIPURA	25.0	27.0	5.8	7.0	121	212	0.0	0.0	2	2	2	2	0.00	0.20
1734	GANDHIGRAM, AGARTALA, TRIPURA	TRIPURA	25.0	27.0	6.8	7.8	113	197	0.0	0.0	2	2	2	2	0.00	0.26
3423	TUBE WELL AT HAPANIA, WEST TRIPURA	TRIPURA	25.0	27.0	5.3	6.5	80	157	0.0	0.0	2	2	2	2	0.00	0.35
3424	TUBE WELL AT NAGICHERRA, WEST TRIPURA	TRIPURA	25.0	27.0	5.4	6.3	72	149	0.0	0.0	2	2	2	2	0.00	0.25
3425	TUBE WELL AT BODHJUNG NAGAR, WEST TRIPURA	TRIPURA	25.0	27.0	5.2	6.4	88	189	0.0	0.0	2	2	2	2	0.00	0.32
3426	TUBE WELL AT B.C.MANU, SOUTH TRIPURA	TRIPURA	25.0	27.0	5.4	6.4	54	163	0.0	0.0	2	2	2	2	0.00	0.31
3427	TUBE WELL AT SHANTIR BAZAR, SOUTH TRIPURA	TRIPURA	25.0	27.0	6.1	7.2	72	165	0.0	0.0	2	2	2	2	0.00	0.24
3428	TUBE WELL AT BAGAFA, SOUTH TRIPURA	TRIPURA	25.0	27.0	5.8	6.8	54	167	0.0	0.0	2	2	2	2	0.00	0.23
3429	TUBE WELL AT 82 MILE, DHALAI	TRIPURA	25.0	27.0	5.4	6.6	112	195	0.0	0.0	2	2	2	2	0.00	0.22
3430	TUBE WELL AT JAWAHANAGAR, DHALAI	TRIPURA	25.0	27.0	6.1	7.2	64	159	0.0	0.0	2	2	2	2	0.00	0.21
3431	TUBE WELL AT KULAI, DHALAI	TRIPURA	25.0	27.0	5.4	6.5	72	153	0.0	0.0	2	2	2	2	0.00	0.26
3432	TUBE WELL AT CHURABARI (INTERSTATE BOUNDARY), NORTH TRIPURA	TRIPURA	25.0	27.0	6.1	7.2	82	169	0.0	0.0	2	2	2	2	0.00	0.33
3433	TUBE WELL AT KAMESWAR, INDUSTRIAL ESTATE AREA, NORTH TRIPURA	TRIPURA	25.0	27.0	6.7	8.1	141	228	0.0	0.0	2	2	2	2	0.00	0.29
3434	TUBE WELL AT KUMARGHAT, INDUSTRIAL ESTATE AREA, NORTH TRIPURA	TRIPURA	25.0	27.0	5.2	6.6	147	212	0.0	0.0	2	2	2	2	0.00	0.27
3435	TUBE WELL AT GOUR NAGAR, NORTH TRIPURA	TRIPURA	25.0	27.0	7.0	8.2	201	279	0.0	0.0	2	2	2	2	0.00	0.28
3436	TUBE WELL AT KAILASHAHAR, NORTH TRIPURA	TRIPURA	25.0	27.0	6.4	7.2	206	293	0.0	0.0	2	2	2	2	0.00	0.26

TABLE - 28: WATER QUALITY OF GROUND WATER IN UTTAR PRADESH– 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1736	GROUND WATER QUALITY STATION SARDARNAGAR, U.P	UTTAR PRADESH	20.0	28.0	6.9	6.9	988	1104	3.6	3.8	26	100	70	340	0.00	2.60
1737	GROUND WATER QUALITY STATION CAPTANGANJ, U.P	UTTAR PRADESH	24.0	27.0	6.9	6.9	738	796	2.9	3.2	26	80	40	230	0.00	1.60
1738	SITE 1, INDUSTRIAL AREA NEAR M/S WOODWARM CHEMICAL LTD., UNNAO, U.P	UTTAR PRADESH	26.0	26.0	7.1	7.6	757	877			2	2	2	2	0.00	0.00
1739	SITE 2, INDUSTRIAL AREA NEAR M/S AMIN SONS, UNNAO, U.P	UTTAR PRADESH	26.0	26.0	6.8	7.3	1610	1905			2	2	2	2	0.00	0.00
1740	AT ROADWAYS BUS STATION, UNNAO, U.P	UTTAR PRADESH	26.0	26.0	7.3	7.4	1889	2117			2	2	2	2	0.00	0.00
1741	MAGAWARA INDUSTRIAL AREA NEAR M/S JAMJAM TANNERS, UNNAO, U.P	UTTAR PRADESH	26.0	26.0	7.2	7.5	668	776			2	2	2	2	0.00	0.00
1744	JAJMAU INDUSTRIAL AREA NO. 6 KANPUR, U.P	UTTAR PRADESH	28.0	34.0	7.1	7.8	1800	2112			2	2	2	2	3.40	3.80
1745	PANKI INDUSTRIAL AREA NEAR INDUSTRY OF AMMONIA FERTIZER KANPUR, U.P	UTTAR PRADESH	28.0	33.0	7.5	7.8	1392	1644			2	2	2	2	4.80	5.40
1746	NAGAR PALIKA TUBE WELL, SULTANPUR, U.P	UTTAR PRADESH	19.0	20.0	7.7	7.7	871	901			2	2	2	2	0.11	0.12
1747	INDIA MARKA HAND PUMP IN SAROWNI BLOCK AT RAIBAREILLY, U.P	UTTAR PRADESH	19.0	21.0	7.8	7.8	901	922			2	2	2	2	0.18	0.20
1749	TUBE WELL AT MEERUT CITY, U.P	UTTAR PRADESH	18.0	19.0	7.2	7.5	670	710			2	2	2	2	2.90	3.40
1750	TUBE WELL AT BAGPAT CITY, U.P	UTTAR PRADESH	18.0	19.0	7.5	7.7	690	740			2	2	2	2	2.60	3.30
1751	TUBE WELL IN INDUSTRIAL AREA AT GAJRAULA, MORADABAD, U.P	UTTAR PRADESH			7.5	7.5	889	889							0.00	0.00
1752	SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P	UTTAR PRADESH	23.0	25.0	7.0	7.2	1587	1636	0.2	1.2	2	2	2	2	0.40	0.45
1753	MEERUT ROAD INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	23.0	25.0	7.3	7.5	554	586	0.4	0.5	2	2	2	2	0.38	0.48
1754	HAPUR ROAD INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	23.0	25.0	7.0	7.2	954	1043	0.5	0.6	2	2	2	2	0.40	0.45
1755	PILKHUA INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	23.0	23.0	7.1	7.5	1578	1712	0.3	0.3	2	2	2	2	0.48	0.48
1756	GOPIGANJ INDUSTRIAL AREA BHADOHI, VARANASI, U.P	UTTAR PRADESH	20.0	25.2	7.5	7.7	438	468	1.4	1.4	2	2			1.50	1.80
1757	MIRZAPUR INDUSTRIAL AREA, U.P	UTTAR PRADESH	24.6	24.6	7.1	7.1	885	885	0.3	0.3					0.08	1.18
1758	GROUND AROUND STP DINAPUR, VARANASI, U.P	UTTAR PRADESH	21.0	25.8	7.6	7.8	496	522	0.8	0.8					1.90	2.20
1759	IFFCO, PHOOLPUR, ALLAHABAD, U.P	UTTAR PRADESH	24.6	24.8	7.2	7.2	758	762	0.3	0.4					1.22	1.31
1760	M/S KANORIA CHEMICAL SONBHADRA, U.P	UTTAR PRADESH	24.0	24.0	7.2	7.2	1136	1136	0.4	0.4					1.42	1.42
1761	TUBE WELL IN SINGRAULI INDUSTRIAL AREA, U.P	UTTAR PRADESH	24.3	24.3	7.2	7.2	1193	1193	0.3	0.3					1.48	1.48
2467	CHANDPUR INDUSTRIAL AREA, LAHARTARA, VARANASI	UTTAR PRADESH	20.6	25.4	7.5	7.6	492	530	0.8	0.8					2.20	2.50

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
2468	BHADOHI INDUSTRIAL AREA, DEVELOPMENT AUTHORITY, SANT RAVIDAS NAGAR	UTTAR PRADESH	20.0	25.5	7.4	7.6	464	490	1.2	1.2					1.40	1.60
2469	AT INDUSTRIAL AREA. NAINI, ALLAHABAD	UTTAR PRADESH	24.3	24.5	7.1	7.2	1197	1248	0.2	0.3					1.38	1.44
2470	AT INDUSTRIAL AREA, FATEHPUR	UTTAR PRADESH	24.6	24.7	7.2	7.3	1578	1686	0.3	0.4					1.41	1.56
2471	GORAKHPUR INDUSTRIAL DEVELOPMENT AUTHORITY AREA (GIDA), GORAKHPUR	UTTAR PRADESH	22.0	28.0	6.9	8.1	496	1104	2.4	3.6	26	40	70	80	0.00	0.22
2472	VILLAGE DAURALA, MEERUT	UTTAR PRADESH	18.0	19.0	7.2	7.5	710	740			2	2	2	2	2.80	3.80
2473	KHEKRA, BAGHPAT	UTTAR PRADESH	16.0	18.0	7.4	7.7	760	780			2	2	2	2	3.20	3.50
2474	UNCHAHAAR (NEAR THERMAL POWER PLANT)	UTTAR PRADESH	18.0	21.0	4.8	7.8	852	891			2	2	2	2	0.16	0.18
2475	INDUSTRIAL AREA, SULTANPUR ROAD	UTTAR PRADESH	20.0	22.0	8.0	8.0	759	971			2	2	2	2	0.20	0.24
2479	NEAR M/S KUMAR INTER NATIONAL LAKDI FAZALPUR, DELHI ROAD, MORADABAD	UTTAR PRADESH	24.0	28.0	7.0	7.2	266	282	0.2	0.5	2	2	50	90	0.05	0.08
2480	NEAR BRAHMAN MAJRA, PILKHANI	UTTAR PRADESH	21.0	22.0	7.1	7.4	375	450	0.0	0.0					0.00	0.00
2481	NEAR PEER BEGRAJ INDUSTRIAL AREA, MUZAFFARNAGAR	UTTAR PRADESH	17.0	19.0	7.3	7.5	540	612	0.0	0.0	2	2	2	2	0.00	0.00

TABLE - 29: WATER QUALITY OF GROUND WATER IN UTTARAKHAND– 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1748	HANDPUMP IN VILLAGE DAMAUDA AT KASHIPUR NEAR M/S INDIA GLYCOLES LTD.	UTTARAKHAND	22.2	26.0	7.2	7.4	250	330	1.2	1.4					0.00	0.00
3440	GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 1	UTTARAKHAND	25.0	25.0	7.1	7.1	440	440	1.2	1.2					0.00	0.00
3441	GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 2	UTTARAKHAND	24.0	26.0	7.0	7.2	416	490	1.2	1.4					0.00	0.00
3442	GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 1	UTTARAKHAND	23.0	26.0	7.5	7.7	260	310	1.2	1.6					0.00	0.00
3443	GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 2	UTTARAKHAND	24.0	25.0	7.4	7.5	270	270	1.2	1.4					0.00	0.00
3444	GROUND WATER AT SANTIPURI KICHHA- 1	UTTARAKHAND	25.0	25.0	7.2	7.2	260	260	1.2	1.2					0.00	0.00
3445	GROUND WATER AT SANTIPURI KICHHA- 2	UTTARAKHAND	22.1	26.0	6.8	7.3	260	286	1.0	1.4					0.00	0.00
3446	GROUND WATER AT KASHIPUR MORADABAD ROAD- 1	UTTARAKHAND	26.8	26.8	7.3	7.3	470	470	1.2	1.2					0.00	0.00
3447	GROUND WATER AT KASHIPUR MORADABAD ROAD- 2	UTTARAKHAND	24.0	26.0	7.2	7.4	360	490	1.6	2.0					0.00	0.00
3448	GROUND WATER AT KASHIPUR BAJPUR ROAD- 1	UTTARAKHAND	24.7	26.0	7.2	7.5	350	420	1.4	1.4					0.00	0.00
3449	GROUND WATER AT KASHIPUR BAJPUR ROAD- 2	UTTARAKHAND	23.0	26.0	7.2	7.4	290	340	1.2	1.4					0.00	0.00
3450	GROUND WATER AT SIDCUL INDUSTRIAL AREA- 1, HARIDWAR	UTTARAKHAND			7.1	7.1	412	412							0.00	0.00
3451	GROUND WATER AT SIDCUL INDUSTRIAL AREA- 2, HARIDWAR	UTTARAKHAND			7.4	7.4	984	984							0.00	0.00
3452	GROUND WATER AT BHAGWAN INDUSTRIAL AREA- 1	UTTARAKHAND			7.3	7.3	1610	1610							0.00	0.00
3453	GROUND WATER AT BHAGWAN INDUSTRIAL AREA- 2	UTTARAKHAND			7.2	7.2	1138	1138							0.00	0.00
3456	GROUND WATER AT SELAQUI INDUSTRIAL AREA- 1, DEHRADUN	UTTARAKHAND	16.0	17.0	7.1	7.2	172	176					2	2	0.00	0.00
3457	GROUND WATER AT SELAQUI INDUSTRIAL AREA- 2, DEHRADUN	UTTARAKHAND	16.0	17.0	7.2	7.3	184	188					2	2	0.00	0.00

TABLE - 30: WATER QUALITY OF GROUND WATER IN WEST BENGAL– 2017

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1766	MINE PIT WATER ASSANSOL, WEST BENGAL	WEST BENGAL	34.0	34.0	8.4	8.5	729	804	0.4	0.6	2	2	2	2	0.19	0.86
1767	DURGAPUR TOWN, NEAR IISCO, BURDWAN, WEST BENGAL	WEST BENGAL	26.0	26.0	7.2	8.0	327	1108	0.7	1.0	2	2	2	2	0.71	0.78
1768	DURGAPUR TOWN, BURDWAN, WEST BENGAL	WEST BENGAL	24.0	26.0	7.3	7.8	665	864	0.7	1.2	2	17	2	33	0.91	0.99
1769	INSIDE HINDUSTAN LIVER FACTORY, HALDIA, WEST BENGAL	WEST BENGAL	34.0	34.0	7.5	7.8	1830	1870	0.7	0.8	2	2	2	2	0.03	0.07
1770	NEAR IOC REFINERY HALDIA, WEST BENGAL	WEST BENGAL	34.0	34.0	7.5	7.7	1890	2000	0.5	0.5	2	2	2	2	0.18	0.24
1771	KALYANI INDUSTRIAL AREA, NADIA, WEST BENGAL	WEST BENGAL	27.0	28.0	7.4	7.5	791	804	0.0	1.1	2	2	2	2	1.23	1.32
1772	BARSAT MUNICIPALITY NORTH 24-P, WEST BENGAL	WEST BENGAL	28.0	29.0	7.1	7.9	368	947	1.2	1.9	2	2	2	2	0.72	2.55
1773	TANGRA, CALCUTTA , WEST BENGAL	WEST BENGAL	27.0	29.0	7.2	7.6	1890	1928	1.7	4.7	2	170	2	300	0.17	0.25
1774	TOPSIA CALCUTTA, WEST BENGAL	WEST BENGAL	28.0	28.0	7.2	7.3	1691	1846	1.4	4.9	2	2	2	2	0.16	0.18
1775	DHAPA CALCUTTA, WEST BENGAL	WEST BENGAL	28.0	29.0	7.3	7.4	1861	2113	1.8	2.0	2	2	2	4	0.10	0.17
1776	GARIA CALCUTTA, WEST BENGAL	WEST BENGAL	28.0	30.0	7.2	7.8	1263	1991	1.9	2.0	2	2	2	2	0.08	0.11
1777	BEHALA CALCUTTA, WEST BENGAL	WEST BENGAL	28.0	28.0	7.6	8.3	917	1023	1.0	4.7	2	2	2	2	0.25	0.30
1778	DOMJUR HOWRAH, WEST BENGAL	WEST BENGAL	29.0	29.0	7.7	8.0	676	786	0.4	1.6	2	2	2	2	0.20	0.24
1779	DANKUNI (NEAR COAL COMPLEX), WEST BENGAL	WEST BENGAL	27.0	28.0	7.6	7.7	1077	1096	2.1	2.3	2	2	2	2	0.03	0.06
1813	RISHRA, WEST BENGAL	WEST BENGAL	27.5	28.0	7.2	8.2	758	778	0.4	0.8	2	2	2	2	0.03	0.13
1931	COSSIPORE - NORTH KOLKATA	WEST BENGAL	28.0	29.0	7.6	7.6	1474	2336	1.3	1.6	2	130	2	500	0.32	0.38
1932	CENTRAL KOLKATA	WEST BENGAL	28.0	28.0	7.6	7.8	621	1112	0.4	0.9	2	80	2	240	0.18	0.30
1933	NEAR GALVANISATION UNIT, HOWRAH	WEST BENGAL	27.0	28.5	7.5	7.5	1161	1256	0.9	1.3	4	8	8	13	0.14	0.20
1934	CENTRAL HOWRAH-RESIDENTIAL AREA	WEST BENGAL	27.0	28.5	7.4	7.7	2255	2390	0.5	2.6	2	2	2	2	0.14	0.23
1935	INSIDE KOLKATA LEATHER COMPLEX	WEST BENGAL	29.0	30.0	7.6	7.9	1421	1576	0.6	1.3	2	2	2	9	0.11	0.14
1936	RESIDENTIAL AREA - SONARPUR	WEST BENGAL	28.0	31.0	7.5	8.0	880	1496	1.4	1.9	2	2	2	2	0.11	0.26
1937	RAJARHAT - NEW TOWNSHIP	WEST BENGAL	28.0	28.0	7.4	7.5	2219	2457	1.7	4.7	2	2	2	2	0.22	0.30
1938	BSIRHAT MUNICIPALITY	WEST BENGAL	28.0	32.0	8.0	8.3	1774	1791	0.3	1.7	2	2	2	2	4.05	7.72
1939	BARRAKPORE MUNICIPALITY	WEST BENGAL	28.0	29.0	7.5	7.8	363	374	0.7	1.7	2	2	2	2	0.12	0.13
1940	NEAR THE PHOSPHATE COMPANY-RISHRA	WEST BENGAL	28.0	28.0	7.5	7.7	524	547	0.7	1.0	2	2	2	2	0.08	0.14
1941	NEAR FLY ASH DUMPING SITE-KUNTIGHAT, BANDEL	WEST BENGAL	27.0	27.5	7.3	7.3	305	397	0.6	1.0	2	2	2	2	0.36	0.49
1942	NEAR EXIDE INDUSTRIES-HALDIA	WEST BENGAL	32.0	34.0	7.7	7.9	1355	1390	0.2	0.3	2	2	2	2	0.09	0.45

Station Code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)		Nitrate-N + Nitrite-N (mg/l)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
1943	INSIDE TATA METALIKS, KHARAGPUR	WEST BENGAL	30.5	32.0	7.2	7.2	433	487	0.6	0.9	2	2	2	2	0.04	0.05
1944	KHARAGPUR INDUSTRIAL AREA	WEST BENGAL	30.0	30.0	6.5	6.9	113	117	0.4	0.9	2	2	2	2	0.62	0.79
1945	ENGLISH BAZAR- MALDAH	WEST BENGAL	22.0	24.0	7.2	7.4	598	599	0.7	0.8	2	2	2	2	0.12	0.22
2510	GEOKHALI BUNGLOW MIDNAPUR-EAST	WEST BENGAL	28.0	28.5	7.7	8.1	990	1061	0.2	0.7	2	2	2	2	0.03	0.10
2515	SDO OFFICE, RANAGHAT	WEST BENGAL	28.0	28.0	7.7	7.9	577	596	1.1	1.6	2	2	2	2	0.04	0.75
2516	SDO OFFICE, KRISHNANAGAR	WEST BENGAL	28.0	28.0	7.7	7.7	744	759	0.8	2.9	2	2	2	2	0.12	0.76
2526	FULBARI BARRAGE	WEST BENGAL	24.0	27.0	6.1	6.4	100	126	1.1	1.4	60	170	140	350	0.42	0.46
2528	GROUND WATER POINT INSIDE BURDWAN UNIVERSITY	WEST BENGAL	28.0	29.5	7.4	7.5	419	465	1.3	2.2	2	7	2	12	0.65	0.87
2529	GROUND WATER POINT NEAR BURDWAN STATION	WEST BENGAL	28.0	28.5	7.1	7.1	908	1072	0.9	1.4	2	4	2	6	0.26	0.42
2530	HOT SPRING AT BAKRESHWAR	WEST BENGAL	65.0	68.0	9.0	9.4	537	568	1.1	1.1	2	2	2	2	0.41	0.60
2533	SURI TOWN NEAR BUS STAND	WEST BENGAL	29.0	29.0	7.2	7.3	709	841	0.9	0.9	6	21	11	33	0.35	0.81
2535	VISVA BHARATI	WEST BENGAL	29.0	35.0	7.3	7.3	484	538	1.2	1.6	2	2	2	2	0.26	0.93
2536	NALHATI RAILWAY STATION OF BIRBHUM	WEST BENGAL	28.0	28.5	6.9	6.9	860	932	1.3	1.9	2	4	2	9	0.67	1.10
2537	BOLPUR NEAR RAILWAY STATION	WEST BENGAL	27.0	29.0	6.1	6.5	528	824	0.9	1.5	2	2	2	2	0.31	1.18
2538	MOREGRAM CROSSING	WEST BENGAL	28.0	28.0	7.0	7.1	334	418	1.2	1.8	2	6	2	11	0.45	1.10
2540	SATI GHAT AT BANKURA TOWN	WEST BENGAL	30.0	31.0	7.1	7.1	1336	2019	0.9	1.2	2	2	2	2	0.05	0.55
2542	DWARIKA AT BISHNUPUR TOWN	WEST BENGAL	30.0	32.0	6.5	7.0	1021	1284	1.1	1.3	2	4	2	7	0.67	0.96
2543	SDO OFFICE AT BISHNUPUR TOWN	WEST BENGAL	30.0	30.0	7.5	7.9	171	178	0.7	1.0	2	2	2	2	0.89	0.96
2545	GROUND WATER POINT AT PURULIA RK MISSION	WEST BENGAL	29.0	34.0	7.0	7.1	1457	1703	0.9	1.6	2	2	2	2	0.59	1.28
2546	ULUBERIA COLLEGE AT HOWRAH	WEST BENGAL	29.0	34.0	7.6	8.2	928	1066	0.6	2.2	2	2	2	4	0.07	0.10
2547	AMTOLA ON DIAMOND HARBOUR ROAD, 24 PARGANAS (S)	WEST BENGAL	27.0	27.0	7.4	8.2	1906	10380	1.0	6.3	2	8	2	14	0.51	0.64
2548	HIDCO OFFICE, RAJARHAT	WEST BENGAL	29.0	29.0	7.9	8.7	356	2250	1.4	2.6	2	22	2	80	0.07	0.17