

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|----------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|--------|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 26 | BORE WELL AT KANURU PANCHAYAT, VIJAYAWADA | ANDHRA PRADESH | 24 | 24 | 7.28 | 7.4 | 2300 | 2390 | 2.2 | 2.4 | 3.15 | 3.77 | 3 | 3 | 11 | 21 | 1356 | 1480 | 0.38 | 0.44 | BDL | BDL |
| 1513 | BORE WELL AT AUTONAGAR, VIJAYAWADA.(IN THE R/O OF MR SATYANARAYANA PLOT NO:79 H.NO:74-1-7/2C,AUTO NAGAR VIJAYAWADA) | ANDHRA PRADESH | 24 | 24 | 7.07 | 7.86 | 2140 | 2210 | 2.2 | 2.2 | 1.38 | 3.42 | 3 | 4 | 13 | 20 | 1260 | 1328 | 0.32 | 0.36 | BDL | BDL |
| 1514 | BORE WELL AT AUTONAGAR, VIJAYAWADA. (IN THE R/O OF MR. VIJAY KUMAR) | ANDHRA PRADESH | 25 | 25 | 7.21 | 7.26 | 1996 | 2160 | 2 | 2.2 | 3.61 | 3.99 | 3 | 3 | 11 | 15 | 1178 | 1260 | 0.68 | 0.71 | 0.0019 | 0.0019 |
| 1516 | BOREWELL OF NAVLOK GARDENS, NELLORE TOWN | ANDHRA PRADESH | 20 | 21 | 7.85 | 8.06 | 1270 | 1340 | 1.8 | 2 | 1.31 | 1.43 | 3 | 3 | 14 | 15 | 750 | 790 | 0.26 | 0.3 | 0.0027 | 0.0027 |
| 1517 | BOREWELL NEAR TUNGBHADRA RIVER, MAMIDALAPADU (V), KURNOOL (M) | ANDHRA PRADESH | 21 | 24 | 7.2 | 7.5 | 2068 | 6410 | 1.2 | 1.2 | 3.12 | 6.91 | 9 | 9 | 53 | 53 | 1349 | 3846 | 0.5 | 1.2 | BDL | BDL |
| 1518 | BOREWELL AT NANDYAL TOWN | ANDHRA PRADESH | 23 | 25 | 6.5 | 7.4 | 6605 | 8350 | 1.2 | 1.2 | 2.86 | 33.62 | 5 | 5 | 40 | 40 | 4310 | 5012 | 0.6 | 1.4 | BDL | BDL |
| 1519 | BOREWELL AT NAGIRI TOWN | ANDHRA PRADESH | 25 | 25 | 6.5 | 6.9 | 1586 | 1638 | BDL | BDL | 5.98 | 9.63 | 8 | 8 | 62 | 62 | 952 | 1069 | 0.5 | 0.6 | BDL | BDL |
| 1520 | BOREWELL NEAR SWARNAMUKHI RIVER AT SRIKALAHASTI TOWN | ANDHRA PRADESH | 24 | 26 | 7 | 7.1 | 775 | 873 | BDL | BDL | 0.62 | 2.34 | 2 | 2 | 34 | 34 | 465 | 570 | 0.9 | 0.9 | BDL | BDL |
| 1521 | OPEN WELL NEAR RAMA TEMPLE, WARD NO.2, MINDI, VISAKHAPATNAM | ANDHRA PRADESH | 26 | 27 | 7.57 | 7.71 | 1783 | 2370 | 1.4 | 2 | 9.5 | 10.29 | 4 | 4 | 64 | 75 | 1148 | 1540 | 0.23 | 0.3 | 0.0005 | 0.0005 |
| 1522 | OPEN WELL PEDDANUVVI, PONNADA (V), ETCHERLA (M) | ANDHRA PRADESH | 22 | 30 | 7.23 | 7.77 | 742 | 1658 | 2.5 | 2.5 | 1.22 | 5.66 | 3 | 7 | 64 | 93 | 498 | 982 | 0.39 | 0.39 | BDL | BDL |
| 1523 | BOREWELL NEAR M/S ANDHRA SUGARS LTD., KOVVUR TOWN | ANDHRA PRADESH | 27 | 30 | 7.71 | 7.88 | 280 | 762 | 2 | 2 | 0.82 | 3.9 | 3 | 3 | 28 | 39 | 194 | 484 | 0.23 | 0.23 | BDL | BDL |
| 1524 | OPEN WELL NEAR PARTAP NAGAR BRIDGE - KAKINADA TOWN | ANDHRA PRADESH | 25 | 28 | 7.44 | 7.9 | 1080 | 1235 | 1.4 | 1.4 | 1.33 | 8.18 | 3 | 4 | 39 | 120 | 722 | 788 | 0.3 | 0.3 | BDL | BDL |
| 3087 | BOREWELL NEAR GRAMPANCHAYAT OFFICE, PATHAPADU (V), VIJAYAWADA RURAL | ANDHRA PRADESH | 24 | 24 | 7.25 | 7.78 | 2102 | 2413 | 1.8 | 2 | 1.51 | 1.95 | 3 | 4 | 14 | 20 | 1260 | 1430 | 0.56 | 0.62 | BDL | BDL |
| 3089 | HAND PUMP AT TANAM (V), PARAWADA (M) | ANDHRA PRADESH | 27 | 28 | 5.75 | 7.27 | 1640 | 2740 | 2.3 | 2.3 | 8.74 | 9.81 | 3 | 3 | 39 | 64 | 1034 | 1680 | 0.48 | 0.58 | BDL | BDL |
| 3090 | HAND PUMP AT PITTAVANIPALEM (V), PARAWADA (M) | ANDHRA PRADESH | 26 | 27 | 7.63 | 7.75 | 1167 | 1725 | 2.1 | 2.1 | 9.15 | 9.84 | 3 | 3 | 39 | 43 | 749 | 1120 | BDL | BDL | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|----------------|------------------|-----|------|------|-------------------------|-------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|--------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3091 | BORE WELL AT KAPULUPPADA DUMPSITE, VISHAKHAPATNAM | ANDHRA PRADESH | 22 | 27 | 7.26 | 7.31 | 3290 | 3780 | 2.1 | 2.2 | 9.75 | 11.85 | 3 | 11 | 75 | 150 | 2234 | 2300 | 0.28 | 0.95 | BDL | BDL |
| 3092 | BORE WELL AT ARINAM AKKIVALASA (V), ETCHERLA (M) | ANDHRA PRADESH | 24 | 30 | 7.42 | 8.03 | 1014 | 1389 | 2.2 | 2.2 | 7.94 | 8.71 | 3 | 4 | 21 | 64 | 680 | 880 | 0.99 | 0.99 | BDL | BDL |
| 3093 | BORE WELL AT ALLADAPALEM (V), PUSAPATIREGA(M) | ANDHRA PRADESH | 25 | 25 | 7.53 | 8.21 | 1156 | 1390 | 1.9 | 1.9 | 5.62 | 8.54 | 3 | 4 | 39 | 64 | 716 | 932 | 0.88 | 0.98 | BDL | BDL |
| 4350 | BOREWELL AT ZP HIGH SCHOOL, UDDANAM REGION, AMALAPADU (V), VAJRAPUKOTTURU (M) | ANDHRA PRADESH | 24 | 32 | 7.23 | 7.69 | 695 | 1315 | 1.8 | 2.7 | 3.36 | 9.19 | 3 | 3 | 39 | 75 | 458 | 820 | 0.31 | 0.31 | BDL | BDL |
| 4353 | BORE WELL AT MANGARAJU HOUSE, GAJAPATHINAGARAM VILLAGE, PAYAKARAOPETA (M) | ANDHRA PRADESH | 25 | 29 | 7.93 | 8.15 | 3460 | 3890 | 2 | 2 | 10.98 | 49.22 | 3 | 4 | 64 | 64 | 2344 | 2528 | 0.27 | 0.27 | 0.0006 | 0.0006 |
| 4354 | BORE WELL, SRI NOOKATATA TEMPLE RAJAYYAPETA VILLAGE, NAKKAPALLI (M) | ANDHRA PRADESH | 26 | 27 | 7.49 | 7.88 | 10380 | 11120 | 2.1 | 2.1 | 8.91 | 10.05 | 3 | 4 | 43 | 75 | 6520 | 7640 | 0.46 | 0.55 | BDL | BDL |
| 4355 | BORE WELL, CHIPPADA (V), BHEEMUNIPATNAM (M) | ANDHRA PRADESH | 23 | 28 | 6.8 | 7.17 | 855 | 858 | 1.1 | 1.6 | 8.88 | 9.25 | 3 | 3 | 64 | 64 | 540 | 588 | 0.64 | 0.64 | BDL | BDL |
| 4360 | BORE WELL AT IDA, RAMANAYYAPETA, KAKINADA TOWN | ANDHRA PRADESH | 24 | 28 | 8.07 | 8.08 | 798 | 886 | 1.1 | 1.1 | 3.49 | 3.92 | 3 | 3 | 28 | 43 | 520 | 538 | 0.47 | 0.47 | 0.0057 | 0.006 |
| 4364 | BORE WALL AT RAJIV GRUHAKALAPA, NEAR AP PAPER MILLS WORKERS COLONY, MALLAYYAPETA, KATHERU, RAJAMAHENDRAVARAM | ANDHRA PRADESH | 24 | 26 | 7.45 | 8.29 | 709 | 940 | 1.6 | 1.6 | 0.32 | 8.02 | 3 | 3 | 39 | 48 | 458 | 652 | 0.27 | 0.54 | 0.0006 | 0.0006 |
| 4376 | BOREWELL WATER , APIIC OFFICE, IDA KONDAPALLI, KONDAPALLI (V), IBRAHIMPATNAM (M) | ANDHRA PRADESH | 22 | 24 | 7.44 | 7.6 | 4770 | 7670 | 2.8 | 2.9 | 2.92 | 2.98 | 3 | 7 | 23 | 75 | 2990 | 4600 | 0.93 | 0.98 | 0.0007 | 0.0038 |
| 4377 | BOREWELL AT IMITATION JEWELLARY PARK, MACHILIPATNAM TOWN | ANDHRA PRADESH | 27 | 27 | 8.07 | 8.19 | 8920 | 10200 | 2.8 | 2.9 | 3.34 | 4.47 | 3 | 5 | 28 | 64 | 5440 | 6120 | 0.92 | 0.96 | 0.0009 | 0.0009 |
| 4380 | BOREWELL WATER , SRI VENKATESWARA SWAMY TEMPLE, VENKATA PALEM (V), TULLUR (M) | ANDHRA PRADESH | 21 | 22 | 7.26 | 7.93 | 802 | 980 | 2.2 | 2.4 | 0.65 | 0.71 | 3 | 3 | 9 | 14 | 498 | 584 | 0.58 | 0.61 | 0.0005 | 0.0036 |
| 4382 | BOREWELL AT PEDAkakANI POLICE STATION, AUTONAGAR, PEDAkakANI (V & M) | ANDHRA PRADESH | 21 | 22 | 7.4 | 7.68 | 4360 | 4476 | 2.2 | 2.4 | 4.32 | 4.83 | 3 | 4 | 15 | 21 | 2730 | 2740 | 0.4 | 0.43 | 0.0049 | 0.0049 |
| 4384 | BOREWELL IN FRONT OF M/S BHAGEERADHA CHEMICALS & INDUSTRIES LTD, CHERUVUKOMMUPALEM (V), ONGOLE (M) | ANDHRA PRADESH | 24 | 25 | 7.3 | 7.98 | 9200 | 10280 | 2.4 | 2.8 | 8.37 | 9.1 | 3 | 10 | 39 | 75 | 5520 | 6270 | 0.99 | 1.23 | 0.0012 | 0.0014 |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|----------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|------|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4392 | BOREWELL NEAR SRI GOVINDARAJA SWAMY TEMPLE, TIRUPATI TOWN | ANDHRA PRADESH | 24 | 29 | 6.6 | 6.7 | 1034 | 1051 | BDL | BDL | 4.53 | 8.72 | 7 | 7 | 46 | 46 | 631 | 674 | 0.8 | 0.8 | BDL | BDL |
| 4393 | CLOSED MSW DUMPSITE, UKKAYAPALLI (V), KADAPA (M) | ANDHRA PRADESH | 25 | 25 | 7.1 | 7.2 | 2408 | 2603 | 2 | 2 | 9.01 | 9.42 | 12 | 12 | 69 | 69 | 1562 | 1571 | 0.8 | 1.4 | BDL | BDL |
| 4394 | BOREWELL AT APIIC OFFICE INDUSTRIAL ESTATE GROWTH CENTRE, THUMAKUNTA (V), HINDUPUR (M) | ANDHRA PRADESH | 28 | 28 | 6.9 | 6.9 | 1806 | 3170 | 1.2 | 1.2 | 1.19 | 5.84 | 8 | 8 | 42 | 42 | 1178 | 1902 | 0.9 | 1.8 | BDL | BDL |
| 4395 | BOREWELL AT APIIC OFFICE INDUSTRIAL ESTATE, ANANTAPUR(M) | ANDHRA PRADESH | 27 | 27 | 6.9 | 7.5 | 3070 | 3127 | BDL | BDL | 7.46 | 8.26 | 2 | 2 | 27 | 27 | 1845 | 2041 | 1.3 | 1.7 | BDL | BDL |
| 1533 | GROUND WATER AT DIGBOI, TINSUKIA DISTT., ASSAM | ASSAM | 22 | 27 | 6.9 | 7.2 | 308 | 313 | 2.4 | 2.5 | 0.8 | 1 | - | - | - | - | 176 | 212 | 0.3 | 0.31 | 0.01 | 0.01 |
| 1534 | GROUND WATER AT KARBI ANGLONG TOWN, ASSAM | ASSAM | 26 | 26 | 7 | 7 | 268 | 268 | 2.5 | 2.5 | 1.4 | 1.4 | - | - | - | - | 186 | 186 | 0.32 | 0.32 | 0.01 | 0.01 |
| 1535 | GROUND WATER AT SIVASAGAR GOVT ME SCHOOL WARD 6, RED CROSS ROAD , ASSAM | ASSAM | 20 | 26 | 6.8 | 7 | 295 | 298 | 2.3 | 2.4 | 0.8 | 0.9 | - | - | - | - | 166 | 190 | 0.3 | 0.31 | 0.01 | 0.01 |
| 1536 | GROUND WATER FROM NEAR BPMS H.S. SCHOOL SONARI TOWN DIST CHARAIDEO | ASSAM | 22 | 24 | 6.9 | 7.2 | 378 | 385 | 2.5 | 2.6 | 0.8 | 1 | 360 | 360 | 910 | 910 | 212 | 236 | 0.3 | 0.31 | 0.01 | 0.01 |
| 1537 | GROUND WATER FROM JORHAT TOWN, ASSAM | ASSAM | 18 | 26 | 6.9 | 7.8 | 274 | 366 | 2.4 | 2.6 | 0.8 | 0.9 | - | - | - | - | 196 | 204 | 0.28 | 0.31 | 0.01 | 0.01 |
| 1538 | GROUND WATER FROM SILCHAR TOWN , ASSAM | ASSAM | 24 | 24 | 6.8 | 6.8 | 126 | 126 | 2 | 2 | 1 | 1 | BDL | BDL | BDL | BDL | 80 | 80 | 0.26 | 0.26 | 0.01 | 0.01 |
| 1539 | GROUND WATER FROM BARPETA TOWN, ASSAM | ASSAM | 29 | 29 | 7.6 | 7.6 | 166 | 166 | 2.5 | 2.5 | 0.9 | 0.9 | - | - | - | - | 124 | 124 | 0.32 | 0.32 | 0.02 | 0.02 |
| 1540 | GROUND WATER FROM BONAIGAON TOWN, ASSAM | ASSAM | 27 | 30 | 6.8 | 6.9 | 312 | 318 | 2.3 | 2.4 | 0.7 | 0.9 | - | - | - | - | 182 | 198 | 0.31 | 0.32 | 0.01 | 0.01 |
| 1541 | GROUND WATER FROM NOONMATI GUWAHATI, ASSAM | ASSAM | 25 | 25 | 6.7 | 6.8 | 342 | 346 | 2.3 | 2.5 | 0.8 | 0.9 | - | - | - | - | 190 | 216 | 0.3 | 0.31 | 0.01 | 0.01 |
| 1542 | GROUND WATER FROM SIJUBARI MAZAR, NATBOMA HATIGAON, GUWAHATI | ASSAM | 22 | 30 | 7.2 | 7.4 | 358 | 363 | 2.3 | 2.4 | 0.8 | 0.9 | - | - | - | - | 122 | 206 | 0.3 | 0.33 | 0.01 | 0.01 |
| 2243 | GROUND WATER FROM LEDO, MARGHERITA, ASSAM | ASSAM | 23 | 23 | 6.9 | 7.4 | 290 | 295 | 2.3 | 2.4 | 0.9 | 1 | - | - | - | - | 168 | 180 | 0.29 | 0.3 | 0.01 | 0.01 |
| 2244 | GROUND WATER FROM NAZIRA, ASSAM | ASSAM | 20 | 25 | 6.9 | 7.1 | 356 | 362 | 2.4 | 2.6 | 0.9 | 1.1 | - | - | - | - | 202 | 226 | 0.28 | 0.31 | 0.01 | 0.01 |
| 2245 | GROUND WATER FROM NUMALIGARH (NEAR NRL TE LABOR COLONY), ASSAM | ASSAM | 25 | 26 | 6.8 | 6.9 | 214 | 220 | 2.4 | 2.6 | 0.8 | 0.9 | - | - | - | - | 126 | 140 | 0.29 | 0.31 | 0.01 | 0.01 |
| 2246 | GROUND WATER FROM SEMENCHAPARI, ASSAM | ASSAM | 23 | 23 | 7.1 | 7.1 | 196 | 196 | 2.6 | 2.6 | 1.2 | 1.2 | - | - | - | - | 136 | 136 | 0.33 | 0.33 | 0.01 | 0.01 |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|-----|-----|-----|-------------------------|-----|------------|-----|------------------------------|-----|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|------|----------------|------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2247 | GROUND WATER FROM SILAPATHAR, ASSAM | ASSAM | 23 | 23 | 7 | 7 | 264 | 264 | 2.5 | 2.5 | 1.4 | 1.4 | - | - | - | - | 178 | 178 | 0.32 | 0.32 | 0.01 | 0.01 |
| 2248 | GROUND WATER FROM LAKHIMPUR TOWN, ASSAM | ASSAM | 22 | 26 | 7.6 | 7.7 | 258 | 262 | 2.4 | 2.6 | 0.7 | 0.9 | - | - | - | - | 146 | 172 | 0.28 | 0.33 | 0.01 | 0.01 |
| 2249 | GROUND WATER FROM TEZPUR (MISSION CHARIALI), ASSAM | ASSAM | 26 | 26 | 6.8 | 7 | 280 | 280 | 2.1 | 2.6 | 0.8 | 1.4 | BDL | BDL | BDL | BDL | 168 | 190 | 0.3 | 0.33 | 0.01 | 0.01 |
| 2250 | GROUND WATER FROM NAGAON (PANIGAON), ASSAM | ASSAM | 24 | 24 | 6.9 | 7.1 | 320 | 324 | 2.5 | 2.6 | 0.9 | 1 | - | - | - | - | 180 | 206 | 0.29 | 0.31 | 0.01 | 0.02 |
| 2251 | GROUND WATER FROM JAGIROAD NEAR HPC EFFLUENT DISCHARGE POINT, ASSAM | ASSAM | 23 | 27 | 6 | 7 | 352 | 358 | 2.5 | 2.7 | 0.9 | 1 | - | - | - | - | 202 | 220 | 0.29 | 0.32 | 0.01 | 0.01 |
| 2252 | GROUND WATER NEAR MSW DUMPING SITE AT GARCHUK-GUWAHATI, ASSAM | ASSAM | 22 | 27 | 7.1 | 7.6 | 392 | 398 | 2.7 | 2.8 | 1 | 1.1 | - | - | - | - | 222 | 242 | 0.28 | 0.3 | 0.01 | 0.03 |
| 2253 | GROUND WATER FROM NALBARI, ASSAM | ASSAM | 19 | 20 | 7 | 7.2 | 340 | 344 | 2.5 | 2.6 | 0.9 | 2.5 | - | - | - | - | 194 | 218 | 0.26 | 0.3 | 0.01 | 0.01 |
| 2254 | GROUND WATER FROM BARPETA ROAD(RLY STATION), ASSAM | ASSAM | 32 | 32 | 7.4 | 7.4 | 158 | 158 | 2.6 | 2.6 | 0.9 | 0.9 | - | - | - | - | 120 | 120 | 0.32 | 0.32 | 0.02 | 0.02 |
| 2255 | GROUND WATER NEAR BPRL, DHALIGAON, ASSAM | ASSAM | 26 | 30 | 6.8 | 7 | 310 | 347 | 2.5 | 2.6 | 0.8 | 0.9 | - | - | - | - | 196 | 198 | 0.28 | 0.32 | 0.01 | 0.02 |
| 2256 | GROUND WATER FROM KOKRAJHAR DISTRICT (HS SCHOOL), ASSAM | ASSAM | 25 | 30 | 6.9 | 7.7 | 342 | 348 | 2.4 | 2.5 | 0.8 | 1 | - | - | - | - | 196 | 212 | 0.32 | 0.33 | 0.01 | 0.02 |
| 2257 | GROUND WATER FROM DHUBRI DISTRICT (COLLEGE NAGAR), ASSAM | ASSAM | 24 | 29 | 6.8 | 7.2 | 316 | 342 | 2.4 | 2.6 | 0.8 | 0.9 | - | - | - | - | 180 | 210 | 0.3 | 0.3 | 0.01 | 0.04 |
| 2258 | GROUND WATER FROM GOALPARA DIST. (GOALPARA COLLEGE), ASSAM | ASSAM | 27 | 31 | 6.8 | 6.9 | 332 | 336 | 2.3 | 2.4 | 1 | 1.1 | - | - | - | - | 190 | 206 | 0.28 | 0.31 | 0.01 | 0.01 |
| 2259 | GROUND WATER FROM DIPHU (GOVT. COLLEGE), ASSAM | ASSAM | 28 | 28 | 6.9 | 6.9 | 264 | 264 | 2.6 | 2.6 | 1.6 | 1.6 | - | - | - | - | 188 | 188 | 0.33 | 0.33 | 0.01 | 0.01 |
| 2261 | GROUND WATER FROM HAFLONG, ASSAM | ASSAM | 14 | 14 | 7 | 7 | 113 | 113 | 2.2 | 2.2 | 1 | 1 | - | - | - | - | 72 | 72 | 0.28 | 0.28 | 0.01 | 0.01 |
| 2262 | GROUND WATER FROM KARIMGANJ (COLLEGE), ASSAM | ASSAM | 22 | 24 | 6.8 | 6.9 | 126 | 132 | 2.5 | 2.6 | 1 | 1.1 | - | - | - | - | 80 | 96 | 0.31 | 0.32 | 0.01 | 0.01 |
| 2263 | GROUND WATER FROM HIALAKANDI (NEAR ASTC BUS STAND), ASSAM | ASSAM | 24 | 24 | 6.9 | 7 | 182 | 186 | 2.2 | 2.3 | 0.8 | 0.9 | - | - | - | - | 112 | 126 | 0.28 | 0.31 | 0.01 | 0.01 |
| 2264 | GROUND WATER IN PANCHGRAM MARKET NEAR CACHAR PAPER MILL, ASSAM | ASSAM | 22 | 23 | 6.8 | 7.2 | 152 | 156 | 2.4 | 2.7 | 0.8 | 0.9 | - | - | - | - | 96 | 106 | 0.26 | 0.3 | 0.01 | 0.02 |
| 3761 | GROUND WATER FROM BISWANATH CHARIALI TOWN | ASSAM | 22 | 25 | 7.4 | 7.5 | 262 | 270 | 2.4 | 2.6 | 0.8 | 1.1 | - | - | - | - | 148 | 158 | 0.3 | 0.31 | 0.01 | 0.01 |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|-----|-----|-------------------------|-----|------------|-----|------------------------------|-----|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|------|----------------|------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3762 | GROUND WATER NEAR MUNICIPAL WASTE PROCESSING FACILITY, MORABHARLI, TEZPUR | ASSAM | 26 | 26 | 6.6 | 7.1 | 246 | 278 | 2.3 | 2.4 | 0.8 | 1.6 | BDL | BDL | BDL | BDL | 166 | 166 | 0.27 | 0.33 | 0.01 | 0.01 |
| 3766 | GROUND WATER FROM MANGALDOI TOWN | ASSAM | 26 | 27 | 6.8 | 7 | 196 | 360 | 2.1 | 2.2 | 0.9 | 1.2 | BDL | BDL | BDL | BDL | 134 | 204 | 0.28 | 0.36 | 0.01 | 0.01 |
| 3770 | GROUND WATER NEAR GARMUR RECREATION GROUND, JORHAT | ASSAM | 20 | 25 | 6.9 | 7 | 240 | 245 | 2.6 | 2.7 | 0.9 | 1 | - | - | - | - | 140 | 162 | 0.28 | 0.3 | 0.01 | 0.01 |
| 3771 | GROUND WATER FROM TITABAR URBAN WATER SUPPLY, TITABAR | ASSAM | 19 | 26 | 6.9 | 8 | 422 | 428 | 2.4 | 2.5 | 1 | 1.1 | - | - | - | - | 232 | 266 | 0.28 | 0.3 | 0.01 | 0.01 |
| 3779 | GROUND WATER FROM GARMUR, MAJULI | ASSAM | 24 | 24 | 6.8 | 6.8 | 194 | 194 | 2.1 | 2.1 | 1.6 | 1.6 | - | - | - | - | 132 | 132 | 0.33 | 0.33 | 0.01 | 0.01 |
| 3782 | GROUND WATER FROM NIZ KODOMONI PWSS COMPLEX, DIBRUGARH | ASSAM | 23 | 23 | 6.3 | 6.3 | 176 | 176 | 2.5 | 2.5 | 1 | 1 | - | - | - | - | 122 | 122 | 0.32 | 0.32 | 0.01 | 0.01 |
| 3785 | GROUND WATER FROM BORBEEL NO. 1 , RAM NAGAR, DIGBOI, PUBLIC WATER SUPPLY, TINSUKIA | ASSAM | 22 | 23 | 6.8 | 6.9 | 260 | 264 | 2.4 | 2.5 | 0.9 | 1 | - | - | - | - | 150 | 176 | 0.28 | 0.31 | 0.01 | 0.01 |
| 3790 | GROUND WATER NEAR GOGAMUKH PUBLIC WATER SUPPLY SCHEME, GOGAMUKH, DHEMAJI | ASSAM | 23 | 23 | 7.1 | 7.1 | 212 | 212 | 2.2 | 2.2 | 1.4 | 1.4 | - | - | - | - | 146 | 146 | 0.31 | 0.31 | 0.01 | 0.01 |
| 3793 | TUBE WELL AT R/O SRI TANKESWAR DAS, RUPJYOTI COLONY (NAGABALI) MUNICIPALITY DUMPING SITE, GOLAGHAT | ASSAM | 27 | 27 | 7.2 | 7.2 | 242 | 242 | 2.5 | 2.5 | 1 | 1 | - | - | - | - | 166 | 166 | 0.31 | 0.31 | 0.01 | 0.01 |
| 3794 | TUBE WELL AT R/O SRI ANIL BAORA AT BOSAGAON NEAR BY THE ATHKHALIA, NAMGHAR, PO: PULIKAITONI | ASSAM | 26 | 26 | 7.4 | 7.5 | 298 | 303 | 2.4 | 2.6 | 0.8 | 0.9 | - | - | - | - | 170 | 178 | 0.28 | 0.3 | 0.01 | 0.01 |
| 3795 | TUBE WELL OF WOKHA GORONGA GIRLS ME SCHOOL, GOROUNGA TINIALI, FURKATING | ASSAM | 26 | 26 | 7.1 | 7.4 | 342 | 345 | 2.5 | 2.6 | 0.9 | 1 | - | - | - | - | 192 | 208 | 0.3 | 0.31 | 0.01 | 0.01 |
| 3801 | GROUND WATER FROM MEHEPUR TRENCHING GROUND, MEHERPUR, CACHAR | ASSAM | 23 | 24 | 6.8 | 6.9 | 201 | 212 | 2.4 | 2.5 | 0.9 | 1 | - | - | - | - | 118 | 132 | 0.28 | 0.31 | 0.01 | 0.01 |
| 3802 | GROUND WATER FROM MEHEPUR NEAR A CLUSTER OF NURSING HOME & DIAGNOSTIC CENTRE, MEHERPUR, CACHAR | ASSAM | 23 | 24 | 7 | 7.2 | 206 | 216 | 2.3 | 2.5 | 0.8 | 0.9 | - | - | - | - | 120 | 138 | 0.29 | 0.31 | 0.01 | 0.01 |
| 3805 | GROUND WATER NEAR BADARPUR INDUSTRIAL AREA AT BADARPUR GHAT, KARIMGANJ | ASSAM | 23 | 24 | 6.8 | 7.2 | 158 | 162 | 2.3 | 2.4 | 1 | 1.1 | - | - | - | - | 98 | 112 | 0.3 | 0.31 | 0.01 | 0.01 |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|------|-----|-------------------------|-----|------------|-----|------------------------------|-----|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|------|----------------|------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3813 | GROUND WATER FROM BONDA, GUWAHATI | ASSAM | 24 | 25 | 6.7 | 6.9 | 324 | 328 | 2.4 | 2.6 | 0.7 | 0.9 | - | - | - | - | 180 | 206 | 0.28 | 0.32 | 0.01 | 0.01 |
| 3815 | GROUND WATER FROM KHANAPARA, GUWAHATI | ASSAM | 24 | 24 | 6.8 | 7 | 198 | 346 | 2.2 | 2.5 | 0.7 | 1 | BDL | BDL | BDL | BDL | 142 | 190 | 0.28 | 0.32 | 0.01 | 0.01 |
| 3816 | GROUND WATER FROM BASISTHA, GUWAHATI | ASSAM | 24 | 24 | 6.9 | 7.2 | 210 | 370 | 2.3 | 2.4 | 0.8 | 1.2 | BDL | BDL | BDL | BDL | 148 | 202 | 0.31 | 0.32 | 0.01 | 0.01 |
| 3817 | GROUND WATER FROM KAHILIPARA, GUWAHATI | ASSAM | 26 | 27 | 7.02 | 7.4 | 338 | 352 | 2.3 | 2.4 | 0.8 | 2.4 | BDL | BDL | BDL | BDL | 186 | 220 | 0.28 | 0.36 | 0.01 | 0.01 |
| 3818 | GROUND WATER FROM MALIGAON, GUWAHATI | ASSAM | 27 | 27 | 6.9 | 7.4 | 342 | 367 | 2.4 | 2.7 | 0.9 | 1.8 | BDL | BDL | BDL | BDL | 202 | 226 | 0.27 | 0.32 | 0.01 | 0.01 |
| 4001 | GROUND WATER FROM PANJABARI | ASSAM | 24 | 26 | 6.8 | 7 | 266 | 330 | 2.3 | 2.3 | 0.8 | 1.4 | BDL | BDL | BDL | BDL | 178 | 188 | 0.3 | 0.33 | 0.01 | 0.01 |
| 4002 | GROUND WATER FROM SANTIPUR | ASSAM | 27 | 27 | 7 | 7.3 | 216 | 346 | 2.4 | 2.6 | 0.8 | 1.2 | BDL | BDL | BDL | BDL | 132 | 190 | 0.29 | 0.33 | 0.01 | 0.01 |
| 4003 | GROUND WATER FROM TEZPUR COLLEGIATE HIGH SCHOOL | ASSAM | 26 | 26 | 7 | 7 | 164 | 254 | 2.2 | 2.5 | 0.7 | 1.5 | BDL | BDL | BDL | BDL | 98 | 178 | 0.28 | 0.33 | 0.01 | 0.01 |
| 4007 | GROUND WATER FROM LAKWAH | ASSAM | 22 | 25 | 6.9 | 7.2 | 190 | 293 | 2.2 | 2.6 | 0.8 | 1.4 | BDL | BDL | BDL | BDL | 128 | 170 | 0.26 | 0.32 | 0.01 | 0.01 |
| 4008 | GROUND WATER FROM GELEKY | ASSAM | 21 | 25 | 7.7 | 7.7 | 221 | 295 | 2.2 | 2.5 | 0.8 | 0.9 | BDL | BDL | BDL | BDL | 126 | 168 | 0.27 | 0.34 | 0.01 | 0.01 |
| 4303 | GROUND WATER FROM SATGAON | ASSAM | 24 | 24 | 6.9 | 7.3 | 242 | 322 | 2.3 | 2.4 | 0.9 | 1.2 | BDL | BDL | BDL | BDL | 172 | 178 | 0.28 | 0.32 | 0.01 | 0.01 |
| 4327 | GROUND WATER FROM RAILWAY STATION ROAD, ROWTA | ASSAM | 25 | 26 | 6.7 | 6.9 | 212 | 326 | 2.2 | 2.5 | 0.8 | 1 | BDL | BDL | BDL | BDL | 148 | 188 | 0.29 | 0.33 | 0.01 | 0.01 |
| 4328 | GROUND WATER BESIDE MSW DUMPING SITE, DHEKIAJULI | ASSAM | 24 | 28 | 6.8 | 7.8 | 210 | 337 | 2.3 | 2.6 | 0.7 | 1.4 | BDL | BDL | BDL | BDL | 140 | 188 | 0.29 | 0.3 | 0.01 | 0.01 |
| 4330 | GROUND WATER NEAR PANGRAM STONE CRASHER CLUSTER | ASSAM | 22 | 22 | 7 | 7 | 142 | 142 | 2.2 | 2.2 | 0.7 | 0.7 | - | - | - | - | 88 | 88 | 0.3 | 0.3 | 0.01 | 0.01 |
| 4333 | GROUND WATER FROM DEMOW WATER SUPPLY DEMOW TOWN | ASSAM | 25 | 27 | 7.2 | 7.5 | 220 | 326 | 2.2 | 2.3 | 0.8 | 0.8 | BDL | BDL | BDL | BDL | 128 | 188 | 0.27 | 0.3 | 0.01 | 0.01 |
| 4335 | GROUND WATER FROM AMGURI, AMGURI TOWN | ASSAM | 20 | 28 | 7 | 7.6 | 242 | 256 | 2 | 2.5 | 0.8 | 1.1 | BDL | BDL | BDL | BDL | 138 | 146 | 0.26 | 0.3 | 0.01 | 0.01 |
| 4338 | GROUND WATER FORM TENGA PUKHURI KUKURACHOWA WATER SUPPLY TENGA PUKHURI | ASSAM | 24 | 26 | 6.9 | 7.7 | 122 | 267 | 2.3 | 2.3 | 0.8 | 1.4 | BDL | BDL | BDL | BDL | 84 | 158 | 0.28 | 0.32 | 0.01 | 0.01 |
| 4339 | GROUND WATER NEAR NAGAON TOWN PIPE WATER SUPPLY SCHEME(Z-111), NAGAON | ASSAM | 21 | 21 | 6.9 | 6.9 | 186 | 186 | 2.5 | 2.5 | 1.4 | 1.4 | - | - | - | - | 126 | 126 | 0.34 | 0.34 | - | - |
| 4340 | GROUND WATER FROM NAGAON COLLEGE, NAGAON | ASSAM | 21 | 21 | 6.8 | 6.8 | 196 | 196 | 2.6 | 2.6 | 1.2 | 1.2 | - | - | - | - | 134 | 134 | 0.33 | 0.33 | 0.01 | 0.01 |
| 5143 | GROUND WATER FROM DHEKIAJULI TOWN NIJARAPAR)P.O.DHEKIAJULI | ASSAM | 24 | 26 | 6.8 | 6.8 | 206 | 369 | 2 | 2.4 | 0.7 | 1.2 | BDL | BDL | BDL | BDL | 138 | 208 | 0.27 | 0.31 | 0.01 | 0.01 |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|------|----------------------------|------|-------------------------------|-----|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1825 | BORE WELL WATER AT KATRA BAZAR WATER TANK, MALSALAMI, PATNA | BIHAR | 19 | 22 | 7.13 | 7.18 | 415 | 580 | - | - | BDL | BDL | 4.5 | 350 | 7.8 | 920 | 294 | 414 | 0.34 | 0.54 | - | - |
| 1826 | BORE WELL WATER AT BHOOTNATH ROAD WATER TANK SEC-3, KANKARBAGH,PATNA | BIHAR | 28 | 30 | 7.2 | 7.3 | 418 | 423 | - | - | BDL | BDL | 79 | 79 | 130 | 130 | 288 | 306 | 0.51 | 0.64 | - | - |
| 1827 | TAP WATER COMING FROM OVER HEAD TANK PMCH CAMPUS, PATNA | BIHAR | 19 | 22 | 7.08 | 7.28 | 436 | 514 | - | - | BDL | BDL | 33 | 920 | 49 | 1600 | 312 | 328 | 0.28 | 0.49 | - | - |
| 1828 | BORE WELL WATER IN CAMPUS OF PATNA WATER BOARD HEAD OFFICE, NEAR HIGH COURT, PATNA | BIHAR | 22 | 30 | 7.16 | 7.22 | 504 | 533 | - | - | BDL | BDL | 22 | 22 | 130 | 130 | 376 | 384 | 0.49 | 0.82 | - | - |
| 1829 | BORE WELL WATER FROM IGIMS CAMPUS, PATNA | BIHAR | 21 | 30 | 7.25 | 7.46 | 465 | 502 | - | - | BDL | BDL | BDL | BDL | BDL | BDL | 338 | 362 | 0.5 | 0.5 | - | - |
| 1830 | BORE WELL WATER (PHED PUMP HOUSE) SADAR HOSPITAL CAMPUS, MUZAFFARPUR | BIHAR | 27 | 29 | 7.1 | 7.2 | 1016 | 1030 | - | - | 0.31 | 0.31 | 130 | 130 | 150 | 150 | 678 | 730 | 0.62 | 0.62 | - | - |
| 1831 | BORE WELL WATER MMC PUMP HOUSE BRAHMPURA NAKA, MUZAFFARPUR | BIHAR | 27 | 29 | 6.9 | 6.96 | 1020 | 1070 | - | - | BDL | BDL | 170 | 350 | 280 | 1600 | 590 | 738 | 0.6 | 0.6 | - | - |
| 1832 | TAP WATER IN CAMPUS OF KALI ASTHAN, BISHANPUR, BEGUSARAI | BIHAR | 25 | 26 | 7.21 | 7.4 | 980 | 1110 | - | - | BDL | BDL | 7.8 | 7.8 | 4.5 | 23 | 628 | 706 | 0.39 | 0.39 | - | - |
| 1833 | GROUND WATER NEAR TAP WATER IN CAMPUS OF S.P OFFICE, POKHARIA, BEGUSARAI | BIHAR | 25 | 26 | 7.12 | 7.4 | 829 | 980 | - | - | BDL | BDL | BDL | BDL | BDL | BDL | 588 | 620 | 0.27 | 0.27 | - | - |
| 1834 | HAND PUMP WATER NEAR GOVT. HOSPITAL, PURNEA | BIHAR | 21 | 28 | 6.78 | 7.1 | 603 | 707 | - | - | 0.42 | 0.42 | BDL | BDL | BDL | BDL | 424 | 434 | 0.23 | 0.23 | - | - |
| 1835 | HAND PUMP WATER NEAR LOWER COURT LOWER COURT, PURNEA | BIHAR | 21 | 26 | 7.03 | 7.5 | 266 | 596 | - | - | 1.18 | 5.23 | 350 | 350 | 540 | 540 | 198 | 422 | 0.41 | 0.41 | - | - |
| 1836 | HAND PUMP WATER NEAR BUS STAND TILKA MANJHI CHOWK, BHAGALPUR | BIHAR | 21 | 25 | 6.81 | 7.45 | 282 | 751 | - | - | 2.23 | 2.23 | 920 | 920 | 1600 | 1600 | 206 | 572 | 0.46 | 1.03 | - | - |
| 1837 | GROUND WATER FROM RAILWAY STATION, BHAGALPUR | BIHAR | 23 | 25 | 7.38 | 7.78 | 729 | 796 | - | - | 2.32 | 3.19 | 2400 | 2400 | 3500 | 3500 | 580 | 606 | 0.78 | 1.05 | - | - |
| 1838 | GROUND WATER FROM TAP WATER NEAR VEER KUWAR SINGH CHOWK, MUNGER | BIHAR | 18 | 29 | 6.75 | 7.38 | 1110 | 1210 | - | - | 2.96 | 3.67 | 13 | 130 | 33 | 350 | 872 | 932 | 0.54 | 0.76 | - | - |
| 1839 | HAND PUMP WATER IN CAMPUS OF KASTURBA WATER WORKS, MUNGER | BIHAR | 18 | 28 | 7.24 | 7.6 | 351 | 482 | - | - | 0.41 | 0.41 | 33 | 350 | 79 | 1600 | 244 | 332 | 0.37 | 1.53 | - | - |
| 1840 | TAP WATER PHED PUMP HOUSE MAIN ROAD, MOTIHARI | BIHAR | 23 | 30 | 7.06 | 7.3 | 856 | 1060 | - | - | BDL | BDL | 13 | 13 | 23 | 23 | 624 | 648 | 0.29 | 0.29 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|------|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1841 | GROUNDWATER WATER FROM T. MODAL INTER SCHOOL, G.B ROAD, GAYA | BIHAR | 26 | 27 | 7.08 | 7.28 | 1026 | 1200 | - | - | 0.88 | 0.88 | 33 | 33 | 240 | 240 | 840 | 888 | 0.48 | 0.74 | - | - |
| 1842 | BOREWELL WATER DANDIBAGH WATER WORKS, PHED, GAYA | BIHAR | 26 | 29 | 7.4 | 7.85 | 350 | 563 | - | - | 0.92 | 1.59 | BDL | BDL | BDL | BDL | 240 | 418 | 0.35 | 1.13 | - | - |
| 1843 | SUPPLY WATER NEAR BUS STAND, RAJGIR | BIHAR | 27 | 30 | 6.98 | 7.19 | 375 | 1020 | - | - | 5.22 | 5.22 | 2 | 2 | 4.5 | 7.8 | 282 | 792 | 0.46 | 0.8 | - | - |
| 1844 | BORE WELL WATER NEAR COMMISSIONARY OFFICE, CHAPRA | BIHAR | 22 | 24 | 7.05 | 7.05 | 1080 | 1220 | - | - | 0.76 | 0.76 | 4.5 | 4.5 | 13 | 13 | 810 | 830 | 0.51 | 0.63 | - | - |
| 2576 | HAND PUMP WATER AT CIVIL COURT, AURANGABAD | BIHAR | 28 | 28 | 7.39 | 7.39 | 633 | 633 | - | - | BDL | BDL | BDL | BDL | BDL | BDL | 450 | 450 | 1.48 | 1.48 | - | - |
| 2577 | HAND PUMP WATER AT COURT CAMPOUND, ARARIA | BIHAR | 25 | 26 | 6.8 | 6.82 | 241 | 386 | - | - | 3.83 | 5.23 | 33 | 33 | 4.5 | 130 | 162 | 162 | 0.48 | 0.48 | - | - |
| 2578 | HAND PUMP WATER AT SARDAR PATEL BUS STAND, ARA, BHOJPUR | BIHAR | 19 | 25 | 7.2 | 7.45 | 559 | 1040 | - | - | 1.47 | 1.69 | 140 | 140 | 220 | 220 | 380 | 612 | 0.44 | 0.56 | - | - |
| 2579 | TUBE WELL WATER AT COLLECTRIATE CAMPUS, BUXAR | BIHAR | 25 | 25 | 7.1 | 7.63 | 772 | 873 | - | - | 1.58 | 2.01 | 350 | 350 | 540 | 540 | 492 | 608 | 0.63 | 0.71 | - | - |
| 2580 | HAND PUMP WATER FROM NAGAR PARISHAD OFFICE, BHABHUA | BIHAR | 29 | 30 | 7.11 | 7.29 | 680 | 810 | - | - | 1.09 | 1.09 | 2 | 13 | 7.8 | 23 | 470 | 532 | 0.82 | 0.83 | - | - |
| 2581 | HAND PUMP WATER AT KILA GATE NEAR RAMBAGH MITHILA UNIVERSITY, DARBHANGA | BIHAR | 26 | 27 | 7.6 | 7.61 | 594 | 602 | - | - | BDL | BDL | 13 | 13 | 33 | 33 | 392 | 424 | 0.85 | 0.97 | - | - |
| 2582 | HAND PUMP WATER AT DARBHANGA BUS STAND, DARBHANGA | BIHAR | 28 | 28 | 7.58 | 8.1 | 390 | 391 | - | - | BDL | BDL | 13 | 350 | 33 | 1600 | 252 | 268 | 0.43 | 0.47 | - | - |
| 2583 | HAND PUMP WATER AT BUS STAND, GOPALGANJ | BIHAR | 22 | 24 | 6.99 | 7.01 | 451 | 1880 | - | - | 2.45 | 2.45 | BDL | BDL | BDL | BDL | 330 | 1090 | 0.24 | 0.54 | - | - |
| 2584 | HAND PUMP WATER AT THAWAY MANDIR CAMPUS, GOPALGANJ | BIHAR | 22 | 24 | 6.8 | 7.1 | 503 | 1020 | - | - | BDL | BDL | 17 | 17 | 13 | 49 | 342 | 812 | 0.25 | 0.25 | - | - |
| 2585 | TAP WATER NEAR PANI TANKI AT JEHANABAD COURT, JEHANABAD | BIHAR | 28 | 28 | 7.46 | 7.76 | 576 | 1250 | - | - | 0.49 | 6.58 | BDL | BDL | 6.8 | 6.8 | 468 | 826 | 0.63 | 0.98 | - | - |
| 2586 | HAND PUMP WATER AT BUS STAND, KATI HAR | BIHAR | 23 | 25 | 6.89 | 7.2 | 429 | 530 | - | - | 0.91 | 0.91 | 13 | 13 | 33 | 33 | 256 | 366 | 0.47 | 0.47 | - | - |
| 2587 | HAND PUMP WATER NEAR SADAR HOSPITAL, KHAGARIA | BIHAR | 24 | 26 | 7.32 | 7.5 | 677 | 850 | - | - | BDL | BDL | BDL | BDL | BDL | BDL | 426 | 630 | BDL | BDL | - | - |
| 2588 | HAND PUMP WATER AT D.M OFFICE, KISHANGANJ | BIHAR | 22 | 27 | 6.74 | 7.2 | 329 | 492 | - | - | 4.35 | 5.47 | 13 | 13 | 23 | 23 | 216 | 338 | BDL | BDL | - | - |
| 2589 | HAND PUMP WATER NEAR D.M OFFICE, MADHEPURA | BIHAR | 26 | 27 | 7.18 | 7.3 | 612 | 636 | - | - | 3.81 | 3.81 | 7.8 | 7.8 | 23 | 23 | 412 | 434 | 0.98 | 0.98 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|------|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2590 | HAND PUMP WATER AT COLLECTRIATE OFFICE, MADHUBANI | BIHAR | 29 | 29 | 7.22 | 8.2 | 832 | 840 | - | - | BDL | BDL | BDL | BDL | 2 | 2 | 552 | 580 | 0.41 | 0.9 | - | - |
| 2591 | TAP WATER INSIDE THE CAMPUS OF GOVERNMENT TOURIST CAFETERIA, NALANDA | BIHAR | 29 | 29 | 7.22 | 7.32 | 1055 | 1660 | - | - | 2.57 | 3.31 | BDL | BDL | BDL | BDL | 718 | 1262 | 0.69 | 1.24 | - | - |
| 2592 | HAND WATER AT CIVIL COURT BIHAR SHARIF, NALANDA | BIHAR | 26 | 28 | 7.46 | 7.73 | 497 | 643 | - | - | 0.57 | 5.31 | BDL | BDL | 2 | 2 | 342 | 452 | 0.42 | 1.15 | - | - |
| 2593 | HANDPUMP WATER AT COLLECTRIATE CAMPUS,NAWADAH | BIHAR | 27 | 27 | 7 | 7 | 1059 | 1059 | - | - | 4.57 | 4.57 | BDL | BDL | BDL | BDL | 720 | 720 | 0.52 | 0.52 | - | - |
| 2594 | HAND PUMP WATER NEAR SADAR HOSPITAL,SAHARSA | BIHAR | 22 | 27 | 6.91 | 7.2 | 753 | 868 | - | - | 2.37 | 2.37 | BDL | BDL | BDL | BDL | 518 | 520 | 0.48 | 1.13 | - | - |
| 2595 | GROUND WATER FROM COLLECTRIATE CAMPUS ,SAMASTIPUR | BIHAR | 27 | 28 | 7.25 | 7.38 | 935 | 1310 | - | - | 0.51 | 0.78 | 17 | 280 | 49 | 350 | 644 | 886 | 0.44 | 0.45 | - | - |
| 2596 | GROUND WATER FROM SRI RAM JANKI MANDIR, SITAMARHI | BIHAR | 28 | 28 | 7.54 | 8.1 | 320 | 334 | - | - | BDL | BDL | 4.5 | 220 | 6.8 | 350 | 190 | 228 | BDL | BDL | - | - |
| 2597 | GROUND WATER AT COLLECTRIATE CAMPUS, SIWAN | BIHAR | 23 | 24 | 7.6 | 7.7 | 416 | 1300 | - | - | 2.34 | 2.34 | 17 | 240 | 27 | 540 | 326 | 846 | 0.28 | 0.59 | - | - |
| 2598 | BOREWELL WATER NEAR DHARMSHALA SASARAM, ROHTAS | BIHAR | 28 | 29 | 7.22 | 8.2 | 352 | 1180 | - | - | 0.46 | 0.86 | BDL | BDL | 2 | 2 | 268 | 822 | 0.26 | 1.52 | - | - |
| 2599 | GROUND WATER BUS STAND SASARAM, ROHTAS | BIHAR | 28 | 38 | 7.27 | 7.3 | 860 | 897 | - | - | 0.54 | 0.65 | BDL | BDL | 2 | 2 | 574 | 654 | 0.71 | 1.01 | - | - |
| 2600 | GROUND WATER AT RAILWAY STATION CAMPUS,HAJIPUR AT VAISHALI | BIHAR | 22 | 29 | 7.22 | 7.49 | 976 | 1130 | - | - | 1.24 | 2.31 | 79 | 79 | 240 | 240 | 634 | 792 | 0.54 | 0.66 | - | - |
| 3138 | GROUND WATER FROM ARA NEAR RAILWAY STATION, ARA | BIHAR | 19 | 25 | 7.16 | 7.46 | 801 | 926 | - | - | 1.71 | 2.89 | 920 | 920 | 1600 | 1600 | 496 | 630 | 0.48 | 0.55 | - | - |
| 3139 | GROUND WATER NEAR BUS STAND ARARIA | BIHAR | 26 | 26 | 6.91 | 7.1 | 503 | 719 | - | - | 1.37 | 5.58 | 23 | 23 | 170 | 170 | 362 | 470 | 0.24 | 0.24 | - | - |
| 3140 | GROUND WATER AT RAILWAY SATION, BETTIAH | BIHAR | 22 | 30 | 7.02 | 7.23 | 361 | 411 | - | - | BDL | BDL | 13 | 13 | 49 | 49 | 280 | 308 | 0.22 | 0.22 | - | - |
| 3141 | GROUND WATER AT LORD BUDDHA TEMPLE OUTSIDE MAIN TEMPLE,BODHGAYA | BIHAR | 27 | 27 | 7.34 | 7.35 | 971 | 999 | - | - | 0.46 | 0.46 | BDL | BDL | BDL | BDL | 670 | 788 | 0.54 | 1.74 | - | - |
| 3142 | GROUND WATER FROMN BUS STAND CHOWK,BIKRAMGANJ | BIHAR | 27 | 29 | 7.47 | 7.63 | 583 | 683 | - | - | 2.32 | 2.32 | 33 | 33 | 49 | 130 | 428 | 472 | 0.52 | 0.94 | - | - |
| 3143 | GROUND WATER FROM BAGAHA BAZAR BAGAHA | BIHAR | 22 | 25 | 6.78 | 6.91 | 1040 | 1310 | - | - | 2.48 | 5.4 | BDL | BDL | BDL | BDL | 624 | 1012 | BDL | BDL | - | - |
| 3144 | GROUND WATER NEAR ANS COLLEGE,BARH | BIHAR | 24 | 25 | 6.74 | 7.81 | 378 | 773 | - | - | 0.31 | 0.31 | BDL | BDL | BDL | BDL | 244 | 534 | 0.55 | 0.55 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|------|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3145 | GROUND WATER NEAR MUFFASIL THANA MORE,DEHRI ON SONE | BIHAR | 27 | 27 | 6.73 | 7.31 | 643 | 1010 | - | - | 3.96 | 7.58 | 350 | 350 | 920 | 920 | 474 | 748 | 0.31 | 0.37 | - | - |
| 3146 | GROUND WATER FROM DUMRAON,PANI TANKI (PHED) | BIHAR | 19 | 25 | 7.16 | 7.46 | 581 | 926 | - | - | 0.39 | 2.89 | BDL | BDL | BDL | BDL | 398 | 630 | 0.48 | 0.67 | - | - |
| 3147 | GROUND WATER FROM JAYNAGAR RAILWAY STATION ,JAYNAGAR | BIHAR | 27 | 28 | 7.25 | 8.04 | 633 | 640 | - | - | BDL | BDL | 22 | 23 | 43 | 79 | 368 | 436 | 0.61 | 0.7 | - | - |
| 3148 | GROUND WATER FROM JAMALPUR POLICE STATION, JAMALPUR | BIHAR | 23 | 28 | 7.5 | 7.56 | 782 | 832 | - | - | 2.19 | 3.32 | 280 | 280 | 350 | 350 | 576 | 578 | 0.38 | 0.51 | - | - |
| 3149 | GROUND WATER FROM KUDRA RAILWAY STATION, KAIMUR | BIHAR | 27 | 28 | 7.44 | 7.47 | 597 | 1290 | - | - | 0.45 | 0.45 | BDL | BDL | BDL | BDL | 446 | 918 | 0.54 | 0.73 | - | - |
| 3150 | GROUND WATER AT MAIN ROAD NEAR KALI MANIR,MANER | BIHAR | 24 | 25 | 7.24 | 7.39 | 667 | 803 | - | - | 1.66 | 1.79 | 4.5 | 4.5 | 13 | 13 | 518 | 540 | 0.54 | 0.73 | - | - |
| 3151 | GROUND WATER FROM GOVT. GUEST HOUSE MOHANIA | BIHAR | 29 | 29 | 7.14 | 7.38 | 1030 | 1530 | - | - | 1.25 | 1.25 | BDL | BDL | BDL | BDL | 740 | 1124 | 0.61 | 0.92 | - | - |
| 3152 | GROUND WATER FROM OLD BUS STAND,NARKATIAGANJ | BIHAR | 22 | 29 | 6.94 | 7.12 | 238 | 248 | - | - | BDL | BDL | 23 | 23 | 33 | 33 | 162 | 186 | BDL | BDL | - | - |
| 3153 | GROUND WATER NEAR CHURCH HIGH SCHOOL,PIRO | BIHAR | 28 | 29 | 7.33 | 7.48 | 844 | 1400 | - | - | 0.6 | 2.7 | 130 | 130 | 240 | 240 | 656 | 1032 | 0.76 | 0.84 | - | - |
| 3154 | GROUND WATER FROM RAMKUND GAYA | BIHAR | 27 | 28 | 7.18 | 7.45 | 909 | 1390 | - | - | 1.89 | 6.42 | 27 | 27 | 130 | 130 | 666 | 960 | 0.9 | 1.33 | - | - |
| 3155 | GROUND WATER FROM SUPUAL BUS STAND, SUPAUL | BIHAR | 25 | 27 | 6.84 | 7.1 | 711 | 967 | - | - | 0.56 | 1.83 | BDL | BDL | BDL | BDL | 440 | 642 | 0.21 | 0.21 | - | - |
| 3156 | GROUND WATER FROM SAMASTIPUR BUS STAND,SAMASTIPUR | BIHAR | 27 | 28 | 7.24 | 7.29 | 910 | 1210 | - | - | 0.56 | 0.6 | 350 | 350 | 920 | 920 | 618 | 786 | 0.43 | 0.61 | - | - |
| 3157 | GROUND WATER FROM J.P. PARK CHOWK ,SULTANGANJ | BIHAR | 19 | 26 | 7.25 | 7.62 | 971 | 1150 | - | - | 3.51 | 3.51 | 11 | 11 | 22 | 22 | 632 | 910 | 0.34 | 0.78 | - | - |
| 3158 | GROUND WATER NEAR GOVT. HOSPITAL, SHERGHATI | BIHAR | 28 | 28 | 6.89 | 7.24 | 652 | 701 | - | - | 1.78 | 3.7 | 920 | 920 | 1600 | 1600 | 462 | 540 | 0.69 | 1.06 | - | - |
| 3159 | GROUND WATER FROM RAJKIYA HIGH SCHOOL ,SHAHPUR | BIHAR | 19 | 25 | 7 | 7.28 | 689 | 721 | - | - | 1.28 | 1.8 | BDL | BDL | 2 | 2 | 454 | 520 | 0.53 | 0.66 | - | - |
| 3160 | GROUND WATER FROM RAXAUL BUS STAND RAXAUL | BIHAR | 21 | 29 | 6.88 | 7.25 | 289 | 306 | - | - | 0.62 | 0.62 | BDL | BDL | BDL | BDL | 196 | 220 | 0.23 | 0.23 | - | - |
| 3161 | GROUND WATER NEAR BUS STAND KATIHAR | BIHAR | 23 | 25 | 6.91 | 7.1 | 696 | 920 | BDL | BDL | 0.49 | 0.49 | BDL | BDL | BDL | BDL | 468 | 598 | BDL | BDL | - | - |
| 3162 | GROUND WATER NEAR VAISHALI BLOCK OFFICE,AT HAJIPUR, VAISHALI | BIHAR | 23 | 23 | 7.77 | 7.77 | 759 | 759 | - | - | BDL | BDL | BDL | BDL | BDL | BDL | 494 | 494 | 0.77 | 0.77 | - | - |
| 2041 | GROUND WATER FROM SECTOR 34, CHANDIGARH | CHANDIGARH | 26 | 27.5 | 7 | 7.1 | 785 | 882 | 1.5 | 1.5 | 3.9 | 3.9 | BDL | BDL | 33 | 33 | 394 | 472 | 0.26 | 0.26 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|---------------------------------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2043 | GROUND WATER PALSORA CHANDIGARH | CHANDIGARH | 28 | 28 | 7.6 | 7.6 | 948 | 948 | BDL | BDL | 1.7 | 1.7 | BDL | BDL | 79 | 79 | 422 | 422 | 0.22 | 0.22 | BDL | BDL |
| 2044 | GROUND DHANAS CHANDIGARH | CHANDIGARH | 27 | 28 | 7 | 7 | 689 | 968 | BDL | BDL | 3.7 | 4.5 | BDL | BDL | 27 | 49 | 308 | 428 | BDL | BDL | BDL | BDL |
| 2045 | GROUND WATER DADU MAJRA COLONY, CHANDIGARH | CHANDIGARH | 27 | 28 | 7.1 | 7.4 | 599 | 859 | 1.1 | 1.2 | 4.7 | 4.9 | BDL | BDL | 33 | 41 | 276 | 466 | 0.53 | 0.54 | BDL | BDL |
| 1622 | BORE WELL WATER SAMPLE NEAR TIFRA I.A. BILASPUR | CHHATTISGARH | 28 | 33 | 7.5 | 7.8 | 316 | 316 | 1.1 | 1.1 | 0.46 | 0.46 | BDL | BDL | BDL | BDL | 270 | 270 | - | - | - | - |
| 1623 | BORE WELL WATER SAMPLE FROM BEC FERTILIZER OUTSIDE OF FACTORY PREMISES (NEAR BANAK CHOWK) | CHHATTISGARH | 28.5 | 33 | 7.5 | 8 | 310 | 312 | 1.2 | 1.2 | 0.46 | 0.47 | BDL | BDL | 2.1 | 2.1 | 270 | 270 | - | - | - | - |
| 3171 | HAND PUMP WATER 14/10 NEPALI MOHLLA, SHANKAR | CHHATTISGARH | 24 | 28 | 7.21 | 7.52 | 1425 | 1425 | 3 | 8 | 0.1 | 40 | 40 | 40 | 34 | 34 | 90 | 200 | - | - | - | - |
| 3172 | BOREWELL/ HANDPUMP IN ROGBAHRI VILLAGE, KORBA | CHHATTISGARH | 26.2 | 26.3 | 7.01 | 7.37 | 375 | 3692 | BDL | BDL | 1.27 | 18.79 | 2 | 2 | 2.2 | 12 | 104 | 149 | - | - | - | - |
| 3173 | BOREWELL/ HANDPUMP IN PARSABHATA, BALCO, KORBA | CHHATTISGARH | 26.1 | 26.2 | 7.05 | 7.41 | 496 | 4565 | BDL | BDL | 1.21 | 15.63 | 2 | 2 | 2.2 | 8 | 95 | 166 | - | - | - | - |
| 3174 | BOREWELL/ HANDPUMP IN DHANRAS, NTPC, KORBA | CHHATTISGARH | 26.3 | 26.4 | 7.23 | 7.26 | 242 | 1602 | BDL | BDL | 1.68 | 20.69 | 2 | 2 | 2 | 2 | 110 | 162 | - | - | - | - |
| 1440 | WELL AT SOMNATH INDUSTRIAL ESTATE, DAMAN | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 29.3 | 30.1 | 7.33 | 7.36 | 889 | 913 | BDL | BDL | 4.03 | 4.23 | 6 | 10 | 12 | 18 | 602 | 604 | 0.33 | 0.33 | 0.01 | 0.01 |
| 2448 | GROUND WATER FROM VILLAGE BHIMPORE, DAMAN | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 29.1 | 30.1 | 7.33 | 7.37 | 489 | 502 | BDL | BDL | 3.96 | 4.18 | 28 | 38 | 62 | 72 | 322 | 341 | BDL | BDL | 0.01 | 0.01 |
| 2449 | WELL AT VILLAGE RINGANWADA, DAMAN | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 29.1 | 29.9 | 7.35 | 7.44 | 2025 | 2109 | BDL | BDL | 1.78 | 1.82 | 6 | 8 | 12 | 12 | 1296 | 1350 | 0.29 | 0.31 | 0.01 | 0.01 |
| 2450 | WELL AT VILLAGE DUNETHA, DAMAN | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 29.6 | 29.8 | 7.12 | 7.34 | 703 | 765 | BDL | BDL | 2.2 | 2.5 | 4 | 6 | 10 | 14 | 449 | 489 | 0.62 | 0.63 | 0.01 | 0.01 |
| 2451 | WELL AT VILLAGE DABHEL, DAMAN | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 28.9 | 29.8 | 7.19 | 7.53 | 1203 | 1307 | BDL | BDL | 1.85 | 1.92 | 4 | 8 | 8 | 12 | 806 | 836 | 0.22 | 0.29 | 0.01 | 0.01 |
| 2452 | WELL AT VILLAGE KACHIGAM, DAMAN | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 29 | 29.7 | 7.12 | 7.25 | 467 | 489 | BDL | BDL | 3.68 | 3.82 | 16 | 22 | 32 | 36 | 308 | 322 | BDL | BDL | 0.01 | 0.01 |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|-------------------------------|---------------------------------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2453 | WELL AT VILLAGE KHANVEL, DNH | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 28.9 | 29.6 | 7.17 | 7.42 | 518 | 576 | BDL | BDL | 2.37 | 2.57 | 6 | 10 | 14 | 22 | 341 | 385 | 0.38 | 0.43 | 0.01 | 0.01 |
| 2454 | WELL AT VILLAGE ATHAL, DNH | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 29.4 | 29.4 | 7.2 | 7.6 | 580 | 589 | BDL | BDL | BDL | BDL | 6 | 12 | 12 | 20 | 317 | 400 | 0.5 | 0.7 | 0.01 | 0.01 |
| 2455 | WELL AT VILLAGE MASAT, DNH | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 28.7 | 29.5 | 7.07 | 7.21 | 1015 | 1209 | BDL | BDL | 4.46 | 4.63 | 8 | 12 | 16 | 24 | 670 | 761 | 0.25 | 0.25 | 0.01 | 0.01 |
| 2456 | WELL AT VILLAGE PIPERIA, DNH | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 28.9 | 29.8 | 7.21 | 7.24 | 2715 | 2715 | BDL | BDL | 3.3 | 3.59 | 2 | 6 | 8 | 14 | 1792 | 1873 | 0.84 | 0.92 | 0.01 | 0.01 |
| 2457 | WELL AT VILLAGE GALONDA, DNH | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 28.9 | 29.8 | 7.53 | 7.55 | 425 | 451 | BDL | BDL | 1.35 | 1.47 | 6 | 6 | 10 | 16 | 295 | 312 | 0.26 | 0.3 | 0.01 | 0.01 |
| 2458 | WELL AT VILLAGE DADRA | DAMAN AND DIU, DADRA AND NAGAR HAVELI | 29.2 | 29.7 | 7.53 | 7.81 | 3584 | 3719 | BDL | BDL | 1.55 | 1.72 | 4 | 8 | 14 | 16 | 2329 | 2491 | 0.23 | 0.27 | 0.01 | 0.01 |
| 3477 | WELL AT ALIPUR, DELHI | DELHI | - | - | 7.6 | 7.6 | - | - | - | - | BDL | BDL | - | - | - | - | 896 | 911 | - | - | - | - |
| 3479 | WELL AT AURBINDO MARG, DELHI | DELHI | - | - | 7.2 | 7.3 | - | - | - | - | 0.41 | 0.45 | - | - | - | - | 612 | 623 | - | - | - | - |
| 3480 | WELL AT BAWANA, DELHI | DELHI | - | - | 7.3 | 7.6 | - | - | - | - | 0.52 | 0.65 | - | - | - | - | 258 | 279 | - | - | - | - |
| 3483 | WELL AT BURARI, DELHI | DELHI | - | - | 7.5 | 7.7 | - | - | - | - | BDL | BDL | - | - | - | - | 352 | 768 | - | - | - | - |
| 3485 | WELL AT DEFENCE COLONY, DELHI | DELHI | - | - | 6.9 | 7.1 | - | - | - | - | 0.4 | 0.42 | - | - | - | - | 280 | 295 | - | - | - | - |
| 3488 | WELL AT DILSHAD GARDEN, DELHI | DELHI | - | - | 6.9 | 7.1 | - | - | - | - | BDL | BDL | - | - | - | - | 572 | 600 | - | - | - | - |
| 3489 | WELL AT DWARKA, DELHI | DELHI | - | - | 6.9 | 7.1 | - | - | - | - | BDL | BDL | - | - | - | - | 570 | 577 | - | - | - | - |
| 3490 | WELL AT FATEH PUR BERI, DELHI | DELHI | - | - | 7.1 | 7.2 | - | - | - | - | 0.64 | 0.72 | - | - | - | - | 621 | 627 | - | - | - | - |
| 3492 | WELL AT GAJIPUR, DELHI | DELHI | - | - | 7.2 | 7.4 | - | - | - | - | 0.31 | 0.35 | - | - | - | - | 690 | 700 | - | - | - | - |
| 3493 | WELL AT GANDHI NAGAR, DELHI | DELHI | - | - | 7.1 | 7.4 | - | - | - | - | BDL | BDL | - | - | - | - | 502 | 521 | - | - | - | - |
| 3494 | WELL AT HAIDERPUR, DELHI | DELHI | - | - | 6.7 | 6.9 | - | - | - | - | BDL | BDL | - | - | - | - | 790 | 798 | - | - | - | - |
| 3496 | WELL AT ISBT, DELHI | DELHI | - | - | 7.2 | 7.7 | - | - | - | - | 0.73 | 0.79 | - | - | - | - | 746 | 842 | - | - | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|-----|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3498 | WELL AT KALKA JI, DELHI | DELHI | - | - | 7 | 7.1 | - | - | - | - | 0.48 | 0.49 | - | - | - | - | 460 | 469 | - | - | - | - |
| 3500 | WELL AT KAMLA NAGAR, DELHI | DELHI | - | - | 7.4 | 7.9 | - | - | - | - | 0.32 | 0.38 | - | - | - | - | 512 | 534 | - | - | - | - |
| 3503 | WELL AT KAROL BAGH, DELHI | DELHI | - | - | 7 | 7.2 | - | - | - | - | 0.32 | 0.32 | - | - | - | - | 355 | 395 | - | - | - | - |
| 3514 | WELL AT MATIALA, DELHI | DELHI | - | - | 7.1 | 7.2 | - | - | - | - | 0.31 | 0.32 | - | - | - | - | 812 | 819 | - | - | - | - |
| 3515 | WELL AT MAYA PURI, DELHI | DELHI | - | - | 6.6 | 7.2 | - | - | - | - | 0.43 | 0.43 | - | - | - | - | 475 | 540 | - | - | - | - |
| 3516 | WELL AT MAYUR VIHAR, DELHI | DELHI | - | - | 7.2 | 7.5 | - | - | - | - | BDL | BDL | - | - | - | - | 475 | 495 | - | - | - | - |
| 3517 | WELL AT NAJAFGARH, DELHI | DELHI | - | - | 7.3 | 7.4 | - | - | - | - | 0.59 | 0.59 | - | - | - | - | 765 | 770 | - | - | - | - |
| 3518 | WELL AT NARAINA INDL AREA, DELHI | DELHI | - | - | 7.1 | 7.2 | - | - | - | - | 0.48 | 0.5 | - | - | - | - | 860 | 874 | - | - | - | - |
| 3520 | WELL AT OKHLA, DELHI | DELHI | - | - | 7 | 7.2 | - | - | - | - | 0.85 | 0.9 | - | - | - | - | 844 | 853 | - | - | - | - |
| 3523 | WELL AT PARIVESH BHAWAN, DELHI | DELHI | - | - | 7.2 | 7.3 | 2297 | 2377 | - | - | 0.33 | 3.12 | BDL | BDL | BDL | BDL | 1307 | 1448 | 0.5 | 0.5 | BDL | BDL |
| 3524 | WELL AT PASCHIM VIHAR, DELHI | DELHI | - | - | 7.4 | 7.4 | - | - | - | - | BDL | BDL | - | - | - | - | 1220 | 1250 | - | - | - | - |
| 3525 | WELL AT PATEL NAGAR, DELHI | DELHI | - | - | 7.3 | 7.4 | - | - | - | - | BDL | BDL | - | - | - | - | 405 | 415 | - | - | - | - |
| 3526 | WELL AT PATPAR GANJ, DELHI | DELHI | - | - | 7.4 | 7.6 | - | - | - | - | 0.41 | 0.41 | - | - | - | - | 1109 | 1123 | - | - | - | - |
| 3527 | WELL AT PATPARGANJ INDL AREA, DELHI | DELHI | - | - | 7.4 | 7.9 | - | - | - | - | 1.25 | 1.25 | - | - | - | - | 1102 | 1109 | - | - | - | - |
| 3528 | WELL AT PEERAGARHI, DELHI | DELHI | - | - | 7.6 | 7.8 | - | - | - | - | BDL | BDL | - | - | - | - | 3354 | 3370 | - | - | - | - |
| 3529 | WELL AT PILANJI, DELHI | DELHI | - | - | 7.5 | 7.5 | - | - | - | - | 0.32 | 0.32 | - | - | - | - | 319 | 342 | - | - | - | - |
| 3530 | WELL AT PRIYA ENCLAVE, DELHI | DELHI | - | - | 7.1 | 7.2 | - | - | - | - | BDL | BDL | - | - | - | - | 424 | 478 | - | - | - | - |
| 3531 | WELL AT QUTAB GARH, DELHI | DELHI | - | - | 7.7 | 7.8 | - | - | - | - | 0.49 | 0.5 | - | - | - | - | 2775 | 2790 | - | - | - | - |
| 3532 | WELL AT RAJENDER NAGAR, DELHI | DELHI | - | - | 7.2 | 7.5 | - | - | - | - | 0.7 | 0.88 | - | - | - | - | 407 | 448 | - | - | - | - |
| 3533 | WELL AT RAJPURA ROAD, DELHI | DELHI | - | - | 7.5 | 7.7 | - | - | - | - | 0.31 | 0.32 | - | - | - | - | 332 | 339 | - | - | - | - |
| 3534 | WELL NEAR GURUDWARA SHRI RAKABGANJ SAHIB, DELHI | DELHI | - | - | 6.9 | 7 | - | - | - | - | 0.4 | 0.4 | - | - | - | - | 724 | 801 | - | - | - | - |
| 3535 | WELL AT ROHINI, DELHI | DELHI | - | - | 7.1 | 7.6 | - | - | - | - | 1.17 | 1.26 | - | - | - | - | 298 | 375 | - | - | - | - |
| 3536 | WELL AT SAKET, DELHI | DELHI | - | - | 7.1 | 7.3 | - | - | - | - | 0.34 | 0.34 | - | - | - | - | 515 | 518 | - | - | - | - |
| 3537 | WELL AT SHAHDARA, DELHI | DELHI | - | - | 6.5 | 6.9 | - | - | - | - | 0.47 | 0.58 | - | - | - | - | 428 | 440 | - | - | - | - |
| 3538 | WELL AT SINGHU BORDER, DELHI | DELHI | - | - | 7.5 | 7.6 | - | - | - | - | 0.83 | 0.83 | - | - | - | - | 1040 | 1114 | - | - | - | - |
| 3539 | WELL AT SINGOLA, DELHI | DELHI | - | - | 7.4 | 7.5 | - | - | - | - | 0.44 | 0.51 | - | - | - | - | 1680 | 1710 | - | - | - | - |
| 3540 | WELL AT SULTANPURI, DELHI | DELHI | - | - | 7.4 | 7.5 | - | - | - | - | 0.4 | 0.42 | - | - | - | - | 684 | 690 | - | - | - | - |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|------|----------------------------|------|-------------------------------|------|-----------------|------|----------------|------|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3541 | WELL AT TIKRI KALAN , DELHI | DELHI | - | - | 7 | 7.5 | - | - | - | - | 0.74 | 0.75 | - | - | - | - | 746 | 755 | - | - | - | - |
| 3542 | WELL AT TILAK NAGAR, DELHI | DELHI | - | - | 7.5 | 7.7 | - | - | - | - | 0.31 | 0.61 | - | - | - | - | 372 | 380 | - | - | - | - |
| 3543 | WELL AT TRILOKPURI, DELHI | DELHI | - | - | 7.1 | 7.3 | - | - | - | - | 0.52 | 0.65 | - | - | - | - | 524 | 555 | - | - | - | - |
| 3544 | WELL AT UJWAH, DELHI | DELHI | - | - | 7.2 | 7.4 | - | - | - | - | 0.83 | 0.83 | - | - | - | - | 394 | 402 | - | - | - | - |
| 3545 | WELL AT VASANT KUNJ, DELHI | DELHI | - | - | 7.1 | 7.4 | - | - | - | - | 0.35 | 0.35 | - | - | - | - | 687 | 701 | - | - | - | - |
| 3546 | WELL AT VASANT VIHAR | DELHI | - | - | 7.2 | 7.4 | - | - | - | - | 0.31 | 0.35 | - | - | - | - | 400 | 437 | - | - | - | - |
| 2277 | WELL AT VERNA INDI.ESTATE.(M/S CIPLA LIMITED) | GOA | 30 | 31 | 6.62 | 7.04 | 339 | 392 | 1.1 | 1.7 | 0.32 | 3.72 | BDL | BDL | 2 | 2 | 229 | 284 | BDL | BDL | 0.01 | 0.01 |
| 2278 | WELL AT SANCOALE INDL.ESTATE | GOA | 29 | 29 | 6.43 | 6.5 | 283 | 1867 | 1.6 | 1.6 | 0.32 | 5.74 | 13 | 13 | 23 | 23 | 157 | 1262 | 0.7 | 2.8 | 0.01 | 0.01 |
| 2280 | WELL AT KUDAI INDL. ESTATE(M/S CADILA HEALTHCARE LIMITED) | GOA | 28 | 30 | 5.5 | 7.7 | 57 | 59 | 3.2 | 3.2 | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 36 | 38 | BDL | BDL | 0.01 | 0.01 |
| 2281 | WELL AT CORLIM INDL. ESTATE | GOA | 28 | 29 | 5.8 | 6.68 | 57 | 100 | 1.5 | 1.8 | 0.32 | 0.32 | 4.5 | 4.5 | 23 | 23 | 38 | 68 | 0.25 | 0.25 | 0.01 | 0.01 |
| 2282 | WELL AT PILERNE INDUSTRIAL ESTATE(M/S UNICHEM) | GOA | 28 | 29 | 6.95 | 7.22 | 270 | 317 | 2.2 | 2.2 | 0.32 | 0.4 | BDL | BDL | 23 | 23 | 169 | 191 | 0.6 | 0.6 | 0.01 | 0.01 |
| 3193 | BORE WELL AT CUNCOLIM INDUSTRIAL ESTATE | GOA | 30 | 31 | 6.74 | 7.4 | 728 | 791 | 1.2 | 1.2 | 0.32 | 0.32 | 240 | 240 | 4.5 | 350 | 52 | 451 | 0.4 | 0.4 | 0.01 | 0.01 |
| 3194 | BORE WELL AT BETHORA INDUSTRIAL ESTATE | GOA | 28 | 28 | 5.61 | 6.1 | 98 | 102 | BDL | BDL | 0.32 | 0.72 | 2 | 2 | 6.8 | 6.8 | 63 | 65 | BDL | BDL | 0.01 | 0.01 |
| 3195 | BORE WELL AT MADKAIM INDUSTRIAL ESTATE | GOA | 28 | 29 | 6.35 | 7.6 | 78 | 194 | BDL | BDL | 0.32 | 0.92 | BDL | BDL | 4.5 | 4.5 | 46 | 130 | BDL | BDL | 0.01 | 0.01 |
| 4409 | SALMONA SPRING | GOA | 26 | 29 | 5.48 | 7.42 | 48 | 171 | 1.2 | 1.7 | 0.32 | 2.12 | 33 | 2400 | 46 | 3500 | 28 | 100 | 0.33 | 0.33 | 0.01 | 0.01 |
| 3 | WELL AT AHMEDABAD | GUJARAT | 30 | 30 | 7.36 | 7.36 | 1490 | 1490 | 1.6 | 1.6 | 0.4 | 0.4 | 2 | 2 | 2 | 2 | 920 | 920 | 1.68 | 1.68 | | |
| 6 | WELL AT BARODA | GUJARAT | 28 | 29 | 7.64 | 7.75 | 1627 | 1702 | BDL | BDL | 0.45 | 1.77 | BDL | BDL | BDL | BDL | 1054 | 1296 | 0.91 | 1.27 | BDL | BDL |
| 1948 | GROUND WATER AT BHAVNAGAR | GUJARAT | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1949 | GROUND WATER AT AMRELI | GUJARAT | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1950 | GROUND WATER AT JUNAGADH | GUJARAT | 26 | 28 | 7.45 | 8.22 | 1112 | 2169 | 1 | 1.2 | 0.37 | 1.33 | BDL | BDL | BDL | BDL | 752 | 1456 | 0.3 | 0.3 | BDL | BDL |
| 1951 | GROUND WATER AT RAJKOTGROUND WATER NR. DISTRICT CO-OPERATIVE BANK, NR. RAIYA CIRCLE, RAIYA ROAD RAJKOT | GUJARAT | 30 | 30 | 8.39 | 8.39 | 1768 | 1768 | 1.1 | 1.1 | 1.24 | 1.24 | BDL | BDL | BDL | BDL | 1204 | 1204 | BDL | BDL | BDL | BDL |
| 1952 | GROUND WATER AT SURENDRANAGARAT. BHAVANI PLASTIC (STEELMAN OXYGEN, PLOT NO.C1/613, PHASE 3, OPP | GUJARAT | 29 | 30 | 7.72 | 8.37 | 2690 | 4584 | 1.1 | 1.2 | 1.21 | 1.22 | - | - | - | - | 1660 | 3036 | 1.21 | 1.21 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | ONE WORLD SCHOOL), GIDC WADHWAN, WADHWAN, TAL. WADHWAN, DIST. SURENDRANAGAR | | | | | | | | | | | | | | | | | | | | | |
| 1953 | GROUND WATER AT JAMNAGARBOREWELL OF RAMESHWAR TEMPLE, NEAR RAMESHWAR CHOWK, JAMNAGAR | GUJARAT | 27 | 28 | 7.25 | 7.7 | 1064 | 1524 | BDL | BDL | 0.33 | 0.34 | BDL | BDL | BDL | BDL | 576 | 758 | 0.23 | 0.25 | BDL | BDL |
| 1954 | GROUND WATER AT BHUJODHAV PARK SOCIETY-2,PRAMUKH SWAMI NAGAR ROAD,BEHIND ASHAPURA SCHOOL,TA:BHUJ, DIST;KUTCH (WEST) | GUJARAT | 30 | 31 | 7.55 | 7.98 | 3190 | 3550 | 1.5 | 1.6 | 0.33 | 0.39 | BDL | BDL | 2 | 2 | 2312 | 2402 | 0.55 | 0.62 | - | - |
| 1955 | GROUND WATER AT PALANPURBEHIND JILLA SEVA SADAN-2, NEAR JORAVAR PALACE, PALANPUR, DIST-BANASKANTHA | GUJARAT | 26 | 29 | 7.33 | 7.8 | 1956 | 2008 | 1.2 | 1.2 | 0.67 | 2.54 | 2 | 2 | 2 | 2 | 982 | 1090 | 0.78 | 0.81 | BDL | BDL |
| 1956 | GROUND WATER AT MEHASANAMODHERA GIDC, TAL & DIST : MEHSANA | GUJARAT | 29 | 29 | 7.49 | 7.7 | 2992 | 2992 | BDL | BDL | 0.49 | 0.49 | BDL | BDL | BDL | BDL | 1802 | 2112 | 0.72 | 0.86 | BDL | BDL |
| 1957 | GROUND WATER AT SIDDHPUR (DIST.PATAN)AHMEDABAD-PALANUR HIGHWAY, TAVADIYA CROSSING, NEAR MADHIVAI, SIDDPUR, DIST-PATAN | GUJARAT | 27 | 29 | 7.73 | 8.12 | 1666 | 2178 | 1.1 | 1.1 | 0.44 | 0.51 | 2 | 2 | 2 | 2 | 750 | 960 | 1.66 | 3.15 | BDL | BDL |
| 1958 | GROUND WATER AT HIMATNAGARBOREWELL OF HIMATNAGAR NAGARPALIKA, AT. HIMATNAGAR, DIST. SABARKANTHA | GUJARAT | 25 | 27 | 7.84 | 7.97 | 856 | 1021 | 1.8 | 1.8 | 0.53 | 0.54 | 2 | 2 | 2 | 2 | 572 | 684 | 0.38 | 0.45 | BDL | BDL |
| 1959 | GROUND WATER AT NADIADBOREWELL OF SANTRAM MANDIR, NADIAD,DIST: KHEDA | GUJARAT | 28 | 34 | 7.63 | 7.9 | 2014 | 2066 | BDL | BDL | 1.06 | 10.11 | BDL | BDL | BDL | BDL | 1216 | 1340 | 0.6 | 0.96 | BDL | BDL |
| 1960 | GROUND WATER AT DAHODWELL AT HINDU DHARAMASHALA, STATION ROAD, DAHOD | GUJARAT | 28 | 29 | 7.91 | 8.17 | 784 | 870 | BDL | BDL | 1.47 | 2.92 | BDL | BDL | BDL | BDL | 508 | 580 | 1.28 | 2.01 | BDL | BDL |
| 1961 | GROUND WATER AT GODHARAWELL AT OFFICE OF PANCHMAHAL INDUSTRIES FADERATION, NEAR CIRCUIT HOUSE, GODHRA | GUJARAT | 28 | 29 | 7.5 | 7.72 | 1060 | 1753 | BDL | BDL | 0.59 | 6.71 | BDL | BDL | BDL | BDL | 690 | 1050 | 0.88 | 0.96 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|------|------|-------------------------|-------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1962 | VADODARA (INDUSTRIAL-NANDESARI)GIDC-NANDESARI | GUJARAT | 28 | 30 | 6.98 | 8.06 | 5228 | 12930 | 1.7 | 2.1 | 0.96 | 5.9 | BDL | BDL | BDL | BDL | 3712 | 9400 | 0.94 | 1.81 | BDL | BDL |
| 1964 | PANDESARA (INDSTRIL) SURATPANDESARA GIDC, SURAT | GUJARAT | 29 | 30 | 6.88 | 8.17 | 3092 | 6847 | 1.6 | 1.7 | 0.41 | 0.87 | 2 | 2 | 2 | 2 | 1854 | 4768 | 0.49 | 0.51 | BDL | BDL |
| 1965 | MORA-HAJIRA (INDUSTRIAL), HAJIRAHAZIRA,SURAT. | GUJARAT | 29 | 29 | 8.25 | 8.25 | 787 | 787 | 1.5 | 1.5 | | | 2 | 2 | 2 | 2 | 364 | 364 | 0.54 | 0.54 | BDL | BDL |
| 1967 | ATUL, VILLAGE G.W, (VALSAD)B/W AT ATUL VILLAGE G.W | GUJARAT | 28 | 28 | 7.36 | 7.36 | 1878 | 1878 | BDL | BDL | 0.51 | 0.51 | BDL | BDL | BDL | BDL | 1138 | 1138 | 0.52 | 0.52 | - | - |
| 1968 | VAPI INDUSTRIAL AREA (RAJASHTHAN BHAVAN) U/S, VAPIB/W AT VAPI INDUSTRIAL AREA U/S IN RAJASTHAN BHAVAN SILVASA RD, OPPOSITE GURUDWARA, GIDC, VAPI, GUJARAT 396195 | GUJARAT | 27 | 27 | 7.54 | 7.54 | 663 | 663 | BDL | BDL | 0.49 | 0.49 | BDL | BDL | BDL | BDL | 424 | 424 | 0.48 | 0.48 | - | - |
| 1969 | B/W AT COSTAL HIGHWAY CHAR RASTA, FANSA, TA:UMBERGA N, DIST:VALSADB/W AT COSTAL HIGHWAY CHAR RASTA, FANSA, TA:UMBERGAON, DIST:VALSAD | GUJARAT | 28 | 28 | 7.24 | 7.89 | 867 | 1066 | BDL | BDL | 0.46 | 0.58 | BDL | BDL | BDL | BDL | 530 | 564 | 0.32 | 0.48 | - | - |
| 1970 | BOREWELL D/S TSDF SITE, GIDC INDUSTRIAL AREA, VAPIB/W AT D/S TSDF SITE PLOT NO.4807, PHASE 4, GIDC, VAPI | GUJARAT | 27 | 27 | 7.47 | 7.47 | 3328 | 3328 | BDL | BDL | 0.82 | 0.82 | BDL | BDL | BDL | BDL | 1780 | 1780 | 0.79 | 0.79 | - | - |
| 2083 | BORE WELL OF CHHATRAL GIDC.BOREWELL OF GIDC CHHATRAL, PHASE I | GUJARAT | 27 | 30 | 7.02 | 7.26 | 2969 | 3222 | 1.2 | 1.2 | 0.44 | 0.48 | 2 | 2 | 2 | 2 | 1710 | 1780 | 0.72 | 1.28 | BDL | BDL |
| 2084 | BORE WELL OF PALSANA VILLAGE.PALASANA,SURAT. | GUJARAT | 27 | 31 | 8.02 | 8.46 | 1266 | 3199 | 1.4 | 1.5 | 0.63 | 0.63 | 2 | 2 | 2 | 2 | 766 | 1986 | 0.27 | 0.83 | BDL | BDL |
| 2085 | BORE WELL OF SANTEJ VILLAGE.BOREWELL OF SANTEJ GRAM PANCHAYAT | GUJARAT | 27 | 29 | 7.41 | 7.9 | 2238 | 2816 | 1.2 | 1.2 | 0.32 | 0.75 | 2 | 2 | 2 | 2 | 1368 | 1734 | 0.53 | 1.01 | BDL | BDL |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|---|------------|------------------|-----|------|------|-------------------------|-------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2087 | B/W- HAZARDOUS W. DISPOSAL SITE (GUJ. ENVIRO P.& I. LTD.)(GEPIL),SACHIN,SURAT | GUJARAT | 29 | 29 | 7.7 | 7.7 | 774 | 774 | 1.6 | 1.6 | | | 2 | 2 | 2 | 2 | 358 | 358 | 0.82 | 0.82 | BDL | BDL |
| 2088 | BORE WELL OF SACHIN GIDC.SACHIN GIDC, SACHIN,SURAT | GUJARAT | 29 | 30 | 6.98 | 7.1 | 7794 | 8161 | 1.6 | 1.7 | 0.2 | 0.57 | 2 | 2 | 2 | 2 | 4896 | 5650 | 0.51 | 0.53 | BDL | BDL |
| 2089 | B/W NEAR INDL. AREA BORASARA & NAVAPURA, DIST. SURAT.PLOT-202 ,KIM,SURAT. | GUJARAT | 29 | 30 | 7.63 | 8.12 | 3977 | 4091 | 1.4 | 1.5 | 0.48 | 0.5 | 2 | 2 | 2 | 2 | 1966 | 2386 | 0.4 | 0.42 | BDL | BDL |
| 2090 | WELL AT OLPAD.OLPAD ,SURAT | GUJARAT | 28 | 29 | 7.5 | 7.55 | 14190 | 14510 | 1.5 | 1.5 | 0.48 | 0.67 | 2 | 2 | 2 | 2 | 8706 | 8892 | 0.26 | 0.28 | BDL | BDL |
| 2091 | BORE WELL OF NAVSARI GIDC INDUSTRIES ASSOCIATION OFFICE.AT- GIDC -KABILPORE,TA & DI - NAVSARI, GUJARAT | GUJARAT | 30 | 31 | 7.88 | 8.4 | 2390 | 2434 | 1.5 | 1.6 | 0.32 | 0.32 | 2 | 2 | 2 | 2 | 1182 | 1460 | 0.31 | 0.35 | BDL | BDL |
| 2092 | WATER WORKS OF NAVSARI NEAR DHUDIA TALAV.AT - KAGADIWADI, NAVSARI CITY, TA & DI. NAVSARI, GUJARAT. | GUJARAT | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2093 | WELL OF BARDOLI AT REST HOUSE.BARDOLI-VYARA ROAD | GUJARAT | 29 | 30 | 7.48 | 7.93 | 1994 | 2094 | 1.3 | 1.4 | | | 2 | 2 | 2 | 2 | 1158 | 1256 | BDL | BDL | BDL | BDL |
| 2094 | WELL AT ANKLESHWAR INDUSTRIAL AREA (BORE WELL OF M/S INDUSTRIAL CARBON AT ANKLESHWAR- RAJPIPLA ROAD.ANKLESHWAR- RAJPIPLA ROAD, NR GIDC ANKLESHWAR, DIST BHARUCH | GUJARAT | 30 | 32 | 7.52 | 7.76 | 4312 | 4900 | 5 | 5 | 0.48 | 0.79 | 2 | 2 | 2 | 2 | 2624 | 3018 | 0.3 | 0.72 | - | - |
| 2095 | BORE WELL OF NARSHIBHAI BECHARBHAI ZALAWADIA @ 200 METER AWAY FROM MADHAPAR STP TOWARD ISWARIA MAHADEV TEMPLE, MADHAPAR, DIST. RAJKOT.BORE WELL OF NARSHIBHAI BECHARBHAI ZALAVADIYA, NR. MADHAPAR STP PLANT, RAJKOT | GUJARAT | 29 | 30 | 7.35 | 8.3 | 1930 | 2199 | 1.2 | 1.2 | 1.35 | 1.35 | BDL | BDL | BDL | BDL | 1308 | 1476 | 0.24 | 0.28 | BDL | BDL |
| 2096 | BORE WELL, SNR. VINAYAK JAL SUDDHIKARAN SAHAKARI MANDALI LTD. (CETP), VILL. BAVLA, DIST. AHMEDABAD.S. N. 644/1-4, VILL. BAVLA, DIST. AHMEDABAD. | GUJARAT | 28 | 29 | 7.43 | 7.68 | 3825 | 7765 | 1.3 | 1.3 | 0.35 | 0.52 | 2 | 2 | 2 | 2 | 1832 | 4728 | 1.4 | 3.25 | BDL | BDL |
| 2097 | BORE WELL OF SOMESHWAR RICE MILL, NR. BAVLA ECO | GUJARAT | 29 | 29 | 7.57 | 7.7 | 5465 | 7042 | 1.1 | 1.1 | 0.42 | 0.53 | 2 | 2 | 2 | 2 | 3260 | 4534 | 0.98 | 1.31 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | PROJECT,(CETP), VILL. BAVLA, DIST. AHMEDABAD.DEDHAL ROAD, NR. BAVLA ECO PROJECT, (CETP), VILL. BAVLA, DIST. AHMEDABAD. | | | | | | | | | | | | | | | | | | | | | |
| 2098 | BORE WELL OF PIRANA TERMINAL PUMPING STATION, PIRANA, NR. V. N. BRIDGE, AHMEDABAD.NR. V.N BRIDGE, PIRANA, AHMEDABAD | GUJARAT | 29 | 30 | 7.03 | 7.42 | 3403 | 3880 | BDL | BDL | 0.61 | 0.63 | 2 | 2 | 2 | 2 | 2050 | 2250 | 1.24 | 1.76 | - | - |
| 3207 | BOREWELL OF GIDC, JHAGADIAAT FINAL PUMPING STATION, GIDC JHAGHADIA, DIST BHARUCH | GUJARAT | 27 | 28 | 7.46 | 7.56 | 1730 | 2220 | 5 | 5 | 0.32 | 0.32 | 2 | 2 | 2 | 2 | 936 | 1164 | 0.5 | 0.54 | - | - |
| 3208 | JILLA PANCHAYAT SCHOOL, NEAR GRAM PANCHAYAT KATA FALIA, VILLAGE NAMDHA, VALSADB/W AT JILLA PANCHAY SCHOOL NEAR GRAM PANCHAYAT KATA FALIA, VILLAGE NAMDHA, VALSAD | GUJARAT | 27 | 27 | 7.87 | 7.87 | 899 | 899 | BDL | BDL | 0.53 | 0.53 | BDL | BDL | BDL | BDL | 454 | 454 | 0.48 | 0.48 | - | - |
| 3209 | BOREWELL OF GAYATRI PRAGNA SCHOOL, BHADARWAD ROAD, BAZAR FALIA, SARIGAM, VALSADBOREWELL OF GAYATRI PRAGNA SCHOOL, BHADARWAD ROAD, BAZAR FALIA, SARIGAM, VALSAD | GUJARAT | 26 | 29 | 7.58 | 8.15 | 892 | 1375 | BDL | BDL | 0.41 | 0.51 | BDL | BDL | BDL | BDL | 628 | 680 | 0.32 | 0.45 | - | - |
| 3210 | BOREWELL AT PIRAMAL GLASS, VILLAGE TARSADI AT KOSAMBA INDUSTRIAL AREA, SURATKOSAMBA,SURAT | GUJARAT | 29 | 30 | 7.46 | 7.84 | 3920 | 3966 | 1.4 | 1.4 | 0.51 | 0.58 | 2 | 2 | 2 | 2 | 2380 | 2860 | 0.36 | 0.39 | BDL | BDL |
| 3211 | BOREWELL AT PRIMARY HEALTH CENTER, KADODARA, SURATKADODARA,SURAT | GUJARAT | 28 | 28 | 7.73 | 8.33 | 2040 | 2155 | 1.5 | 1.6 | - | - | 2 | 2 | 2 | 2 | 1146 | 1224 | 0.25 | 0.27 | BDL | BDL |
| 3212 | BOREWELL NEAR CENTER OF EXCELLENCE BUILDING, GIDC, VATVA, AHMEDABADCENTER OF EXCELLENCE BUILDING, PLOT NO 511 GIDC- PHASE IV, VATVA, AHMEDABAD | GUJARAT | 28 | 28 | 7.25 | 7.35 | 2420 | 2888 | 1.2 | 1.2 | 0.44 | 0.44 | 2 | 2 | 2 | 2 | 1610 | 1734 | 0.4 | 0.88 | BDL | BDL |
| 3213 | BOREWELL, CETP-NARODA, GIDC, NARODA-AHMEDABADPLOT NO 512-515 PHASE -I GIDC -NARODA -AHMEDABAD | GUJARAT | | | 7.17 | 7.17 | 2230 | 2230 | 1.4 | 1.4 | 0.37 | 0.37 | 2 | 2 | 2 | 2 | 1320 | 1320 | 0.95 | 0.95 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3214 | BOREWELL NEAR GIDC ODHAV INDUSTRIAL ASSOCIATION BUILDING, GIDC, ODHAV, AHMEDABADODHAV INDUSTRIAL ASSOCIATION BUILDING, PLOT NO H 35, GIDC, ODHAV, ODHAV ROAD AHMEDABAD | GUJARAT | 27 | 27 | 7.32 | 7.4 | 2817 | 3169 | 1.2 | 1.2 | 0.73 | 0.73 | 2 | 2 | 2 | 2 | 1648 | 1872 | 0.21 | 1.41 | BDL | BDL |
| 3215 | BOREWELL NEAR MUNICIPAL SOLID WASTE SITE- GYASPUR, NAROL, AHMEDABADNR. GYASPUR SANITARY LANDFILL SITE, GYASPUR, AHMEDABAD | GUJARAT | 26 | 30 | 7.3 | 7.49 | 3209 | 4459 | BDL | BDL | 0.32 | 0.58 | 2 | 2 | 2 | 2 | 2004 | 2592 | 1.41 | 3.7 | - | - |
| 3216 | BOREWELL NEAR TSDF SITE OF GREEN ENVIRONMNET SERVICES CO. OP.LTD, VATVA, AHMEDABADTSDF SITE OF GREEN ENVIRONMNET SERVICES CO. OP.LTD, S. NO 89,90,91 VINZOL TAL DASKROI , AHMEDABAD | GUJARAT | 27 | 27 | 7.52 | 7.6 | 2640 | 3296 | 1.3 | 1.3 | 0.35 | 0.35 | 2 | 2 | 2 | 2 | 1744 | 1960 | 1 | 1.67 | BDL | BDL |
| 3217 | BOREWELL NEAR TSDF SITE OF NARODA ENVIRO PROJECT.LTD, ODHAVE, AHMEDABADTSDF SITE OF NARODA ENVIRO PROJECT.LTD, S NO 286 , VASTRAL ROAD ,ODHAVE | GUJARAT | 27 | 27 | 7.38 | 7.49 | 2595 | 2998 | 1.1 | 1.3 | 0.31 | 0.61 | 2 | 2 | 2 | 2 | 1516 | 1804 | 0.96 | 1.39 | BDL | BDL |
| 3218 | WELL OF MODASA, NAGAR PALIKA, VARIGRUH, MODASAWELL OF MODASA, NAGAR PALIKA, VARIGRUH, AT. MODASA. DIST. ARVALLI | GUJARAT | 26 | 27 | 7.46 | 7.67 | 932 | 1410 | 1.4 | 1.4 | 0.37 | 0.56 | 2 | 2 | 2 | 2 | 566 | 750 | 0.52 | 1.21 | BDL | BDL |
| 3219 | WELL OF IDAR, NAGAR PALIKA, SAKARIA, IDARBOREWELL OF IDAR NAGARPALIKA, AT. SAKARIA, TA. IDAR, DIST. SABARKANTHA | GUJARAT | 25 | 27 | 7.18 | 7.22 | 1462 | 1690 | BDL | BDL | 0.33 | 0.68 | 2 | 2 | 2 | 2 | 754 | 870 | 0.9 | 1.01 | BDL | BDL |
| 3220 | BOREWELL OF GIDC-NADIAD AT GIDC OFFICE, GIDC NADIAD, KHEDABREWELL OF GIDC-NADIAD AT GIDC OFFICE, GIDC NADIAD, KHEDA | GUJARAT | 32 | 36 | 7.67 | 7.9 | 2776 | 4620 | BDL | BDL | 0.4 | 8.8 | BDL | BDL | BDL | BDL | 1810 | 2460 | 0.24 | 0.6 | BDL | BDL |
| 3221 | BOREWELL OF TOWN RAJPIPLA, DIST.NARMADANAGARPALIKA OFFICE, AT RAJPIPLA, DIST NARMADA | GUJARAT | 27 | 28 | 7.43 | 7.81 | 700 | 717 | 5 | 5 | 0.32 | 0.32 | 2 | 2 | 2 | 2 | 478 | 496 | BDL | BDL | - | - |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3222 | BOREWELL OF GIDC, PANOLIAT WATER TREATMENT PLANT , GIDC PANOLI, DIST BHARUCH | GUJARAT | 31 | 32 | 7.57 | 7.64 | 3570 | 4270 | 5 | 5 | 0.34 | 0.34 | 2 | 2 | 2 | 2 | 2158 | 2700 | 0.53 | 0.6 | - | - |
| 3223 | BOREWELL KADI INDUSTRIAL AREAKADI GIDC, TAL: KADI, DIST : MEHSANA | GUJARAT | 30 | 30 | 7.78 | 8.08 | 1882 | 2450 | BDL | BDL | 0.41 | 0.41 | BDL | BDL | BDL | BDL | 980 | 1420 | 0.78 | 1.08 | - | - |
| 3224 | DEESA BOREWELLMAIN WATER TANK, BESIDE BHANASALI HOSPITAL, NEAR SARDAR GARDEN, DEESA, DIST- BANASKANTHA | GUJARAT | 27 | 28 | 7.52 | 7.94 | - | - | 1.2 | 1.2 | 0.51 | 0.56 | 2 | 2 | 2 | 2 | 468 | 478 | 840 | 1108 | BDL | BDL |
| 3225 | VISNAGAR BOREWELLVISNAGAR GIDC, TAL : VISNAGAR, DIST: MEHSANA | GUJARAT | 30 | 30 | 7.44 | 7.89 | 2388 | 2450 | BDL | BDL | 0.45 | 0.87 | BDL | BDL | BDL | BDL | 1314 | 1390 | 0.89 | 1.72 | BDL | BDL |
| 3226 | PATAN BOREWELLWATER PUMPING STATION, GANDHIBAG, JANTA HOSPITAL ROAD, PATAN, DIST-PATAN | GUJARAT | 27 | 28 | 7.6 | 8.08 | 2185 | 2386 | 1.1 | 1.1 | 0.42 | 0.42 | 2 | 2 | 2 | 2 | 1222 | 1330 | 1.86 | 4.02 | - | - |
| 3227 | VIJAPUR (RANASAN) BOREWELLRANASAN GIDC, VILL: RANASAN, TAL : VIJAPUR, DIST: MEHSANA | GUJARAT | 30 | 35 | 7.43 | 7.59 | 2082 | 2644 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 1124 | 1474 | 0.9 | 1.51 | - | - |
| 3228 | GIDC, HALOL, PANCHMAHALBORE WELL OF M/S. SAFARI INDUSTRIES, GIDC, HALOL, DIST. PNCHMAHAL | GUJARAT | 28 | 29 | 7.45 | 7.5 | 3252 | 3908 | BDL | BDL | 1.26 | 7.14 | BDL | BDL | BDL | BDL | 1884 | 2110 | 0.99 | 1.44 | BDL | BDL |
| 3229 | GIDC, DAHOD, DAHODHAND PUMP OPP. M/S STAR REDIATOR, CHAKALIYA ROAD, GIDC, DAHOD, DIST. DAHOD | GUJARAT | 28 | 29 | 7.2 | 7.76 | 1727 | 1836 | BDL | BDL | 0.67 | 9.98 | BDL | BDL | BDL | BDL | 1120 | 1310 | 0.94 | 1.1 | BDL | BDL |
| 3230 | BOREWELL OF GIDC, JUNAGADHPLOT NO. 317, GIDC-II, DOLATPARA, AT:JUNAGADH, TAL:JUNAGADH, DIST:JUNAGADH | GUJARAT | 28 | 28 | 7.1 | 7.97 | 3390 | 4511 | 1.1 | 1.1 | 1.33 | 1.35 | BDL | BDL | BDL | BDL | 2388 | 3048 | 0.77 | 0.95 | - | - |
| 3231 | BOREWELL NEAR TSDF SITE OF SAURASHTRA ENVIRO PROJECT LTD., JUNA KATARIYA, BHACHAUBOREWELL NEAR TSDF SITE OF SAURASHTRA ENVIRO PROJECT LTD., JUNA KATARIYA, BHACHAU | GUJARAT | 26 | 35 | 7.72 | 8.02 | 560 | 630 | 2.3 | 2.8 | - | - | BDL | BDL | BDL | BDL | 382 | 412 | - | - | - | - |
| 3232 | BOREWELL OF GIDC, ANTALIA WATER SUPPLY, BILLIMORA, GANDEVIAT- GIDC - ANTALIA, TA- | GUJARAT | 30 | 33 | 7.87 | 8.22 | 2411 | 3494 | 1.4 | 1.5 | 0.51 | 0.58 | 2 | 2 | 2 | 2 | 1192 | 2096 | 0.24 | 0.26 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|-----|------|------|-------------------------|-------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | GANDEVI, DI - NAVSARI, GUJARAT. | | | | | | | | | | | | | | | | | | | | | |
| 3233 | BOREWELL OF KALIYAWADI GRID ROAD, NAVSARIAT - KALIYAWADI, NAVSARI CITY, TA & DI - NAVSARI, GUJARAT. | GUJARAT | 30 | 31 | 8.15 | 8.21 | 2614 | 2629 | 1.7 | 1.7 | 0.33 | 0.47 | 2 | 2 | 2 | 2 | 1324 | 1576 | 0.28 | 0.29 | BDL | BDL |
| 3234 | BOREWELL NERA TSDF OF NANDESARI ENVIRO CONTROL LIMITED, NANDESARI, VADODARATSDF SITE OF NANDESARI | GUJARAT | 28 | 30 | 6.92 | 8.29 | 4887 | 10717 | 1.6 | 1.6 | 1.14 | 11.9 | BDL | BDL | BDL | BDL | 3170 | 7230 | 0.81 | 1.35 | BDL | BDL |
| 3235 | BOREWELL OF GIDC KALOL, B/H GIDC OFFICE, GIDC, KALOL, GANDHINAGARBOREWELL OF KALOL GIDC | GUJARAT | 28 | 30 | 7.6 | 7.64 | 2109 | 2798 | 1.1 | 1.1 | 0.39 | 0.72 | 2 | 2 | 2 | 2 | 1265 | 1624 | 0.58 | 0.99 | BDL | BDL |
| 3236 | BOREWELL OF M/S ALFA ECA (I) LTD., UNIT-1, SR.NO. 249, UMA IND. ESTATE, VASNA, IYAVA, SANAND, AHMEDABADSR.NO. 249, UMA IND. ESTATE, VASNA, IYAVA, SANAND, AHMEDABAD | GUJARAT | 28 | 32 | 7.63 | 7.76 | 3372 | 4690 | 1.3 | 1.3 | 0.47 | 0.7 | 2 | 2 | 2 | 2 | 1798 | 2520 | 0.58 | 0.81 | BDL | BDL |
| 3237 | BOREWELL OF L & T LTD., PLOT NO. 144/146, SARKHEJ-BAVLA ROAD, SANAND, AHMEDABAD PLOT NO. 144/146, SARKHEJ-BAVLA ROAD, SANAND, AHMEDABAD | GUJARAT | 28 | 31 | 7.59 | 8 | 1908 | 2837 | 1.1 | 1.1 | 0.41 | 0.51 | 2 | 2 | 2 | 2 | 1272 | 1716 | 0.37 | 1 | BDL | BDL |
| 3238 | BOREWELL OF GIDC KANSARIBORE WELL OF GIDC KANSARI, IN THE PREMISES OF GIDC WATER SUPPLY TANK, GIDC KANSARI, TA. KHAMBHAT, DIST. ANAND | GUJARAT | 29 | 29 | 7.75 | 7.85 | 5725 | 5989 | BDL | BDL | 0.79 | 4.8 | BDL | BDL | BDL | BDL | 3680 | 3720 | 0.59 | 1.08 | BDL | BDL |
| 3239 | BOREWELL OF GIDC, SOJITRABOREWELL OF GIDC, SOJITRA IN THE PREMISES OF GIDC WATER SUPPLY TANK, GIDC-SOJITRA, TA. SOJITRA, DIST. ANAND. | GUJARAT | 29 | 29 | 7.65 | 7.67 | 3741 | 4020 | BDL | BDL | 0.86 | 9.5 | BDL | BDL | BDL | BDL | 2430 | 2612 | 0.77 | 1.11 | BDL | BDL |
| 3240 | BOREWELL OF AJI GIDC ASSOCIATION OFFICE, PLOT NO. C-1/2, ROAD NO -B NR. ASHISH METAL, RAJKOTBORE WELL OF | GUJARAT | 27 | 30 | 7.45 | 7.6 | - | - | 1.1 | 1.1 | 1.35 | 1.43 | BDL | BDL | BDL | BDL | 760 | 1288 | 0.24 | 0.46 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | AUSTIN AUTO ENG. AJI GIDC, RAJKOT | | | | | | | | | | | | | | | | | | | | | |
| 3241 | BOREWELL NEAR MUNICIPAL SOLID WASTE SITE, NAKARWADI, RAJKOT | GUJARAT | 29 | 30 | 7.55 | 8.22 | - | - | 1.2 | 1.2 | 1.35 | 1.35 | BDL | BDL | BDL | BDL | 1624 | 1724 | 0.35 | 0.65 | BDL | BDL |
| 3242 | BOREWELL NEAR TSDF OF GUJARAT MARITIME BOARD, ALANG, BHAVNAGARBAPA SITARAM MADHI, ALANG RD, VIL-MANAR, BHAVNAGAR | GUJARAT | 29 | 29 | 7.96 | 7.96 | 3020 | 3020 | 2.1 | 2.1 | 0.52 | 0.52 | BDL | BDL | BDL | BDL | 1710 | 1710 | 0.48 | 0.48 | BDL | BDL |
| 3243 | BOREWELL OF GIDC, VARTEJ, BHAVNAGARGIDC OF VARTEJ, NEAR MADHUSILICA INDUSTRY, VARTEJ, BHAVNAGAR | GUJARAT | 29 | 29 | 7.54 | 7.54 | 3870 | 3870 | 2.7 | 2.7 | 0.04 | 0.04 | BDL | BDL | BDL | BDL | 2146 | 2146 | 0.24 | 0.24 | BDL | BDL |
| 3244 | BOREWELL NEAR TSDF OF BHARUCH ENVIRO INFRASTRUCTURE LIMITED, ANKLESHWAR, BHARUCHAT BEIL TSDF SITE, GIDC ANKLESHWAR, DIST BHARUCH | GUJARAT | 30 | 32 | 7.16 | 7.59 | 3042 | 3993 | 5 | 5 | 0.32 | 0.32 | 2 | 2 | 2 | 2 | 2070 | 2538 | 0.32 | 0.48 | - | - |
| 3245 | BOREWELL AT DHANGADHRA NEAR DHANGADHRA CHEMICALSBOREWELL AT DHRANGADHRA, NEAR DCW LIMITED, DHRANGADHRA, TAL. DHRANGADHRA, DIST. SURENDRANAGAR | GUJARAT | 31 | 31 | 7.55 | 8.08 | 4515 | 5234 | 1.1 | 1.2 | 1.21 | 1.24 | BDL | BDL | - | - | 2740 | 3444 | 0.85 | 1.18 | BDL | BDL |
| 3246 | BOREWELL OF GIDC OFFICE, SHANKAR TEKRI, UDHYOGNAGAR, JAMNANGARBORWELL OF GIDC ASSOCIATION OFFICE, JAMNAGAR | GUJARAT | 26 | 28 | 7.31 | 7.7 | 2418 | 2851 | 1.6 | 1.7 | 0.32 | 0.33 | BDL | BDL | BDL | BDL | 1308 | 1898 | 0.24 | 0.28 | BDL | BDL |
| 3247 | BOREWELL OF SHRI MAHAVIR METAL CRAFT PVT. LTD., PLOT NO. 3059, ROAD NO.6, NR. MAHAVIR CIRCLE, PHASE-III, GIDC, DARED, JAMNAGARPLOT NO. 3059, ROAD NO.6, NR. MAHAVIR CIRCLE, PHASE-III, GIDC, DARED, JAMNAGAR | GUJARAT | 25 | 28 | 7.28 | 7.47 | 2280 | 2897 | 1.5 | 1.7 | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 1316 | 1520 | 0.23 | 0.23 | BDL | BDL |
| 4411 | BOREWELL OF MR. HITENDRABHAI LAKHMANBHAI KER SHIV SAI PARK, NEW SMASHAN ROAD, | GUJARAT | 27 | 28 | 7.32 | 7.48 | 2755 | 2901 | 1.6 | 1.6 | 0.32 | 0.34 | BDL | BDL | BDL | BDL | 1314 | 1334 | 0.21 | 0.23 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | | |
|--------------|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|--|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | |
| | GANDHINAGARSHIV SAI PARK, NEW SMASHAN ROAD, GANDHINAGAR | | | | | | | | | | | | | | | | | | | | | | |
| 4412 | BOREWELL OF SHRI KANKESHWAR MAHADEV MANDIR, OPP. MSW DUMPSITE, VIBHAPAROPP. MSW DUMPSITE, VIBHAPAR | GUJARAT | 28 | 29 | 7.38 | 7.4 | 1390 | 5594 | 1.1 | 6 | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 636 | 4106 | 0.25 | 0.25 | BDL | BDL | |
| 4413 | B/W OF JASHWANTBHAI PARMAR, S. NO. 18 AT: VILLAGE KALAMSAR, TA KHAMBHATB/W OF JASHWANTBHAI PARMAR S. NO. 18, NR.KHODIYAR PURA, VILL. KALAMSAR, TA. KHAMBHAT, DIST. ANAND | GUJARAT | 28 | 29 | 8.05 | 8.42 | 1575 | 2012 | BDL | BDL | 0.47 | 3.77 | BDL | BDL | BDL | BDL | 1030 | 1372 | 0.6 | 0.72 | BDL | BDL | |
| 4416 | BORE WELL AT VORAGAMDINEAR MSW SITE OF VADODARA MUNICIPAL CORPORATION | GUJARAT | 29 | 29 | 7.78 | 7.9 | 2452 | 2524 | BDL | BDL | 0.32 | 0.81 | - | - | - | - | 1588 | 1640 | 0.77 | 0.85 | BDL | BDL | |
| 4422 | BORE WELL OF ITI COLLAGE OPP, M/S PALIWAL MILK AT MOTA SONELA, MODASA ROAD, TAL, LUNAVADA, DIST. MAHISAGARBORE WELL OF ITI COLLAGE, MOTASONELA, TAL. LUNAWADA, DIST. MAHISAGAR | GUJARAT | 28 | 29 | 7.14 | 7.32 | 976 | 1292 | BDL | BDL | 0.65 | 9.13 | BDL | BDL | BDL | BDL | 630 | 724 | 0.44 | 0.86 | BDL | BDL | |
| 4836 | TUBEWELL NO. 1, NEAR UPSTREAM GHAGGAR RIVER, VILLAGE CHIALI | HARYANA | - | - | 7.8 | 8 | 850 | 874 | BDL | BDL | - | - | - | - | BDL | BDL | 510 | 686 | - | - | - | - | |
| 4837 | TUBEWELL NO. 2, NEAR GURUDWARA, VILLAGE BHATIA | HARYANA | - | - | 7.5 | 7.8 | 1080 | 1120 | BDL | BDL | - | - | - | - | BDL | BDL | 648 | 668 | - | - | - | - | |
| 4838 | HAND PUMP INSTALLED NEAR PIR BABA MANDIR, SECTOR - 13, BHIWANI | HARYANA | - | - | 7.9 | 7.9 | - | - | - | - | - | - | - | - | BDL | BDL | 612 | 612 | - | - | - | - | |
| 4839 | TUBEWELL AT PRITHLA, PALWAL | HARYANA | 20 | 22 | 7.1 | 7.3 | 2970 | 3760 | BDL | BDL | - | - | - | - | - | - | 1630 | 2070 | BDL | BDL | - | - | |
| 4840 | TUBEWELL AT HATHIN, PLAWAL | HARYANA | 21 | 21 | 7.4 | 7.7 | 5970 | 6330 | BDL | BDL | - | - | - | - | - | - | 3280 | 3480 | 0.7 | 0.9 | - | - | |
| 4841 | TUBEWELL AT GARHI, HODAL , PALWAL | HARYANA | 21 | 21 | 7.5 | 7.8 | 4510 | 4810 | BDL | BDL | - | - | - | - | - | - | 2480 | 2670 | 0.9 | 1.1 | - | - | |
| 4842 | TUBEWELL NEAR POLICE STATION | HARYANA | 7.3 | 20 | 7.3 | 7.4 | 2340 | 2420 | BDL | BDL | | | BDL | BDL | BDL | BDL | 1280 | 1330 | BDL | BDL | - | - | |
| 4843 | GEPIL, VILLAGE PALI, MOHABATABAD CRUSHER ZONE, FARIDABAD | HARYANA | 21 | 29 | 6.7 | 7.5 | 1130 | 1230 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 620 | 680 | 0.7 | 0.7 | - | - | |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4847 | TUBEWELL NO. 4, HAILY MANDI, TEHSIL - PATAUDI (PWD), GURUGRAM | HARYANA | 15.1 | 33.4 | 7 | 7.1 | 1350 | 1390 | - | - | - | - | - | - | 700 | 800 | 744 | 766 | - | - | - | - |
| 4848 | TUBEWELL HSSIDC, NEAR PLOT NO. 7, SECTOR 37, GURUGRAM | HARYANA | 28 | 28 | 7.4 | 7.4 | 1040 | 1040 | - | - | - | - | - | - | - | - | 570 | 570 | 0.9 | 0.9 | - | - |
| 4849 | BOREWELL AT ENTRY GATE OF ANSAL PIONEER INDUSTRIAL PARK, PATHERI, BILASPUR, GURUGRAM | HARYANA | 26.8 | 26.8 | 7.5 | 7.5 | 1410 | 1410 | - | - | - | - | - | - | 800 | 800 | 770 | 770 | - | - | - | - |
| 4850 | BOREWELL OF WATER WORKS, SECTOR - 35, HSIIDC, NH - 8, GURUGRAM | HARYANA | 23.8 | 23.8 | 7.1 | 7.1 | 1420 | 1420 | - | - | - | - | - | - | 900 | 900 | 780 | 780 | - | - | - | - |
| 4852 | TUBEWELL AT FAUJI DHABA, GT KARNAL ROAD, PANIPAT | HARYANA | - | - | 8.19 | 8.19 | 904 | 904 | 2.4 | 2.4 | 0.38 | 0.38 | - | - | - | - | 530 | 530 | 0.23 | 0.23 | - | - |
| 1555 | TUBEWELL NEAR JSV PUMP STATION RESIDENTIAL AREA KHERI, KALA AMB, | HIMACHAL PRADESH | - | - | 7.15 | 7.23 | 969 | 1099 | 1.1 | 1.1 | 0.32 | 3.83 | BDL | BDL | BDL | BDL | 420 | 465 | 0.45 | 0.82 | - | - |
| 1556 | BOREWELL NEAR JSV TANK HEERPUR AT PAONTA SAHIB | HIMACHAL PRADESH | 21 | 25 | 7.74 | 7.97 | 446 | 840 | BDL | BDL | 0.32 | 5 | BDL | BDL | 4.5 | 6.8 | 285 | 353 | 0.47 | 1.09 | - | - |
| 1557 | BOREWELL AT GABRIEL INDIA LTD. INDUSTRIAL AREA PARWANOO | HIMACHAL PRADESH | - | - | 7.47 | 8.06 | 551 | 739 | BDL | BDL | 5.71 | 13.96 | 14 | 14 | 70 | 70 | 276 | 417 | 0.48 | 0.48 | - | - |
| 1558 | GROUND WATER NEAR VMT SPINNING AT BADDI | HIMACHAL PRADESH | - | - | 7.73 | 7.73 | 1807 | 1807 | BDL | BDL | 2.52 | 2.52 | BDL | BDL | BDL | BDL | 1446 | 1446 | 0.23 | 0.23 | - | - |
| 1559 | GROUND WATER NEAR HIGH VALLEY RESIDENTIAL COLONY BAROTIWALA AT BAROTIWALA | HIMACHAL PRADESH | - | - | 7.35 | 7.98 | 680 | 1767 | 2 | 2 | 2.23 | 14.81 | 4 | 4 | 38 | 38 | 363.6 | 919 | 0.5 | 0.5 | - | - |
| 1560 | GROUND WATER NEAR DURGA TEMPLE RAJPURA ROAD NALAGARH AT NALAGARH | HIMACHAL PRADESH | - | - | 7.38 | 7.7 | 999 | 1078 | BDL | BDL | 5.68 | 11.64 | 2 | 2 | 25 | 25 | 576 | 593 | 0.92 | 0.92 | - | - |
| 1561 | GROUND WATER NEAR RAM GOPAL TEMPLE AT DAMTAL | HIMACHAL PRADESH | 26 | 26 | 6.88 | 6.88 | 753 | 753 | | | 0.32 | 0.32 | 2 | 2 | 24 | 24 | 480 | 480 | BDL | BDL | - | - |
| 1562 | BOREWELL NEAR ISBT UNA | HIMACHAL PRADESH | 25.5 | 29 | 7.36 | 7.43 | 461 | 646 | BDL | BDL | 0.32 | 3.13 | 2 | 2 | 17 | 31 | 318 | 402 | BDL | BDL | - | - |
| 1873 | GROUND WATER U/S OF MSW DUMPING SITE AT DHARAMSHALA KANGRA | HIMACHAL PRADESH | 12 | 12 | 6.85 | 6.91 | 317 | 323 | BDL | BDL | 0.47 | 0.47 | 2 | 2 | 17 | 17 | 220 | 224 | BDL | BDL | - | - |
| 1874 | SPRING SOURCE (GROUND WATER) BELOW SWM SITE AT SALOGRA, VILL. SALOGRA, DISTT. SOLAN | HIMACHAL PRADESH | 12 | 19 | 7.94 | 8.12 | 211 | 612 | BDL | BDL | 3 | 7.41 | 2 | 22 | 25 | 79 | 108 | 337 | 0.33 | 0.42 | - | - |
| 1876 | BOREWELL AT HPMC PARWANOO | HIMACHAL PRADESH | - | - | 7.75 | 8.35 | 424 | 522 | BDL | BDL | 5.54 | 14.31 | 2 | 2 | 27 | 27 | 212 | 274 | 0.47 | 0.47 | - | - |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|------------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|-------|-----------------|------|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1877 | GROUND WATER NEAR USV LIMITED HPSIDC BADDI AT BADDI INDUSTRIAL AREA | HIMACHAL PRADESH | - | - | 7.97 | 8.42 | 521 | 683 | BDL | BDL | 1.94 | 2.62 | 2 | 2 | 21 | 21 | 287 | 451 | 0.26 | 1.3 | - | - |
| 1878 | GROUND WATER (NEAR ELECTRICITY OFFICE BAROTIWALA) BAROTIWALA INDUSTRIAL AREA | HIMACHAL PRADESH | - | - | 7.59 | 7.94 | 525 | 1690 | 3 | 3 | 6.72 | 12.93 | 8 | 8 | 70 | 70 | 295 | 896 | 0.35 | 0.35 | - | - |
| 1879 | GROUND WATER (NEAR ACME FORMULATION NALAGARH) NALAGARH INDUSTRIAL AREA | HIMACHAL PRADESH | - | - | 7.37 | 8 | 747 | 961 | BDL | BDL | 5.41 | 14.3 | 2 | 2 | 21 | 21 | 481 | 554.2 | 0.33 | 0.62 | - | - |
| 1880 | TUBEWELL OPPOSITE IIIT COLLEGE OF ENGINEERING NEAR INDUSTRIAL AREA JOHRON KALA AMB | HIMACHAL PRADESH | - | - | 7.36 | 7.54 | 941 | 1081 | BDL | BDL | 0.32 | 3.9 | BDL | BDL | BDL | BDL | 332 | 490 | 0.24 | 0.44 | - | - |
| 1881 | BOREWELL NEAR JSV TANK, SWCA OFFICE AT GONDPUR, INDUSTRIAL AREA, PAONTA SAHIB | HIMACHAL PRADESH | 22 | 25 | 7.73 | 7.87 | 452 | 789 | 1.1 | 1.1 | 0.32 | 11.86 | BDL | BDL | 4.5 | 4.5 | 289 | 308 | 0.46 | 0.93 | - | - |
| 1882 | BOREWELL NEAR OVERHEAD TANK OF IADA MEHATPUR INDUSTRIAL AREA | HIMACHAL PRADESH | 25 | 25 | 6.7 | 6.7 | 747 | 747 | BDL | BDL | 0.32 | 0.32 | 2 | 2 | 31 | 31 | 505 | 505 | BDL | BDL | - | - |
| 2628 | HAND PUMP NEAR THE BUS STOP AT WORKSHOP CHOWK | HIMACHAL PRADESH | 12 | 20 | 7.7 | 8 | 390 | 500 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 267 | 345 | 0.29 | 0.29 | - | - |
| 2629 | HAND PUMP AT MANDI TOWN (NEAR CANARA BANK) | HIMACHAL PRADESH | 21 | 22 | 8.1 | 8.33 | 198 | 540 | BDL | BDL | 0.41 | 0.98 | BDL | BDL | BDL | BDL | 134 | 367 | 0.31 | 0.31 | - | - |
| 2630 | HANDPUMP NEAR EXIT GATE OF BUS STAND HAMIRPUR | HIMACHAL PRADESH | 23 | 25.8 | 7.58 | 7.64 | 559 | 639 | BDL | BDL | 0.32 | 2.1 | 2 | 2 | 17 | 22 | 396 | 407 | BDL | BDL | - | - |
| 2631 | HAND PUMP INSIDE THE BUS STAND AT NADAUN TOWN | HIMACHAL PRADESH | 25.5 | 26 | 6.9 | 7.67 | 314 | 668 | BDL | BDL | 0.32 | 3.46 | 2 | 2 | 3.6 | 24 | 213 | 428 | BDL | BDL | - | - |
| 2632 | HAND PUMP AT BILASPUR TOWN (NEAR LAXMINARAYAN TEMPLE) | HIMACHAL PRADESH | 19 | 23 | 7.42 | 7.54 | 628 | 795 | BDL | BDL | 0.33 | 4.04 | BDL | BDL | BDL | BDL | 433 | 540 | 0.24 | 0.32 | - | - |
| 2633 | HAND PUMP AT RECONGPEO | HIMACHAL PRADESH | - | - | 7.99 | 8.01 | 450 | 505 | BDL | BDL | 0.32 | 12.62 | BDL | BDL | BDL | BDL | 295 | 303 | 0.25 | 0.25 | BDL | BDL |
| 2634 | HAND PUMP NEAR VIJAYNAGAR TOTU SHIMLA | HIMACHAL PRADESH | 10 | 10 | 7.96 | 7.96 | 287 | 287 | BDL | BDL | 4.97 | 4.97 | - | - | - | - | 183 | 183 | BDL | BDL | BDL | BDL |
| 2635 | HAND PUMP NEAR NOGLI AT RAMPUR | HIMACHAL PRADESH | - | - | 7.78 | 8.13 | 355 | 429 | BDL | BDL | 0.32 | 39.77 | 9.2 | 9.2 | 21 | 21 | 212 | 302 | 0.25 | 0.25 | BDL | BDL |
| 2636 | HAND PUMP NEAR KANGRA TEMPLE | HIMACHAL PRADESH | - | - | 6.89 | 6.89 | 494 | 494 | BDL | BDL | 2.68 | 2.68 | 2 | 2 | 17 | 17 | 345 | 345 | BDL | BDL | - | - |
| 2637 | HAND PUMP AT JWALAJI TEMPLE | HIMACHAL PRADESH | - | - | 6.74 | 7.12 | 156 | 1364 | BDL | BDL | 0.32 | 1.28 | 2 | 2 | 13 | 22 | 126 | 811 | BDL | BDL | - | - |
| 2638 | BOREWELL NEAR CHINTPURNI TEMPLE AT UNA TOWN | HIMACHAL PRADESH | 23 | 26.5 | 7.5 | 7.52 | 401 | 455 | BDL | BDL | 0.32 | 3.26 | 2 | 2 | 13 | 25 | 272 | 313 | BDL | BDL | - | - |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|------------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|------|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2639 | HAND PUMP NEAR CHAMUNDA DEVI TEMPLE | HIMACHAL PRADESH | 18 | 18 | 6.8 | 7.89 | 119 | 142 | BDL | BDL | 0.32 | 1.68 | 2 | 2 | 21 | 24 | 79 | 101 | BDL | BDL | - | - |
| 2640 | HAND PUMP NEAR SANSARPUR TERRACE INDUSTRIAL AREA | HIMACHAL PRADESH | 23 | 23 | 6.78 | 6.91 | 289 | 551 | BDL | BDL | 0.32 | 5.15 | 2 | 2 | 21 | 38 | 188 | 385 | BDL | BDL | - | - |
| 2641 | HAND PUMP NEAR TEXTI STAND CHAMBA TOWN | HIMACHAL PRADESH | 15 | 15 | 7.85 | 7.85 | 320 | 320 | BDL | BDL | 1.91 | 1.91 | 2 | 2 | 17 | 17 | 218 | 218 | BDL | BDL | - | - |
| 2642 | HAND PUMP NEAR HOTEL PINE WOOD AT DALHOUSIE ROAD | HIMACHAL PRADESH | 14 | 14 | 7.09 | 7.09 | 592 | 592 | BDL | BDL | 2.28 | 2.28 | 2 | 2 | 13 | 13 | 408 | 408 | BDL | BDL | - | - |
| 2645 | HAND PUMP AT NAHAN NEAR POLICE POST GUNNUGHAT | HIMACHAL PRADESH | - | - | 7.85 | 7.91 | 541 | 758 | 1.1 | 1.1 | 0.32 | 2.88 | BDL | BDL | BDL | BDL | 241 | 336 | 0.43 | 1.21 | - | - |
| 2646 | HAND PUMP NEAR MOGINANAD AT KALA AMB | HIMACHAL PRADESH | - | - | 7.2 | 7.31 | 893 | 1006 | BDL | BDL | 0.32 | 3.92 | BDL | BDL | BDL | BDL | 372 | 480 | 0.45 | 0.74 | - | - |
| 2647 | HAND PUMP AT TAHLIWAL BAZAR | HIMACHAL PRADESH | 31 | 31 | 7.55 | 7.55 | 617 | 617 | BDL | BDL | 0.32 | 0.32 | 2 | 2 | 33 | 33 | 392 | 392 | BDL | BDL | - | - |
| 2648 | HAND PUMP AT KEYLONG | HIMACHAL PRADESH | 6 | 13 | 7.21 | 8.24 | 315 | 388 | BDL | BDL | 0.32 | 2.87 | BDL | BDL | BDL | BDL | 214 | 265 | 0.49 | 0.54 | - | - |
| 4434 | BOREWELL NEAR UNA-HAROLI BRIDGE INDUSTRIAL AREA JEETPUR BEHRI | HIMACHAL PRADESH | 21 | 27 | 7.18 | 7.24 | 396 | 436 | BDL | BDL | 0.32 | 4.2 | 2 | 2 | 17 | 27 | 182 | 265 | BDL | BDL | - | - |
| 4456 | HANDPUMP NEAR SATSANG BHAWAN VILLAGE MUGLA | HIMACHAL PRADESH | 15 | 17 | 6.62 | 7.7 | 124 | 437 | BDL | BDL | 0.63 | 1.47 | 2 | 2 | 21 | 21 | 81 | 302 | BDL | BDL | - | - |
| 4465 | GROUND WATER INTAKE POINT OF BBMB AT VILL. HARABAGH | HIMACHAL PRADESH | 13 | 23 | 7.09 | 7.88 | 380 | 710 | BDL | BDL | 0.39 | 2.38 | 23 | 63 | 150 | 280 | 259 | 486 | 0.24 | 0.76 | - | - |
| 4467 | GROUND WATER NEAR LIFT WATER SUPPLY SCHEME AT DARI DHARAMSHALA AT HOTEL DHAULADHAR HEIGHTS DARI, DHARAMSHALA | HIMACHAL PRADESH | - | - | 6.85 | 7.57 | 153 | 163 | BDL | BDL | 0.32 | 2.68 | 2 | 2 | 21 | 27 | 105 | 116 | BDL | BDL | - | - |
| 4468 | GROUND WATER SUPPLY SCHEME NEAR MELA GROUND DARI, DHARAMSHALA | HIMACHAL PRADESH | - | - | 6.83 | 7.53 | 151 | 159 | BDL | BDL | 0.32 | 1.14 | 2 | 2 | 17 | 31 | 101 | 105 | BDL | BDL | - | - |
| 4472 | GROUND WATER NEAR SUPPLY SCHEME AT NAGROTA BHAGWAN | HIMACHAL PRADESH | - | - | 6.61 | 6.95 | 194 | 203 | BDL | BDL | 0.32 | 0.32 | 2 | 2 | 13 | 13 | 125 | 140 | BDL | BDL | - | - |
| 4478 | LIFTING WATER SUPPLY SCHEME SHAMSHI, NEAR SABJI MANDI BHUNTER, TEHSIL KULLU | HIMACHAL PRADESH | 12 | 12 | 7.9 | 7.9 | 202 | 202 | BDL | BDL | 0.32 | 0.32 | 41 | 41 | 220 | 220 | 137 | 137 | BDL | BDL | - | - |
| 4483 | GROUND WATER SUPPLY SCHEME (MC UNA) | HIMACHAL PRADESH | 26 | 28 | 7.22 | 7.5 | 464 | 478 | BDL | BDL | 0.32 | 2.6 | 2 | 2 | 21 | 33 | 241 | 325 | BDL | BDL | - | - |
| 4484 | DRINKING WATER SUPPLY SCHEME NO. 7, SANOLI | HIMACHAL PRADESH | 20 | 25.5 | 6.92 | 7.8 | 165 | 899 | BDL | BDL | 0.61 | 3.12 | 2 | 2 | 17 | 21 | 113 | 485 | BDL | BDL | - | - |
| 5249 | GROUND WATER NEAR PULGHRAT BRIDGE ALONG NATIONAL HIGHWAY | HIMACHAL PRADESH | 18 | 22 | 8.03 | 8.4 | 205 | 274 | BDL | BDL | 0.67 | 0.99 | BDL | BDL | BDL | BDL | 137 | 183 | 0.24 | 0.24 | - | - |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|---|------------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|------|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 5250 | BOREWELL IN THE PREMISES OF M/S BHAGWATI AUTOMOBILE, PLOT NO. 13, INDL AREA SAULI KHAD, DIST. MANDI | HIMACHAL PRADESH | 19 | 21 | 6.57 | 7.2 | 190 | 262 | BDL | BDL | 1.27 | 4.64 | BDL | BDL | BDL | BDL | 127 | 174 | 0.22 | 0.95 | - | - |
| 5258 | GROUUND WATER AT VPO SANOLI, SUB-TEHSIL MEHTAPUR (DRINKING WATER SUPPLY SCHEME) | HIMACHAL PRADESH | 18 | 29.5 | 6.64 | 8.01 | 832 | 1232 | BDL | BDL | 0.32 | 5.21 | 2 | 4 | 12 | 49 | 259 | 898 | BDL | BDL | - | - |
| 2759 | DUGWELL AT GAGHWAL(KATHUA DISTT) | JAMMU & KASHMIR | 18 | 18 | 7.1 | 7.1 | 468 | 468 | - | - | - | - | - | - | - | - | 274 | 274 | - | - | - | - |
| 2760 | MALADHAR TALAB(POND)HATLI (KATHUA) | JAMMU & KASHMIR | 21 | 21 | 7.96 | 7.96 | 186 | 186 | 1.6 | 1.6 | - | - | - | - | - | - | 110 | 110 | - | - | - | - |
| 2761 | TUBE WELL KATHUA SICOP INDUSTRIAL AREA KATHUA | JAMMU & KASHMIR | 18 | 18 | 6.86 | 6.86 | 430 | 430 | - | - | - | - | - | - | - | - | 256 | 256 | - | - | - | - |
| 2762 | R.S. PURA TEHSIL, JAMMU | JAMMU & KASHMIR | 23 | 23 | 7.88 | 7.88 | 1055 | 1055 | 2.3 | 2.3 | - | - | - | - | - | - | 596 | 596 | - | - | - | - |
| 4064 | BOREWELL NEAR INDUSTRIAL AREA GANGYAL | JAMMU & KASHMIR | 23 | 23 | 7.32 | 7.32 | 312 | 312 | - | - | - | - | - | - | - | - | 188 | 188 | - | - | - | - |
| 4065 | BOREWELL NEAR INDUSTRIAL AREA BARI-BRAHMNA | JAMMU & KASHMIR | 23 | 23 | 7.52 | 7.52 | 324 | 324 | - | - | - | - | - | - | - | - | 190 | 190 | - | - | - | - |
| 4066 | BOREWELL NEAR INDUSTRIAL AREA SAMBA | JAMMU & KASHMIR | 18 | 18 | 7.2 | 7.2 | 560 | 560 | - | - | - | - | - | - | - | - | 326 | 326 | - | - | - | - |
| 4067 | BOREWELL NEAR INDUSTRIAL AREA UDHAMPUR | JAMMU & KASHMIR | 18 | 18 | 8.15 | 8.15 | 430 | 430 | - | - | - | - | - | - | - | - | 254 | 254 | - | - | - | - |
| 4068 | BABA TALAB (ANCIENT POND) AT MISHRIWALA (WETLAND) | JAMMU & KASHMIR | 21 | 21 | 7.65 | 7.65 | 320 | 320 | BDL | BDL | - | - | - | - | - | - | 188 | 188 | - | - | - | - |
| 4069 | ANCIENT BOWLIES IN UDHAMPUR AT GANGERA BOWLI | JAMMU & KASHMIR | 15 | 15 | 8 | 8 | 520 | 520 | BDL | BDL | - | - | - | - | - | - | 304 | 304 | - | - | - | - |
| 4070 | ANCIENT BOWLIES IN UDHAMPUR AT REHMATI MOHALLA BOWLI | JAMMU & KASHMIR | 15 | 15 | 7.95 | 7.95 | 480 | 480 | BDL | BDL | - | - | - | - | - | - | 282 | 282 | - | - | - | - |
| 4072 | BOREWELL IN SMAILPUR NEAR CHRISTIAN HOSPITAL | JAMMU & KASHMIR | 23 | 23 | 7.62 | 7.62 | 356 | 356 | - | - | - | - | - | - | - | - | 210 | 210 | - | - | - | - |
| 4073 | BOREWELL NEAR MAIN CHOWK, SMAILPUR | JAMMU & KASHMIR | 24 | 24 | 7.74 | 7.74 | 396 | 396 | - | - | - | - | - | - | - | - | 234 | 234 | - | - | - | - |
| 4492 | HAND PUMP NEAR GARBAGE DUMP, RAKSHIBANDH DUMKA | JHARKHAND | 23 | 33 | 7.5 | 7.6 | 202 | 238 | 1.1 | 1.2 | - | - | - | - | - | - | 200 | 230 | - | - | - | - |
| 4493 | HOLY POND AT VILLAGE SIKATIA | JHARKHAND | 22 | 32 | 7.5 | 7.6 | 235 | 280 | 1.2 | 1.6 | - | - | - | - | - | - | 230 | 276 | - | - | - | - |
| 4758 | GOVT. HANDPUMP NEAR HOUSE OF RAJENDRA SINGH MUNDA, KOKRANA MURI | JHARKHAND | 18 | 26 | 6.6 | 6.8 | | | 1.3 | 6.6 | - | - | - | - | - | - | 382 | 386 | - | - | - | - |
| 3564 | BOREWELL WATER NEAR MANGALIYOTHI SCHOOL MSW SITE VAMMANJOOR | KARNATAKA | 27 | 28 | 7.1 | 7.3 | 174 | 184 | 3 | 3 | 2.74 | 3.77 | 11 | 94 | 140 | 920 | 120 | 124 | BDL | BDL | - | - |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|------------|------------------|-----|-----|-----|-------------------------|-----|------------|-----|------------------------------|-------|----------------------------|------|----------------------------|------|-------------------------------|-----|-----------------|------|----------------|-------|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 19 | WELL AT ELOOR,ERNAKULAM | KERALA | 26 | 27 | 5.7 | 5.8 | 100 | 140 | 1.6 | 1.6 | 1.02 | 1.53 | 170 | 410 | 240 | 630 | 69 | 80 | BDL | BDL | 0.001 | 0.001 |
| 22 | WELL AT CHUNGAPALLY, KERALA | KERALA | 26 | 29 | 5.9 | 6.6 | 103 | 142 | BDL | BDL | 1.21 | 1.21 | 6 | 40 | 40 | 120 | 62 | 85 | BDL | BDL | - | - |
| 35 | WELL AT PUNALUR, KERALA | KERALA | 23 | 25 | 6.4 | 8 | 157 | 260 | 1.1 | 1.1 | 2.08 | 2.08 | 31 | 31 | 100 | 100 | 90 | 167 | BDL | BDL | BDL | BDL |
| 1581 | WELL AT PAPPANAMKODE, THIRUVANANTHAPURAM, KERALA | KERALA | 27 | 27 | 5.2 | 5.2 | 158 | 210 | 1.8 | 1.8 | - | - | 100 | 200 | 310 | 400 | 93 | 120 | BDL | BDL | 0.004 | 0.004 |
| 1582 | WELL AT NEDUMANGAD, THIRUVANANTHAPURAM, KERALA | KERALA | 27 | 27 | 5.9 | 6.1 | 210 | 270 | 2.2 | 2.2 | - | - | 310 | 600 | 600 | 1000 | 126 | 155 | BDL | BDL | BDL | BDL |
| 1583 | WELL AT KUNDARA, KOLLAM DISTT. , KERALA | KERALA | 22 | 27 | 6.5 | 7.1 | 153 | 314 | 1.1 | 1.8 | 16.2 | 16.2 | BDL | BDL | 70 | 110 | 84 | 203 | BDL | BDL | BDL | BDL |
| 1584 | WELL AT CHERTHALA, ALLEPPY, KERALA | KERALA | 30 | 30 | 7.2 | 7.4 | 209 | 268 | 1.4 | 1.8 | - | - | 200 | 200 | 400 | 490 | 141 | 178 | 0.8 | 0.8 | BDL | BDL |
| 1585 | WELL AT VYTTILA, ERNAKULAM DISTT. KERALA | KERALA | 28 | 29 | 7.3 | 7.4 | 450 | 540 | 1.3 | 1.5 | 5.96 | 5.96 | 2400 | 3800 | 3300 | 7000 | 260 | 320 | BDL | BDL | 0.004 | 0.004 |
| 1586 | WELL AT EDAYAR ERNAKULAM DISTT. , KERALA | KERALA | 27 | 28 | 6.1 | 6.2 | 265 | 340 | 1.1 | 1.4 | 0.59 | 3.07 | 580 | 1000 | 790 | 4000 | 168 | 213 | BDL | BDL | 0.004 | 0.004 |
| 1587 | WELL AT KALAMASSERY ERNAKULAM DISTT. ,KERALA | KERALA | 27 | 27 | 5.9 | 5.9 | 245 | 300 | 1.2 | 1.2 | 1.38 | 7.24 | 14 | 27 | 63 | 70 | 136 | 168 | BDL | BDL | - | - |
| 1588 | WELL AT PUNKUNNAM TRISSUR DISTT. , KERALA | KERALA | 23 | 32 | 7.2 | 7.4 | 151 | 250 | 1.3 | 1.9 | 9.35 | 9.35 | 250 | 250 | 490 | 490 | 90 | 170 | 0.78 | 0.78 | BDL | BDL |
| 1589 | WELL AT MALAPURAM , KERALA | KERALA | 21 | 23 | 7.1 | 7.5 | 326 | 353 | BDL | BDL | 1.3 | 3.5 | 34 | 43 | 63 | 120 | 195 | 208 | BDL | BDL | 0.003 | 0.003 |
| 1590 | WELL AT MAVOOR, KOZHIKKODE DISTT. , KERALA | KERALA | 26 | 30 | 6.3 | 6.9 | 79 | 81 | BDL | BDL | - | - | 100 | 430 | 140 | 810 | 46 | 48 | BDL | BDL | - | - |
| 1591 | WELL AT KANNUR MUNICIPALITY KANNUR | KERALA | 28 | 28 | 4.4 | 5.5 | 100 | 116 | 1.8 | 1.8 | - | - | 110 | 150 | 200 | 400 | 66 | 68 | BDL | BDL | BDL | BDL |
| 1592 | WELL AT PAYYANNUR, KANNUR DISTT. , KERALA | KERALA | 27 | 29 | 6.6 | 6.7 | 112 | 262 | 1.4 | 1.4 | - | - | 40 | 490 | 200 | 910 | 60 | 180 | BDL | BDL | BDL | BDL |
| 2308 | WELL AT FATHIMAPURAM (CHANGANASSERY) | KERALA | 27 | 28 | 6.3 | 6.8 | 151 | 168 | 1.9 | 1.9 | 1.46 | 1.46 | 150 | 150 | 400 | 400 | 102 | 105 | BDL | BDL | 0.012 | 0.012 |
| 2309 | WELL AT KAROOR (PALA) | KERALA | 25 | 26 | 5.4 | 5.7 | 81 | 153 | 1.1 | 1.2 | 0.67 | 0.67 | BDL | BDL | 100 | 250 | 58 | 92 | 1.1 | 1.1 | - | - |
| 2310 | WELL AT VAIKOM | KERALA | 25 | 26 | 5.2 | 5.7 | 156 | 249 | 1.4 | 1.4 | - | - | BDL | BDL | 200 | 200 | 100 | 172 | BDL | BDL | - | - |
| 2311 | WELL AT VADAVATHOOR (KOTTAYAM) | KERALA | 26 | 27 | 4.9 | 6.2 | 77 | 103 | BDL | BDL | 1.47 | 1.84 | 250 | 250 | 610 | 910 | 60 | 72 | BDL | BDL | 0.001 | 0.001 |
| 2313 | WELL AT SARVODAPURAM, ALAPPUZHA | KERALA | 30 | 30 | 7.2 | 7.4 | 156 | 234 | 1.9 | 2 | - | - | 700 | 700 | 1800 | 1800 | 108 | 132 | 0.8 | 0.8 | BDL | BDL |
| 2314 | WELL AT KUREEPUZHA (KOLLAM) | KERALA | 23 | 27 | 6.5 | 7.1 | 163 | 323 | 1.2 | 1.4 | 36.24 | 36.24 | 40 | 40 | 10 | 140 | 98 | 211 | BDL | BDL | BDL | BDL |
| 2315 | WELL AT K.M.M.L. (KOLLAM) | KERALA | 23 | 24 | 7.2 | 8.3 | 221 | 438 | 1.4 | 1.9 | 3.81 | 3.81 | 31 | 40 | 81 | 120 | 140 | 286 | BDL | BDL | BDL | BDL |
| 2316 | WELL AT CHELLORA TRENCHING GROUND (KANNUR) | KERALA | 27 | 27 | 4.7 | 6.2 | 133 | 146 | BDL | BDL | - | - | 79 | 600 | 310 | 790 | 65 | 102 | BDL | BDL | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|-------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|------|-------------------------------|------|-----------------|------|----------------|-------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2317 | WELL AT PUNNALPETTIPALAM | KERALA | 26 | 28 | 6.5 | 6.8 | 145 | 330 | BDL | BDL | - | - | 40 | 100 | 100 | 350 | 95 | 231 | BDL | BDL | 0.004 | 0.004 |
| 2320 | WELL AT MANJERI | KERALA | 21 | 23 | 7 | 7.2 | 252 | 254 | BDL | BDL | 0.7 | 2.7 | 32 | 32 | 81 | 150 | 140 | 142 | BDL | BDL | 0.001 | 0.001 |
| 2321 | WELL AT LALOOR (THRISSUR) | KERALA | 24 | 30 | 7.1 | 7.8 | 83 | 245 | 1.4 | 2.1 | 5.38 | 5.38 | BDL | BDL | BDL | BDL | 53 | 155 | 0.67 | 0.67 | BDL | BDL |
| 2322 | WELL AT OLLUR (THRISSUR) | KERALA | 28 | 29 | 6.1 | 7.3 | 93 | 172 | 1.1 | 1.6 | 6.38 | 6.38 | BDL | BDL | BDL | BDL | 57 | 120 | 0.38 | 0.73 | BDL | BDL |
| 2323 | WELL AT BRAHMAPURAM M.S.W. DUMPARK | KERALA | 27 | 28 | 6 | 6.5 | 150 | 204 | 1.2 | 1.7 | 0.57 | 0.57 | 94 | 400 | 630 | 1300 | 83 | 121 | BDL | BDL | BDL | BDL |
| 2324 | WELL AT HAZARDOUS WASTE DUMP (AMBALAMUGAL BOREWELL) | KERALA | 27 | 28 | 5 | 5.7 | 100 | 110 | BDL | BDL | 1.02 | 4.98 | 200 | 790 | 790 | 1200 | 64 | 66 | BDL | BDL | 0.002 | 0.002 |
| 2327 | WELL AT KARUKAMANI | KERALA | 27 | 28 | 6.9 | 8.4 | 855 | 885 | 1.7 | 1.7 | 0.5 | 0.5 | 400 | 400 | 300 | 900 | 548 | 559 | 0.48 | 0.48 | 0.008 | 0.008 |
| 3463 | WELL AT VELLIPARAMBA, KOZHEKODE | KERALA | 26 | 30 | 5.5 | 6.9 | 81 | 116 | BDL | BDL | - | - | 40 | 400 | 81 | 630 | 50 | 68 | BDL | BDL | - | - |
| 3472 | WELL OF TEMPLE PARASSINIKADAVU, KANNUR | KERALA | 28 | 29 | 5.3 | 7.3 | 215 | 435 | 1.6 | 1.6 | - | - | 79 | 600 | 350 | 910 | 120 | 305 | BDL | BDL | BDL | BDL |
| 3474 | WELL AT PAYANOOR, KANNUR | KERALA | 27 | 29 | 6.5 | 7.6 | 111 | 118 | 1.9 | 3 | - | - | 70 | 600 | 310 | 910 | 70 | 70 | BDL | BDL | BDL | BDL |
| 3475 | WELL AT KARIMBAM, KANNUR | KERALA | 27 | 28 | 4.3 | 6.1 | 55 | 130 | 1.6 | 2.2 | - | - | 80 | 310 | 300 | 490 | 39 | 73 | BDL | BDL | 0.003 | 0.003 |
| 5219 | WELL AT SRI KIRATHAMOORTHY SIVA TEMPLE, KANJIKKODE, PALAKKAD | KERALA | 26 | 27 | 6.5 | 7.7 | 92 | 147 | BDL | BDL | 1.1 | 1.1 | 600 | 600 | 1400 | 1400 | 58 | 86 | 0.33 | 0.33 | BDL | BDL |
| 1402 | WELL C/O KULAKKINAPURA | LAKSHADWEEP | 28.7 | 28.7 | 7.13 | 7.13 | 810 | 810 | - | - | - | - | 37 | 37 | 240 | 240 | 543 | 543 | - | - | - | - |
| 1593 | WELL NEAR JB SCHOOL (E) | LAKSHADWEEP | 28.3 | 28.3 | 7.47 | 7.47 | 920 | 920 | - | - | - | - | BDL | BDL | 8 | 8 | 616 | 616 | - | - | - | - |
| 1594 | WELL NEAR OTTAVATHIL PALLI | LAKSHADWEEP | 28.5 | 28.5 | 7.21 | 7.21 | 960 | 960 | - | - | - | - | 34 | 34 | 240 | 240 | 643 | 643 | - | - | - | - |
| 1595 | WELL C/O CHEKILLAM HOUSE | LAKSHADWEEP | 29.3 | 29.3 | 7.35 | 7.35 | 730 | 730 | - | - | - | - | 22 | 22 | 70 | 70 | 620 | 620 | - | - | - | - |
| 1596 | WELL C/O KADATH PALLI | LAKSHADWEEP | 28.2 | 28.2 | 7.31 | 7.31 | 630 | 630 | - | - | - | - | BDL | BDL | 1600 | 1600 | 422 | 422 | - | - | - | - |
| 1597 | WELL C/O BADAR PALLI | LAKSHADWEEP | 26.4 | 26.4 | 7.47 | 7.47 | 690 | 690 | - | - | - | - | 23 | 23 | 130 | 130 | 462 | 462 | - | - | - | - |
| 1598 | WELL C/O PUTHIYA PALLI | LAKSHADWEEP | 29.9 | 29.9 | 7.48 | 7.48 | 640 | 640 | - | - | - | - | 13 | 13 | 23 | 23 | 355 | 355 | - | - | - | - |
| 1599 | WELL C/O PURATHA PALLI | LAKSHADWEEP | 28.5 | 28.5 | 7.29 | 7.29 | 620 | 620 | - | - | - | - | 17 | 17 | 22 | 22 | 570 | 570 | - | - | - | - |
| 1600 | WELL C/O ANDAM PALLI | LAKSHADWEEP | 29.5 | 29.5 | 7 | 7 | 730 | 730 | - | - | - | - | BDL | BDL | 43 | 43 | 480 | 480 | - | - | - | - |
| 1601 | WELL C/O CIRCUIT HOUSE | LAKSHADWEEP | 28.2 | 28.2 | 7.46 | 7.46 | 660 | 660 | - | - | - | - | BDL | BDL | 33 | 33 | 570 | 570 | - | - | - | - |
| 1602 | WELL C/O GOVT. PRESS | LAKSHADWEEP | 27.3 | 27.3 | 7.47 | 7.47 | 720 | 720 | - | - | - | - | 130 | 130 | 240 | 240 | 482 | 482 | - | - | - | - |
| 1603 | WELL C/O POLICE QUARTERS | LAKSHADWEEP | 29.5 | 29.5 | 7.18 | 7.18 | 1750 | 1750 | - | - | - | - | 13 | 13 | 13 | 13 | 400 | 400 | - | - | - | - |
| 1604 | WELL BACK SIDE OF TEMPLE | LAKSHADWEEP | 29 | 29 | 7.28 | 7.28 | 1530 | 1530 | - | - | - | - | 4 | 4 | 22 | 22 | 1010 | 1010 | - | - | - | - |
| 1605 | WELL AT CHICKEN NECK | LAKSHADWEEP | 29.4 | 29.4 | 7.44 | 7.44 | 1709 | 1709 | - | - | - | - | 170 | 170 | 170 | 170 | 1245 | 1245 | - | - | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--------------------------------|-------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|-----|----------------------------|-----|----------------------------|------|-------------------------------|------|-----------------|-----|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1606 | WELL NEAR POWER HOUSE QUARTERS | LAKSHADWEEP | 27.6 | 27.6 | 7.18 | 7.18 | 1200 | 1200 | - | - | - | - | 70 | 70 | 110 | 110 | 970 | 970 | - | - | - | - |
| 4548 | WELL C/O POULTRY FARM | LAKSHADWEEP | 29.1 | 29.1 | 7.41 | 7.41 | 540 | 540 | - | - | - | - | 7 | 7 | 17 | 17 | 350 | 350 | - | - | - | - |
| 4549 | WELL NEAR NARANGA PURA | LAKSHADWEEP | 29 | 29 | 7.31 | 7.31 | 1720 | 1720 | - | - | - | - | 19 | 19 | 280 | 280 | 1152 | 1152 | - | - | - | - |
| 4550 | WELL NEAR SLAUTER HOUSE | LAKSHADWEEP | 28.2 | 28.2 | 7.36 | 7.36 | 810 | 810 | - | - | - | - | 24 | 24 | 1600 | 1600 | 543 | 543 | - | - | - | - |
| 4551 | WELL NEAR LTDD PLANT | LAKSHADWEEP | 24.2 | 24.2 | 7.23 | 7.23 | 1130 | 1130 | - | - | - | - | 22 | 22 | 130 | 130 | 757 | 757 | - | - | - | - |
| 4552 | WELL C/O HIGH SCHOOL | LAKSHADWEEP | 28.2 | 28.2 | 7.46 | 7.46 | 930 | 930 | - | - | - | - | 7 | 7 | 26 | 26 | 530 | 530 | - | - | - | - |
| 4553 | WELL NEAR JBS (N) | LAKSHADWEEP | 29.6 | 29.6 | 7.24 | 7.24 | 1320 | 1320 | - | - | - | - | 4 | 4 | 1600 | 1600 | 1250 | 1250 | - | - | - | - |
| 4554 | WELL C/O IG HOSPITAL | LAKSHADWEEP | 29.2 | 29.2 | 7.09 | 7.09 | 780 | 780 | - | - | - | - | 9 | 9 | 12 | 12 | 710 | 710 | - | - | - | - |
| 4555 | WELL NEAR WASTE DUMPING SITE | LAKSHADWEEP | 28.5 | 28.5 | 7.35 | 7.35 | 1620 | 1620 | - | - | - | - | 11 | 11 | 21 | 21 | 990 | 990 | - | - | - | - |
| 4556 | WELL C/O SOLAR POWER PLANT | LAKSHADWEEP | 28.6 | 28.6 | 7.44 | 7.44 | 840 | 840 | - | - | - | - | 7 | 7 | 22 | 22 | 460 | 460 | - | - | - | - |
| 4558 | WELL C/O BARALI SURAMBI | LAKSHADWEEP | 30.4 | 31.7 | 7.1 | 7.3 | 1100 | 1228 | - | - | - | - | - | - | - | - | 715 | 798 | - | - | - | - |
| 4559 | WELL C/O THAJ MANZIL | LAKSHADWEEP | 30.4 | 31.9 | 7.1 | 7.2 | 1330 | 2100 | - | - | - | - | - | - | - | - | 865 | 1365 | - | - | - | - |
| 4560 | WELL C/O POOVALAP | LAKSHADWEEP | 30 | 30.6 | 6.9 | 7 | 1011 | 1214 | - | - | - | - | - | - | - | - | 657 | 789 | - | - | - | - |
| 4561 | WELL C/O PUTHIYA PAKKIMADA | LAKSHADWEEP | 30.1 | 30.8 | 7 | 7.3 | 1029 | 1271 | - | - | - | - | - | - | - | - | 669 | 826 | - | - | - | - |
| 4562 | WELL C/O BELIYACHADA | LAKSHADWEEP | 32.6 | 32.8 | 7.3 | 7.4 | 1820 | 3600 | - | - | - | - | - | - | - | - | 1183 | 2340 | - | - | - | - |
| 4563 | WELL C/O KANCHARAKAKADA | LAKSHADWEEP | 30.6 | 31.1 | 6.8 | 6.9 | 1136 | 1860 | - | - | - | - | - | - | - | - | 738 | 1209 | - | - | - | - |
| 4564 | WELL C/O KUNJACHA | LAKSHADWEEP | 32.1 | 32.3 | 6.8 | 6.8 | 954 | 964 | - | - | - | - | - | - | - | - | 620 | 627 | - | - | - | - |
| 4565 | WELL C/O LAGOONS BATH | LAKSHADWEEP | 32.1 | 32.9 | 7 | 7 | 989 | 1001 | - | - | - | - | - | - | - | - | 643 | 651 | - | - | - | - |
| 4566 | WELL NEAR S&T | LAKSHADWEEP | 32.4 | 32.9 | 7.1 | 7.1 | 1002 | 1201 | - | - | - | - | - | - | - | - | 651 | 781 | - | - | - | - |
| 4567 | WELL C/O UJRA PALLI | LAKSHADWEEP | 30.1 | 31.1 | 7 | 7.1 | 125 | 559 | - | - | - | - | - | - | - | - | 363 | 363 | - | - | - | - |
| 4569 | WELL C/O DARUL NOOR | LAKSHADWEEP | 32.4 | 32.5 | 7 | 7.1 | 862 | 1203 | - | - | - | - | - | - | - | - | 560 | 781 | - | - | - | - |
| 4570 | WELL C/O CHC SUB CENTRE NORTH | LAKSHADWEEP | 30.2 | 31.7 | 7.2 | 7.4 | 2310 | 2630 | - | - | - | - | - | - | - | - | 1502 | 1710 | - | - | - | - |
| 4571 | WELL C/O MAMPURAM | LAKSHADWEEP | 32.4 | 34.8 | 7.1 | 7.1 | 1320 | 1700 | - | - | - | - | - | - | - | - | 858 | 1105 | - | - | - | - |
| 4572 | WELL C/O OBSERVATORY | LAKSHADWEEP | 32.5 | 32.7 | 7.3 | 7.5 | 702 | 712 | - | - | - | - | - | - | - | - | 456 | 463 | - | - | - | - |
| 4573 | WELL C/O BALIYOMME CHETTA | LAKSHADWEEP | 32.7 | 32.8 | 6.9 | 7.1 | 2280 | 2750 | - | - | - | - | - | - | - | - | 1483 | 1788 | - | - | - | - |
| 4574 | WELL C/O MOULA PALLI | LAKSHADWEEP | 30.2 | 30.9 | 7.1 | 7.2 | 690 | 724 | - | - | - | - | - | - | - | - | 449 | 471 | - | - | - | - |
| 4575 | WELL C/O BEEREDAM | LAKSHADWEEP | 30.1 | 30.3 | 7.1 | 7.4 | 958 | 1001 | - | - | - | - | - | - | - | - | 623 | 651 | - | - | - | - |
| 4576 | WELL C/O HUSSAIN MANZIL | LAKSHADWEEP | 32.1 | 32.4 | 7.1 | 7.3 | 657 | 662 | - | - | - | - | - | - | - | - | 427 | 430 | - | - | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|----------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 52 | WELL, SHRI RAO PRAJAPATI WELL , M. P. (T/W OF HANIF KHAN S/O JABBAR KHAN, AMRAWATI ROAD, BURHANPUR) | MADHYA PRADESH | 20 | 21.5 | 7.84 | 8.3 | 891 | 1320 | BDL | BDL | 2.1 | 2.59 | BDL | BDL | 3.6 | 3.7 | 564 | 730 | 0.64 | 0.76 | - | - |
| 1616 | TUBE WELL WATER - INDUSTRIAL AREA, GOVINDPURA, BHOPAL, (M.P) | MADHYA PRADESH | 26 | 27 | 7.49 | 7.69 | 867 | 1428 | 1.5 | 1.6 | 21.19 | 24.15 | 3.7 | 13 | 27 | 350 | 618 | 968 | BDL | BDL | BDL | BDL |
| 1617 | OPEN WELL/TUBE WELL INDUSTRIAL AREA MANDIDEEP, DISTT.RAISEN, M.P | MADHYA PRADESH | 25 | 27 | 7.21 | 8.12 | 920 | 1200 | 1.5 | 2 | 11.42 | 13.42 | 26 | 38 | 220 | 430 | 535 | 790 | BDL | BDL | BDL | BDL |
| 1618 | HAND PUMP, MALANPUR HARI RAM KA PURA (EAST) | MADHYA PRADESH | 18 | 22 | 7.2 | 7.72 | 435 | 936 | - | - | 0.48 | 1.3 | - | - | - | - | 282 | 585 | - | - | - | - |
| 1619 | HAND PUMP, JHIRONGI, MALANPUR BHIND (WEST) | MADHYA PRADESH | 27.5 | 29 | 7.68 | 7.8 | 655 | 864 | - | - | 1.3 | 2.75 | 3 | 3 | 12 | 12 | 440 | 540 | - | - | - | - |
| 1897 | TUBE WELL AT JAINABAD, NEAR TAPTI RIVER BRIDGE, PUMPING STN. BURHANPUR, M.P. | MADHYA PRADESH | 20 | 21 | 5 | 7.84 | 808 | 1320 | BDL | BDL | 2.06 | 2.83 | BDL | BDL | 3.7 | 3.7 | 490 | 730 | 0.52 | 0.76 | - | - |
| 2143 | HAND PUMP WATER AT KATHONDA, JABALPUR | MADHYA PRADESH | 22.7 | 22.7 | 7.23 | 7.26 | 278 | 809 | BDL | BDL | 2.3 | 2.3 | 2 | 2 | 10 | 10 | 92 | 262 | - | - | BDL | BDL |
| 2144 | HAND PUMP WATER AT MADAI GRAM, JABALPUR | MADHYA PRADESH | - | - | 8.33 | 8.33 | 524 | 524 | BDL | BDL | - | - | - | - | - | - | 498 | 498 | - | - | BDL | BDL |
| 2145 | WELL AT MEHATWAS, NAGDA | MADHYA PRADESH | 27 | 27 | 7.29 | 7.38 | 1480 | 1932 | 1.4 | 1.4 | 4.7 | 5.87 | - | - | - | - | 1034 | 1636 | - | - | BDL | BDL |
| 2146 | WELL AT BHAGATPURI VILLAGE, NAGDA | MADHYA PRADESH | 27 | 27 | 7.19 | 7.55 | 1242 | 1626 | 1.2 | 1.2 | 1.82 | 4.14 | - | - | - | - | 874 | 1380 | - | - | BDL | BDL |
| 2147 | WELL AT PRATAL NAGAR, DEWAS | MADHYA PRADESH | - | - | 7.24 | 7.24 | 1716 | 1716 | 1.6 | 1.6 | 3.98 | 3.98 | - | - | - | - | 1188 | 1188 | - | - | BDL | BDL |
| 2148 | WELL AT DOSIGAON, RATLAM | MADHYA PRADESH | 29 | 29 | 7.41 | 7.46 | 1940 | 2162 | 1.4 | 1.8 | 4.98 | 9.28 | BDL | BDL | 12 | 48 | 1514 | 1640 | 0.26 | 0.26 | BDL | BDL |
| 2149 | WELL AT CULVERT ON A.B. ROAD, MAKSI | MADHYA PRADESH | 24 | 24 | 7.6 | 7.72 | 976 | 1748 | 1.4 | 1.4 | 4.62 | 4.88 | - | - | - | - | 684 | 1224 | - | - | BDL | BDL |
| 2150 | WELL AT TRENCHING GROUND, NEAR GARDEN, DEV GURADIYA ROAD, INDORE | MADHYA PRADESH | 20 | 21 | 7.6 | 8.05 | 1516 | 2779 | BDL | BDL | 2.21 | 3.47 | BDL | BDL | 3.6 | 3.7 | 952 | 1767 | 0.67 | 0.72 | - | - |
| 2151 | WELL AT TRENCHING GROUND IN THE PREMISES OF M/S RISHABH MASALA UDYOG, INDORE | MADHYA PRADESH | 21 | 21 | 7.41 | 7.56 | 3112 | 3439 | 1.2 | 1.2 | 4.75 | 5.27 | BDL | BDL | 3.7 | 5.6 | 1930 | 2163 | 0.65 | 0.89 | - | - |
| 2152 | WELL AT TRENCHING GROUND IN THE PREMISES OF M/S LAKHANI FOOT WEAR, INDORE | MADHYA PRADESH | 21 | 21.5 | 7.5 | 7.8 | 1744 | 4379 | 1.2 | 1.2 | 3.13 | 4.19 | BDL | BDL | 3.6 | 5.6 | 1140 | 2727 | 0.72 | 0.79 | - | - |
| 2153 | TUBWELL WATER AT IBRAHIMGANJ NEAR BUS STAND, BHOPAL (M.P.) | MADHYA PRADESH | 25 | 25 | 7.05 | 7.26 | 504 | 700 | BDL | BDL | 5.72 | 37.78 | 17 | 17 | 26 | 46 | 340 | 418 | 0.97 | 0.97 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|----------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2154 | WELL AT NEAR PRIMARY SCHOOL, PILUKHEDI, RAJGARH. | MADHYA PRADESH | 28 | 28 | 7.1 | 7.1 | 810 | 810 | - | - | 0.47 | 0.47 | - | - | - | - | 520 | 520 | - | - | - | - |
| 3332 | TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA, DEWAS | MADHYA PRADESH | 22 | 30 | 7.12 | 7.78 | 1426 | 3060 | 1.2 | 2 | 4.34 | 6.53 | - | - | - | - | 998 | 2190 | - | - | BDL | BDL |
| 3333 | HAND PUMP WATER AT BANSKHEDI, BHOPAL(M.P.) | MADHYA PRADESH | 23 | 24 | 7.05 | 7.08 | 464 | 551 | BDL | BDL | 0.87 | 3.13 | BDL | BDL | 21 | 21 | 252 | 358 | 0.67 | 0.67 | BDL | BDL |
| 3335 | TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA RECHHAI, JABALPUR | MADHYA PRADESH | 23 | 23 | 7 | 7.31 | 527 | 638 | BDL | BDL | 2.3 | 2.3 | 2 | 2 | 10 | 10 | 475 | 503 | - | - | BDL | BDL |
| 3337 | TUBE WELL/ HAND PUMP AT INDL AREA SEONI NEAR BARAPATTHAR | MADHYA PRADESH | 22 | 22 | 7.25 | 7.4 | 240 | 324 | 1.8 | 1.8 | 0.32 | 0.39 | BDL | BDL | 17 | 17 | 140 | 292 | BDL | BDL | - | - |
| 3338 | HAND PUMP NEAR PANCHAYAT BHAWAN, VILLAGE TINAWALI RAIRU | MADHYA PRADESH | 26 | 28 | 7.25 | 7.25 | 850 | 930 | - | - | 1.1 | 1.1 | - | - | - | - | 500 | 617 | - | - | - | - |
| 3339 | TUBE WELL/ HAND PUMP NEAR MANGLIA INDUSTRIAL AREA , INDORE | MADHYA PRADESH | 21 | 21 | 7.4 | 7.64 | 1188 | 1400 | BDL | BDL | 2.03 | 3.46 | BDL | BDL | 3.6 | 3.7 | 742 | 803 | 0.69 | 0.74 | - | - |
| 3340 | TUBE WELL AT NEAR TRENCHING GROUND, INDORE | MADHYA PRADESH | 20 | 21 | 7.59 | 7.7 | 1182 | 2605 | BDL | BDL | 2.8 | 3.12 | BDL | BDL | 3.6 | 5.5 | 1110 | 1663 | 0.66 | 0.77 | - | - |
| 3341 | TUBE WELL AT SECTOR-III, PITHAMPUR INDUSTRIAL AREA | MADHYA PRADESH | 20.5 | 22 | 7.33 | 7.99 | 1147 | 8888 | BDL | BDL | 2.1 | 3.15 | BDL | BDL | 3.6 | 3.6 | 533 | 789 | 0.72 | 0.82 | - | - |
| 3342 | BOREWELL WATER AT VILLAGE TARPUR, SECTOR-II, PITHAMPUR,INDUSTRIAL AREA | MADHYA PRADESH | 20 | 22 | 7.33 | 7.6 | 663 | 682 | BDL | BDL | 2.94 | 3.85 | BDL | BDL | 3.5 | 3.6 | 399 | 494 | 0.72 | 0.78 | - | - |
| 3344 | TUBEWELL AT INDL AREA, SHAHDOLU/G WATER SAMPLE FROM INDUSTRIAL AREA,NARSARHA,DISTT. SHAHDOL(M.P.) | MADHYA PRADESH | 28.2 | 30 | 7.35 | 7.72 | 663 | 712 | BDL | BDL | 0.86 | 1.64 | BDL | BDL | BDL | BDL | 519 | 581 | - | - | - | - |
| 3345 | TUBEWELL AT INDL AREA, ANUPPUR | MADHYA PRADESH | 27.8 | 29.8 | 6.87 | 7.12 | 798 | 6875 | BDL | BDL | 1.44 | 1.84 | BDL | BDL | BDL | BDL | 570 | 653 | - | - | - | - |
| 3822 | GROUND WATER NEAR BUS STAND, DIST NARSINGPUR | MADHYA PRADESH | 23 | 23 | 7.4 | 7.4 | 210 | 230 | 1.8 | 1.8 | - | - | - | - | - | - | 150 | 170 | - | - | BDL | BDL |
| 3823 | GROUND WATER NEAR BUS STAND, DIST BALAGHAT | MADHYA PRADESH | 22 | 22 | 7.38 | 7.5 | 200 | 612 | BDL | BDL | - | - | - | - | - | - | 100 | 580 | - | - | BDL | BDL |
| 3824 | GROUND WATER VILL BHEEMJORI, MALAJKH, DIST BALAGHAT | MADHYA PRADESH | 22 | 22 | 7.5 | 7.5 | - | - | 1.4 | 1.4 | - | - | BDL | BDL | 9 | 9 | 130 | 130 | - | - | - | - |
| 3825 | GROUND WATER NEAR BUS STAND, DIST MANDLA | MADHYA PRADESH | - | - | 7.21 | 7.5 | 190 | 312 | BDL | BDL | - | - | - | - | - | - | 130 | 280 | - | - | - | - |
| 3826 | GROUND WATER NEAR BUS STAND, DIST SEONI | MADHYA PRADESH | - | - | 7.18 | 7.5 | 190 | 366 | BDL | BDL | - | - | - | - | - | - | 130 | 354 | - | - | BDL | BDL |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|----------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|-----|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3827 | GROUND WATER VILL IMALIA, DIST JABALPUR | MADHYA PRADESH | 23.2 | 23.2 | 7.36 | 7.85 | 428 | 428 | BDL | BDL | - | - | - | - | - | - | 292 | 478 | BDL | BDL | BDL | BDL |
| 3837 | GROUND WATER PRIMARY SCHOOL DHOBI GHAT, DIST SINGROULI | MADHYA PRADESH | - | - | 7.37 | 7.37 | 1036 | 1036 | - | - | 3.96 | 3.96 | - | - | - | - | 598 | 598 | - | - | - | - |
| 3838 | GROUND WATER NCL, JINGURDHA, QSHF-176 METENCE OFF, DIST SINGROULI | MADHYA PRADESH | - | - | 7.71 | 7.71 | 1213 | 1213 | - | - | 4.02 | 4.02 | - | - | - | - | 926 | 926 | - | - | - | - |
| 3839 | GROUND WATER NEAR SHIV MANDIR, AMLORI NCL, PROJECT SINGROULI | MADHYA PRADESH | - | - | 6.88 | 6.88 | 1026 | 1026 | - | - | 3.94 | 3.94 | - | - | - | - | 779 | 779 | - | - | - | - |
| 3840 | GROUND WATER NEAR SUBJEE MANDI NCL JAYANT (BESIDE POLICE STATION), SINGROULI | MADHYA PRADESH | 24 | 24 | 7.26 | 7.26 | 1035 | 1035 | - | - | 3.03 | 3.03 | - | - | - | - | 589 | 589 | - | - | - | - |
| 3841 | GROUND WATER SARVESWAR RAJA COLONY JAYANT, SINGROULI | MADHYA PRADESH | 25 | 25 | 7.3 | 7.3 | 1056 | 1056 | - | - | 0.38 | 0.38 | - | - | - | - | 771 | 771 | - | - | - | - |
| 3842 | GROUND WATER NEAR SUB STATION SECTOR-B, DUDHICHUA NCL PROJECT, SINGROULI | MADHYA PRADESH | 23 | 23 | 7.6 | 7.6 | 723 | 723 | - | - | 3.82 | 3.82 | - | - | - | - | 375 | 375 | - | - | - | - |
| 3843 | GROUND WATER NEAR ENTRANCE GAGE OF VIVEKANANAD STATUE, NIGAH, SINGROULI | MADHYA PRADESH | 28 | 28 | 7.87 | 7.87 | 958 | 958 | - | - | 4.43 | 4.43 | - | - | - | - | 586 | 586 | - | - | - | - |
| 3844 | GROUND WATER NEAR COMMERCIAL AUTO MOBILE NEAR BHARAT PETROL PUMP, VINDHYA NAGAR, SINGROULI | MADHYA PRADESH | 27 | 27 | 7.49 | 7.49 | 670 | 670 | - | - | 4.76 | 4.76 | - | - | - | - | 499 | 499 | - | - | - | - |
| 4618 | GROUND WATER AT INDUSTRIAL AREA, MANERI DISTT MANDLA | MADHYA PRADESH | - | - | 7.23 | 7.23 | 496 | 508 | BDL | BDL | - | - | - | - | - | - | 413 | 428 | - | - | BDL | BDL |
| 4625 | HAND PUMP WATER AT DISTRICT HOSPITAL, BHOPAL (M.P.) | MADHYA PRADESH | 22 | 24 | 7.18 | 7.21 | 673 | 688 | BDL | BDL | 6.59 | 8.07 | 4 | 4 | 33 | 33 | 430 | 488 | BDL | BDL | BDL | BDL |
| 4626 | HAND PUMP WATER AT DISTRICT HOSPITAL ,SEHORE (M.P.) | MADHYA PRADESH | 25 | 27 | 6.93 | 6.97 | 686 | 1212 | BDL | BDL | 10.42 | 46.48 | 3.6 | 6.1 | 210 | 210 | 504 | 790 | BDL | BDL | BDL | BDL |
| 4627 | HAND PUMP DISTRICT HOSPITAL HOSHANGABAD | MADHYA PRADESH | 27 | 27 | 7.23 | 7.23 | 688 | 688 | 1.1 | 1.1 | 7.2 | 7.2 | 11 | 11 | 350 | 350 | 438 | 438 | BDL | BDL | BDL | BDL |
| 4628 | HAND PUMP WATER AT DISTRICT HOSPITAL ,VIDISHA(M.P.) | MADHYA PRADESH | 25 | 30 | 6.96 | 7.57 | 685 | 816 | 1.4 | 2.7 | 1.14 | 10.77 | BDL | BDL | 34 | 94 | 464 | 556 | BDL | BDL | BDL | BDL |
| 4629 | HAND PUMP DSTRICCT HOSPITAL RAISEN | MADHYA PRADESH | 26 | 29 | 7.62 | 7.63 | 871 | 878 | 2.2 | 3 | 9.51 | 13.42 | BDL | BDL | 9.2 | 17 | 600 | 639 | BDL | BDL | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|-------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1985 | DUG WELL AT 5-STAR INDUSTRIAL ESTATE, VILLAGE-KASHIMIRA , TALUKA- THANE, DISTRICT-THANE. | MAHARASHTRA | 26 | 29 | 6.9 | 7.5 | 882 | 1775 | 6 | 50 | - | - | 7.8 | 22 | 49 | 49 | 788 | 1612 | 1.4 | 1.4 | BDL | BDL |
| 1987 | BORE WELL AT VASAI, VILLAGE-GOKHIWARE, TALUKA- VASAI, DISTRICT- PALGHAR. | MAHARASHTRA | 26 | 27 | 7 | 7.4 | 629 | 1333 | 4.2 | 5 | 1.15 | 1.15 | 6.8 | 13 | 46 | 70 | 608 | 1208 | 0.24 | 0.79 | BDL | BDL |
| 1989 | BORE WELL AT MWML SITE AT TALOJA, VILLAGE-KARAWLA-TALOJA, TALUKA- PANVEL, DISTRICT- RAIGAD. | MAHARASHTRA | 27 | 29 | 7.1 | 7.1 | 1763 | 2205 | 5 | 5 | 0.33 | 0.59 | 17 | 23 | 70 | 140 | 1914 | 1914 | BDL | BDL | BDL | BDL |
| 1990 | BORE WELL AT BMW SITE, VILLAGE-BURUDGAON ,TALUKA-AHMEDNAGAR,DISTRICT-AHMEDNAGAR. | MAHARASHTRA | 20 | 24 | 7.2 | 7.3 | 2355 | 3458 | 3.4 | 3.6 | 0.34 | 5.64 | 4 | 6 | 40 | 63 | 1810 | 2789 | BDL | BDL | - | - |
| 1991 | BORE WELL AT MSW SITE,VILLAGE-PATHARDI ,TALUKA- NASHIK,DISTRICT-NASHIK. | MAHARASHTRA | 26 | 27 | 7.5 | 7.6 | 582 | 1700 | 3.5 | 6.2 | 0.34 | 1.75 | 6 | 11 | 58 | 79 | 461 | 1321 | BDL | BDL | BDL | BDL |
| 1992 | DUG WELL AT MSW SITE, OWNED BY SHRI. DATTU KONDIBA BORATE AT BORATE VASTHI, VILLAGE- MOSHI, PIMPRI CHINCHWAD, TALUKA- HAWELI, DISTRICT- PUNE. | MAHARASHTRA | 26 | 29 | 7.2 | 7.6 | 659 | 706 | 4.4 | 6.2 | 2.51 | 5.81 | 6 | 9 | 95 | 250 | 540 | 612 | 0.58 | 0.58 | - | - |
| 1993 | DUG WELL AT PANDHARPUR, VILLAGE-PANDHARPUR, TALUKA-GANGAPUR, DISTRICT - AURANGABAD. | MAHARASHTRA | 28 | 40 | 7.3 | 7.7 | 1247 | 1619 | 2.4 | 5.8 | 13 | 19.7 | 2 | 2 | 6.8 | 23 | 1052 | 1220 | 0.51 | 1.02 | - | - |
| 1994 | DUG WELL AT TPS-DURGAPUR, NEAR NASEEB KIRANA AND GENERAL STORES, VILLAGE-DURGAPUR, TALUKA-CHANDRAPUR, DISTRICT-CHANDRAPUR. | MAHARASHTRA | 19 | 19 | 7.2 | 7.5 | 912 | 996 | 3.2 | 3.8 | - | - | 17 | 32 | 140 | 170 | 719 | 880 | BDL | BDL | BDL | BDL |
| 1995 | GRAM PANCHAYATH DUG WELL , NEAR BALAJI GAJBHIYE HOUSE,VILLAGE-KHAPERKHEDA (WARD NO.4) , TALUKA- SAONER, DISTRICT- NAGPUR. | MAHARASHTRA | 25 | 35 | 7.8 | 8.3 | 1164 | 1229 | 3.2 | 3.4 | - | - | 10 | 26 | 94 | 170 | 969 | 1002 | 0.42 | 0.42 | BDL | BDL |
| 1996 | GRAM PANCHAYATH DUG WELL , NEAR JAGADAMBA G. M. S. MANDIR SAHAKARI SANSTHA, VILLAGE-KORADI, TALUKA-KAMPTEE, DISTRICT- NAGPUR. | MAHARASHTRA | 25 | 35 | 7.5 | 8.2 | 1404 | 1544 | 3 | 3.6 | - | - | 21 | 24 | 120 | 120 | 1269 | 1312 | BDL | BDL | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|-------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1997 | BORE WELL NEAR PRIMARY HEALTH CENTRE, VILLAGE-RAIPUR, TALUKA- HINGNA, DISTRICT- NAGPUR. | MAHARASHTRA | 18 | 18 | 7.9 | 7.9 | 1132 | 1132 | 3.2 | 3.2 | - | - | 40 | 40 | 280 | 280 | 884 | 884 | BDL | BDL | BDL | BDL |
| 1999 | BORE WELL NEAR GRAM PANCHAYAT OFFICE, VILLAGE-CHANGERA, TALUKA- GONDIA, DISTRICT- GONDIA. | MAHARASHTRA | 22 | 28 | 7 | 7.5 | 710 | 1011 | 3.4 | 6.2 | 17.63 | 17.63 | 12 | 17 | 110 | 140 | 680 | 875 | BDL | BDL | - | - |
| 2003 | DUG WELL AT PLOT NO- 4, STREET NO.49-C, AT NEHRU BAL UDYAN AZAD MAIDAN, OWNED BY YAVATMAL M.C. TALUKA-YAVATMAL, DISTRICT-YAVATMAL. | MAHARASHTRA | 20 | 20 | 8.2 | 8.3 | 1022 | 1086 | 3.2 | 3.3 | BDL | BDL | 21 | 32 | 120 | 210 | 874 | 986 | BDL | BDL | BDL | BDL |
| 2004 | BORE WELL AT PARVATI INDUSTRIAL ESTATE, VILLAGE-YADRAV, TALUKA- SHIROL, DISTRICT- KOLHAPUR. | MAHARASHTRA | 26 | 28 | 7.3 | 8 | 1180 | 3242 | 1.8 | 2.4 | 4.5 | 10.42 | 5.5 | 5.5 | 17 | 17 | 979 | 2618 | 0.28 | 0.28 | BDL | BDL |
| 2005 | BORE WELL AT KHANJIRENAGAR, VILLAGE-KHANJIRENAGAR, TALUKA-HATKANANGALE, DISTRICT-KOLHAPUR. | MAHARASHTRA | 26 | 28 | 7.6 | 8.2 | 1163 | 1500 | 2 | 2.8 | 2.2 | 10.38 | 5.5 | 5.5 | 17 | 17 | 946 | 1245 | 0.32 | 0.32 | BDL | BDL |
| 2006 | BORE WELL AT SHINOLI NEAR M/S AQUA ALLOY STEEL ,MIDC, VILLAGE-SHINOLI, TALUKA-CHANDGAD, DISTRICT-KOLHAPUR. | MAHARASHTRA | 26 | 28 | 7.4 | 8.2 | 1375 | 1548 | 1.6 | 2.2 | 1.45 | 3.71 | 5.5 | 5.5 | 17 | 17 | 1141 | 1258 | 0.26 | 1.05 | BDL | BDL |
| 2007 | BORE WELL AT SAVALI, NEAR GRAM PANCHAYAT OFFICE, VILLAGE-SAVALI, TALUKA- MIRAJ, DISTRICT- SANGLI. | MAHARASHTRA | 23 | 24 | 7.9 | 8 | 8847 | 9894 | 2 | 2.6 | 3.3 | 4.49 | 5.5 | 6.8 | 17 | 20 | 734 | 798 | BDL | BDL | BDL | BDL |
| 2008 | DUG WELL AT SAMBARWADI OWNED BY SHRI. KISHAN HALI RAJPUT. VILLAGE-SAMBARWADI, TALUKA- MIRAJ, DISTRICT-SANGLI. | MAHARASHTRA | 23 | 24 | 8.1 | 8.3 | 943 | 978 | 2.2 | 2.4 | 3.5 | 5.29 | 5.6 | 9.1 | 24 | 24 | 783 | 789 | 0.24 | 0.24 | BDL | BDL |
| 2200 | BORE WELL AT KATPUR, NEAR Z.P. SCHOOL, VILLAGE-KATPUR, TALUKA- PAITHAN, DISTRICT-AURANGABAD. | MAHARASHTRA | 28 | 40 | 7.4 | 8.4 | 1008 | 1759 | 2.8 | 3.2 | 3.7 | 11.3 | BDL | BDL | BDL | BDL | 804 | 1296 | 0.74 | 1.02 | - | - |
| 2201 | DUG WELL AT RANJANGAON, VILLAGE-RANJANGAON, TALUKA- | MAHARASHTRA | 28 | 40 | 7.4 | 7.7 | 1226 | 1615 | 2.8 | 6.2 | 11.5 | 18.8 | BDL | BDL | 2 | 23 | 1052 | 1204 | 0.72 | 0.97 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|-------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | GANGAPUR, DISTRICT- AURANGABAD. | | | | | | | | | | | | | | | | | | | | | |
| 2203 | HAND PUMP IN THE PREMISES OF ZILLA PARISHAD PRIMARY SCHOOL, VILLAGE- BHUGAON, TALUKA- WARDHA, DISTRICT- WARDHA. | MAHARASHTRA | 16 | 19 | 7.4 | 7.8 | 1204 | 1464 | 2.8 | 3 | - | - | 21 | 22 | 140 | 170 | 902 | 1160 | BDL | BDL | BDL | BDL |
| 2204 | DUG WELL AT GUNJALWADI, SANGAMNER NEAR PRIMARY HEALTH CARE CENTER, VILLAGE- GUNJALWADI, TALUKA- SANGAMNER, DISTRICT- AHMADNAGAR. | MAHARASHTRA | 20 | 25 | 7.4 | 7.7 | 1068 | 4850 | 3.4 | 3.4 | 0.67 | 0.67 | 4 | 11 | 47 | 70 | 388 | 852 | BDL | BDL | - | - |
| 2816 | DUG WELL OF MR. SAMPAT WALUNJ, NEAR M/S MAHAJEET CLAYTON, VILLAGE- SHINDE VILLAGE, TALUKA- NASHIK, DISTRICT- NASHIK. | MAHARASHTRA | 26 | 27 | 7.2 | 7.4 | 1248 | 1582 | 3.2 | 3.4 | 5.21 | 5.21 | 4 | 4 | 46 | 48 | 1004 | 1250 | BDL | BDL | BDL | BDL |
| 2817 | BORE WELL AT CHITALI NEAR WAGH VASTHI, VILLAGE- CHITALI, TALUKA- RAHATA, DISTRICT- AHMEDNAGAR. | MAHARASHTRA | 20 | 26 | 7.7 | 7.8 | 381 | 1018 | 3.2 | 3.4 | - | - | 4 | 6 | 43 | 58 | 306 | 888 | BDL | BDL | - | - |
| 2819 | DUG WELL OWNED BY SHRI DESHMUKH, VILLAGE- MALEGAON, TALUKA- BARAMATI, DISTRICT- PUNE. | MAHARASHTRA | 28 | 29 | 7.4 | 7.6 | 3421 | 3700 | 5.6 | 5.8 | 7.24 | 9.14 | 8 | 8 | 130 | 150 | 2908 | 3034 | 0.21 | 0.22 | - | - |
| 2820 | DUG WELL OWNED BY SHRI SHIVAJI BABAN DAREKAR, VILLAGE- SANASWADI, TALUKA- SHIRUR, DISTRICT- PUNE. | MAHARASHTRA | 26 | 27 | 7.9 | 8.2 | 575 | 1010 | 4.8 | 5 | 0.87 | 7.3 | 9 | 10 | 120 | 150 | 472 | 884 | 0.51 | 0.51 | - | - |
| 2821 | BORE WELL AT BALE RAILWAY STATION PREMISES OWNED BY SHRI. DIGAMBAR JOSHI, VILLAGE- DAHEGAON, TALUKA- NORTH SOLAPUR, DISTRICT- SOLAPUR. | MAHARASHTRA | 29 | 34 | 7.9 | 8.2 | 1708 | 4730 | 3.2 | 6.4 | 2.2 | 9.36 | 8 | 9 | 130 | 170 | 1472 | 3880 | 0.62 | 0.62 | BDL | BDL |
| 2822 | BORE WELL NEAR CHINCHOLI MIDC, VILLAGE- CHINCHOLI, TALUKA- MOHOL, DISTRICT- SOLAPUR. | MAHARASHTRA | 29 | 34 | 7.9 | 8 | 1715 | 4670 | 4.2 | 5.4 | 2.16 | 9.52 | 8 | 8 | 95 | 140 | 1468 | 3828 | 0.56 | 0.56 | BDL | BDL |
| 2823 | BORE WELL AT SHETE VASTI, NEAR OLD TULJAPUR ROAD, VILLAGE- SHETE VASTHI, TULJAPUR NAKA, TALUKA- SOLAPUR, DISTRICT- SOLAPUR. | MAHARASHTRA | 29 | 34 | 7.4 | 8.3 | 1726 | 4811 | 2.6 | 4.2 | 2.22 | 11.88 | 8 | 9 | 120 | 195 | 1498 | 3944 | BDL | BDL | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|-------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2825 | BORE WELL AT WAHEGAON, NEAR ZILLA PARISHAD SCHOOL,VILLAGE-WAHEGAON,TALUKA-PAITHAN, DISTRICT - AURANGABAD | MAHARASHTRA | 28 | 40 | 7.1 | 8.5 | 1735 | 2737 | 3.6 | 4.2 | 12 | 14.5 | BDL | BDL | BDL | BDL | 1250 | 2346 | 0.55 | 1.01 | - | - |
| 2826 | DUG WELL NEAR RAILWAY STATION & COTTON MARKET, VILLAGE- WARDHA, TALUKA-WARDHA, DISTRICT- WARDHA. | MAHARASHTRA | 16 | 19 | 7.3 | 7.8 | 1122 | 1579 | 3 | 3 | 2.48 | 2.48 | 17 | 26 | 120 | 130 | 875 | 1380 | BDL | BDL | BDL | BDL |
| 2828 | DUG WELL NEAR ZILLA PARISHAD PRIMARY SCHOOL, AT VILLAGE-VISAPUR, TALUKA- BALLARPUR, DISTRICT- CHANDRAPUR. | MAHARASHTRA | 19 | 19 | 8.2 | 8.3 | 962 | 1630 | 3.4 | 3.6 | - | - | 11 | 25 | 130 | 150 | 832 | 1164 | BDL | BDL | BDL | BDL |
| 2829 | BORE WELL AT MIDC, SHIROLI NEAR M/S PRATIBHA ENTERPRISES, VILLAGE-SHIROLI,TALUKA-HATKANANGALE, DISTRICT-KOLHAPUR. | MAHARASHTRA | 26 | 28 | 7.4 | 8.1 | 185 | 562 | 2 | 2 | 0.53 | 3.83 | 4 | 4 | 15 | 15 | 154 | 465 | 0.24 | 0.24 | BDL | BDL |
| 2830 | BORE WELL AT MIDC GOKUL - SHIRGAON, VILLAGE- GOKUL-SHIRGAON, TALUKA- KARVIR, DISTRICT - KOLHAPUR. | MAHARASHTRA | 26 | 28 | 7.5 | 8.2 | 578 | 629 | 1.8 | 2 | 1.67 | 1.88 | 4 | 4 | 15 | 15 | 467 | 523 | 0.23 | 0.24 | BDL | BDL |
| 2831 | DUG WELL AT SAKHARALI, NEAR MIDC ISLAMPUR NEAR KRISHNA MILK INDUSTRY, VILLAGE-SAKHARALI, TALUKA- WALWA, DISTRICT- SANGLI. | MAHARASHTRA | 24 | 24 | 8 | 8.2 | 939 | 1119 | 2.4 | 2.8 | 2.9 | 6.4 | 3.7 | 6 | 12 | 26 | 768 | 929 | 0.23 | 0.23 | BDL | BDL |
| 2832 | DUG WELL NO. 1 AT BRAHMANWADI- ANJANWEL, OWNED BY SHRI. VAIDYA, VILLAGE- ANJANWEL, TALUKA-GUHAGAR, DISTRICT- RATNAGIRI. | MAHARASHTRA | 28 | 32 | 7.4 | 7.6 | 67 | 142 | 1.8 | 2 | 0.55 | 0.55 | 5.5 | 6 | 11 | 12 | 56 | 123 | BDL | BDL | BDL | BDL |
| 2833 | DUG WELL NO. 1 OWNED BY GROUP GRAM PANCHAYAT AT ARKETWADI, NEAR MASJID, VILLAGE- ARKETWADI, TALUKA-KHED, DISTRICT- RATNAGIRI. | MAHARASHTRA | 28 | 32 | 7.6 | 7.7 | 134 | 159 | 1.8 | 2.2 | - | - | 4 | 5.5 | 13 | 17 | 112 | 136 | BDL | BDL | BDL | BDL |
| 2834 | DUG WELL NO. 2 AT ARKETWADI, VILLAGE- ARKETWADI, TALUKA - KHED, DISTRICT- RATNAGIRI. | MAHARASHTRA | 28 | 33 | 7.4 | 7.4 | 133 | 5139 | 2.6 | 3 | 0.46 | 0.46 | 6.1 | 8.2 | 17 | 27 | 110 | 4238 | 0.22 | 0.22 | BDL | BDL |
| 2835 | DUG WELL NO. 2, OWNED BY GROUP GRAM PANCHAYAT, BRAHMANWADI- ANJANWEL, | MAHARASHTRA | 28 | 32 | 6.9 | 7.4 | 69 | 298 | 1.8 | 2 | 0.72 | 0.72 | 3.6 | 3.6 | 12 | 15 | 58 | 238 | BDL | BDL | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|------|-----|-----|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4128 | F LALLAWMAWMA WELL, NEW SAIHA, SAIHA DIST. | MIZORAM | 15 | 20 | 6.3 | 7.2 | 131 | 249 | 1.4 | 1.4 | - | - | - | - | - | - | - | - | - | - | - | - |
| 4129 | TUIVAMIT SPRING WATER, AOC VENG, LAWNGTLAI | MIZORAM | 21 | 21 | 7.6 | 7.6 | 154 | 154 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4133 | NGHARPET VENG SPRING WATER, LUNGSIR, MAMIT | MIZORAM | 25 | 28 | 6.8 | 7.4 | 170 | 291 | 1.3 | 1.3 | - | - | - | - | - | - | - | - | - | - | - | - |
| 2896 | OPENWELL AT KOHIMA VILLAGE ?T? KHEL (HOUSE NO.21) | NAGALAND | 17.8 | 26 | 7.7 | 7.9 | 350 | 930 | BDL | BDL | 0.5 | 0.7 | - | - | - | - | 186 | 465 | BDL | BDL | BDL | BDL |
| 2897 | BOREWELL AT KAMDIA BAZAAR | NAGALAND | 22 | 27.8 | 6.4 | 7.6 | 228 | 288 | BDL | BDL | 0.9 | 1 | - | - | - | - | 110 | 114 | BDL | BDL | BDL | BDL |
| 2898 | OPENWELL AT DOYAPUR NEAR DIMASA BAPTIST CHURCH | NAGALAND | 23.7 | 28.6 | 5.5 | 6.1 | 179 | 182 | BDL | BDL | 0.8 | 0.9 | - | - | - | - | 73.4 | 89.4 | BDL | BDL | BDL | BDL |
| 2899 | BOREWELL AT DHANSIRIPAR NEAR SIBRAI (SHIV) TEMPLE | NAGALAND | 26.1 | 28.6 | 6.8 | 7.6 | 210 | 244 | BDL | BDL | 0.8 | 0.9 | - | - | - | - | 110 | 122 | 0.3 | 0.3 | BDL | BDL |
| 2900 | OPENWELL AT TOULAZOUMA VILLAGE (HOUSE NO.379) | NAGALAND | 23.3 | 28.5 | 6.1 | 6.9 | 216 | 234 | BDL | BDL | 0.7 | 0.8 | - | - | - | - | 102 | 117 | BDL | BDL | BDL | BDL |
| 2901 | OPENWELL AT LUNGWIRAM VILLAGE NEAR LUNGWIRAM BAPTIST CHURCH | NAGALAND | 25.5 | 28.5 | 5.7 | 6.2 | 180 | 196 | BDL | BDL | 0.6 | 0.7 | - | - | - | - | 89.1 | 90.6 | 2.8 | 2.8 | BDL | BDL |
| 2902 | BOREWELL AT THAHEKHU VILLAGE, BLOCK 3, NEAR RAILWAY CROSSING | NAGALAND | 22.3 | 28.9 | 7.5 | 7.9 | 214 | 354 | BDL | BDL | 0.6 | 0.7 | - | - | - | - | 114 | 117 | BDL | BDL | BDL | BDL |
| 2903 | BOREWELL AT SIGNAL ANGAMI VILLAGE, HOUSE NO 93 | NAGALAND | 27.2 | 28.6 | 7.2 | 7.4 | 211 | 1053 | BDL | BDL | 0.7 | 0.8 | - | - | - | - | 112 | 526 | 0.21 | 0.24 | BDL | BDL |
| 2904 | OPENWELL NEAR NAGA CEMETERY (OLD), (HOUSE NO.10) | NAGALAND | 25.6 | 29.5 | 5.8 | 6.8 | 186 | 685 | BDL | BDL | 1 | 1.1 | - | - | - | - | 94 | 342 | BDL | BDL | BDL | BDL |
| 2905 | BOREWELL AT NPCB, SIGNAL POINT | NAGALAND | 27.2 | 28.1 | 6.2 | 6.5 | 192 | 260 | BDL | BDL | 0.7 | 0.7 | - | - | - | - | 115 | 125 | BDL | BDL | BDL | BDL |
| 1644 | JAGATPUR INDUSTRIAL AREA, CUTTACK | ODISHA | 23 | 24 | 6.8 | 6.8 | 431 | 515 | 1.1 | 1.1 | 2.75 | 4.42 | 23 | 23 | 43 | 43 | - | - | 0.33 | 0.47 | - | - |
| 1645 | MADHUPATNA- KALYAN NAGAR AREA, CUTTACK | ODISHA | 24 | 24 | 6.6 | 6.7 | 318 | 372 | 1.2 | 1.2 | 0.72 | 1.05 | 23 | 23 | 31 | 31 | - | - | 0.29 | 0.44 | - | - |
| 1646 | BIDANASHI - TULASIPUR AREA, CUTTACK | ODISHA | 22 | 23 | 6.9 | 6.9 | 158 | 168 | BDL | BDL | 0.34 | 0.62 | 24 | 24 | 33 | 33 | - | - | 0.26 | 0.39 | - | - |
| 1647 | BADAMBARI AREA, CUTTACK | ODISHA | 21 | 22 | 6.7 | 7.1 | 290 | 345 | BDL | BDL | 1.81 | 2.48 | BDL | BDL | BDL | BDL | - | - | 0.34 | 0.41 | - | - |
| 1648 | RANIHAT- MANGALABAG AREA, CUTTACK | ODISHA | 22 | 23 | 7.1 | 7.1 | 219 | 283 | 1.1 | 1.1 | 0.42 | 1.62 | 31 | 31 | 43 | 43 | - | - | 0.36 | 0.42 | - | - |
| 1649 | KHANDAGIRI AREA, BHUBANESWAR | ODISHA | 20 | 28 | 5.7 | 6.9 | 172 | 268 | BDL | BDL | 0.61 | 1.12 | BDL | BDL | BDL | BDL | - | - | 0.33 | 0.8 | - | - |
| 1650 | CAPITAL HOSPITAL AREA, BHUBANESWAR | ODISHA | 20 | 28 | 6.6 | 7.1 | 247 | 256 | BDL | BDL | 0.94 | 3.42 | BDL | BDL | BDL | BDL | - | - | 0.21 | 0.63 | - | - |
| 1651 | OLD TOWN- SAMANTARAPUR AREA, BHUBANESWAR | ODISHA | 20 | 28 | 6.9 | 7.1 | 426 | 485 | BDL | BDL | 1.04 | 2.11 | 350 | 350 | 920 | 920 | - | - | 0.44 | 0.82 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|------|-------------------------------|-----|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1652 | KALPANA - LAXMISAGAR AREA, BHUBANESWAR | ODISHA | 20 | 28 | 5.3 | 6.8 | 237 | 287 | BDL | BDL | 1.32 | 4.07 | BDL | BDL | BDL | BDL | - | - | 0.32 | 0.6 | - | - |
| 1653 | MANCHESWAR INDUSTRIAL AREA, BHUBANESWAR / CHANDRASHEKHARPUR | ODISHA | 20 | 26 | 5.5 | 7.4 | 140 | 286 | 1.1 | 1.1 | 1.22 | 2.1 | 79 | 79 | 350 | 350 | - | - | 0.27 | 0.47 | - | - |
| 1654 | SECRETARIAT- GOVERNOR HOUSE- OLD BUS STAND AREA, BHUBANESWAR | ODISHA | 25 | 27 | 6.5 | 6.7 | 352 | 372 | BDL | BDL | 1.52 | 4.49 | 22 | 140 | 49 | 1600 | - | - | 0.22 | 0.63 | - | - |
| 1655 | NEAR SEA BEACH, PURI | ODISHA | 25 | 30 | 7.3 | 7.9 | 285 | 4498 | 1.6 | 1.6 | 1.92 | 10.23 | BDL | BDL | BDL | BDL | - | - | 0.24 | 0.26 | - | - |
| 1656 | NEAR JAGANNATH TEMPLE, PURI | ODISHA | 21 | 30 | 7.5 | 7.7 | 838 | 1019 | 1.7 | 2.4 | 0.34 | 0.82 | 33 | 33 | 220 | 220 | - | - | 0.33 | 0.42 | - | - |
| 1657 | HOSPITAL - BUS STAND- MAUSHIMA TEMPLE AREA, PURI | ODISHA | 21 | 30 | 7.5 | 8.3 | 415 | 636 | 1.2 | 1.2 | 0.39 | 5.74 | 79 | 79 | 240 | 240 | - | - | 0.27 | 0.33 | - | - |
| 1658 | BALIAPANDA, PURI | ODISHA | 30 | 30 | 8.4 | 8.4 | 291 | 291 | 1.1 | 1.1 | 0.52 | 0.52 | BDL | BDL | BDL | BDL | - | - | 0.96 | 0.96 | - | - |
| 3964 | NEAR MKCG MEDICAL COLLEGE, BERHAMPUR | ODISHA | 24 | 32 | 7.5 | 8.2 | 698 | 762 | 1.4 | 1.4 | 3.78 | 4.52 | BDL | BDL | BDL | BDL | - | - | 0.48 | 0.98 | - | - |
| 3965 | NEAR BUS STAND, BERHAMPUR | ODISHA | 23 | 32 | 7.6 | 7.7 | 441 | 602 | 1.8 | 1.8 | 0.73 | 4.52 | BDL | BDL | BDL | BDL | - | - | 0.76 | 1.03 | - | - |
| 3966 | NEAR BADABAZAR, BERHAMPUR | ODISHA | 24 | 32 | 7.5 | 7.5 | 728 | 1485 | BDL | BDL | 0.62 | 1.94 | BDL | BDL | BDL | BDL | - | - | 0.35 | 0.72 | - | - |
| 3967 | NEAR RAILWAY STATION STAND, BERHAMPUR | ODISHA | 24 | 32 | 7.4 | 7.6 | 604 | 1204 | BDL | BDL | 1.89 | 4.62 | BDL | BDL | BDL | BDL | - | - | 0.36 | 0.57 | - | - |
| 3968 | NEAR VSS MEDICAL COLLEGE, BURLA, SAMBALPUR | ODISHA | 28 | 28 | 7.1 | 7.2 | 493 | 708 | BDL | BDL | 0.32 | 1.42 | BDL | BDL | BDL | BDL | - | - | 0.48 | 0.74 | - | - |
| 3969 | NEAR RAILWAY STATION, SAMBALPUR | ODISHA | 26 | 28 | 7.1 | 7.3 | 618 | 947 | BDL | BDL | 2.2 | 9.14 | BDL | BDL | BDL | BDL | - | - | 0.48 | 0.72 | - | - |
| 3970 | NEAR PANTHANIVAS, SAMBALPUR | ODISHA | 27 | 29 | 7.1 | 7.1 | 254 | 539 | BDL | BDL | 0.62 | 1.42 | BDL | BDL | BDL | BDL | - | - | 0.32 | 0.44 | - | - |
| 3971 | ANGUL TOWNSHIP | ODISHA | 24 | 27 | 6.9 | 7.1 | 914 | 963 | 1.1 | 1.1 | 4.96 | 18.02 | BDL | BDL | BDL | BDL | - | - | 0.42 | 0.43 | - | - |
| 3972 | NALCO TOWNSHIP, TALCHER | ODISHA | 23 | 27 | 7.3 | 7.4 | 527 | 674 | 1.1 | 1.1 | 1.02 | 1.22 | 49 | 49 | 49 | 49 | - | - | 0.39 | 0.98 | - | - |
| 3973 | MAHANADI COAL FIELD AREA, TALCHER | ODISHA | 23 | 27 | 6.8 | 7.3 | 180 | 500 | 1.8 | 1.8 | 1.32 | 5 | 920 | 920 | 1600 | 1600 | - | - | 0.28 | 0.4 | - | - |
| 3974 | KANIHA, TALCHER | ODISHA | 23 | 26 | 7.3 | 7.4 | 284 | 494 | 1.1 | 1.1 | 0.42 | 1.09 | BDL | BDL | BDL | BDL | - | - | 0.36 | 0.45 | - | - |
| 3975 | TALCHER TOWN | ODISHA | 23 | 23 | 6.8 | 6.8 | 314 | 314 | BDL | BDL | 0.99 | 0.99 | BDL | BDL | BDL | BDL | - | - | 0.36 | 0.36 | - | - |
| 3976 | MERAMUNDALI AREA, TALCHER | ODISHA | 23 | 27 | 7.2 | 7.4 | 815 | 1187 | 1.1 | 1.1 | 1.1 | 1.32 | 33 | 130 | 130 | 130 | - | - | 0.42 | 0.8 | - | - |
| 3977 | TALCHER THERMAL AREA | ODISHA | 24 | 27 | 6.9 | 7.2 | 687 | 846 | 1.1 | 1.1 | 0.32 | 0.8 | BDL | BDL | BDL | BDL | - | - | 0.3 | 0.64 | - | - |
| 3978 | BANARPAL, TALCHER | ODISHA | 23 | 27 | 6.8 | 7.1 | 420 | 898 | 1.1 | 1.1 | 0.59 | 6.02 | 22 | 22 | 22 | 22 | - | - | 0.27 | 0.6 | - | - |
| 3979 | KULAD, TALCHER | ODISHA | 23 | 27 | 7.2 | 8 | 943 | 2041 | 1.1 | 1.1 | 0.42 | 0.65 | 79 | 79 | 350 | 350 | - | - | 0.3 | 1.12 | - | - |
| 3981 | BURKHAMUNDA, JHARSUGUDA | ODISHA | 28 | 28 | 7.2 | 7.3 | 170 | 198 | BDL | BDL | 3.34 | 5.22 | BDL | BDL | BDL | BDL | - | - | 0.26 | 0.47 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|------|----------------------------|------|----------------------------|------|-------------------------------|-----|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3982 | BADAMANI INDUSTRIAL ESTATE, JHARSUGUDA | ODISHA | 28 | 28 | 6.8 | 6.8 | 136 | 140 | 1.2 | 1.2 | 2.15 | 4.72 | BDL | BDL | BDL | BDL | - | - | 0.31 | 0.33 | - | - |
| 3983 | BUDHIPADAR, JHARSUGUDA | ODISHA | 27 | 28 | 6.5 | 6.7 | 187 | 192 | 1.5 | 1.5 | 3.5 | 6.82 | BDL | BDL | BDL | BDL | - | - | 0.32 | 0.32 | - | - |
| 3984 | BRAJARAJ NAGAR MINING BELT, JHARSUGUDA | ODISHA | 27 | 28 | 6 | 6.6 | 139 | 215 | 1.4 | 1.4 | 0.72 | 4.54 | BDL | BDL | BDL | BDL | - | - | 0.31 | 0.51 | - | - |
| 3985 | RAMPUR AREA (WATER TANK), JHARSUGUDA | ODISHA | 27 | 28 | 6.6 | 6.6 | 243 | 246 | BDL | BDL | 0.32 | 0.85 | BDL | BDL | BDL | BDL | - | - | 0.3 | 0.52 | - | - |
| 3986 | IB THERMAL POWER STATION, JHARSUGUDA | ODISHA | 28 | 28 | 6.1 | 6.8 | 100 | 214 | BDL | BDL | 0.32 | 0.51 | BDL | BDL | BDL | BDL | - | - | 0.26 | 0.33 | - | - |
| 3987 | BELPAHAR AREA, JHARSUGUDA | ODISHA | 28 | 28 | 6.6 | 7.1 | 145 | 149 | BDL | BDL | 0.32 | 0.65 | 350 | 350 | 540 | 540 | - | - | 0.25 | 0.85 | - | - |
| 3988 | BADAPADIA MARKET COMPLEX, PARADEEP | ODISHA | 26 | 29 | 8.1 | 8.3 | 3545 | 5161 | 1.1 | 1.4 | 4.34 | 4.39 | BDL | BDL | BDL | BDL | - | - | 0.29 | 1.33 | - | - |
| 3989 | MUSADIHA, PARADEEP | ODISHA | 27 | 30 | 7.8 | 7.9 | 582 | 5088 | 1.5 | 1.5 | 4.03 | 5 | BDL | BDL | BDL | BDL | - | - | 0.31 | 0.62 | - | - |
| 3990 | TISCO, SUKINDA | ODISHA | 21 | 22 | 6.9 | 8.4 | 313 | 373 | 1.1 | 1.2 | 2.33 | 3.03 | 1600 | 1600 | 1600 | 1600 | - | - | 0.49 | 0.49 | - | - |
| 3991 | SARUABIL, SUKINDA | ODISHA | 21 | 22 | 6.3 | 8.3 | 180 | 239 | 1.1 | 1.1 | 4.18 | 6.62 | 33 | 33 | 33 | 33 | - | - | 0.47 | 0.47 | - | - |
| 3992 | KALIAPANI, SUKINDA | ODISHA | 21 | 22 | 6.2 | 8.4 | 192 | 400 | 1.4 | 1.4 | 0.36 | 2.05 | BDL | BDL | BDL | BDL | - | - | 0.22 | 0.48 | - | - |
| 3993 | KAMARDA, SUKINDA | ODISHA | 21 | 22 | 6.5 | 8.2 | 225 | 233 | 1.1 | 1.1 | 0.59 | 1.87 | 49 | 49 | 79 | 79 | - | - | 0.21 | 0.37 | - | - |
| 3994 | CHAKULIA, BALASORE | ODISHA | 22 | 24 | 7.2 | 7.3 | 286 | 287 | BDL | BDL | 0.32 | 0.72 | 240 | 240 | 350 | 350 | - | - | 0.35 | 0.56 | - | - |
| 3995 | KUANRUPUR, BALASORE | ODISHA | 24 | 24 | 7.8 | 7.8 | 329 | 329 | BDL | BDL | 0.62 | 0.62 | 45 | 45 | 350 | 350 | - | - | 5.14 | 5.14 | - | - |
| 3996 | NAIGOPALPUR, BALASORE | ODISHA | 22 | 24 | 6.7 | 7.3 | 157 | 317 | BDL | BDL | 0.33 | 0.42 | 130 | 130 | 350 | 350 | - | - | 0.32 | 0.39 | - | - |
| 4862 | MARKET COMPLEX, COURT CHHAK, KHADIA ROAD, KENDRAPARA | ODISHA | 28 | 30 | 7.3 | 7.5 | 485 | 985 | 1.1 | 1.1 | 0.32 | 0.4 | BDL | BDL | BDL | BDL | - | - | 0.32 | 0.43 | - | - |
| 4863 | INSIDE GAJMARA UP SCHOOL, GAJAMARA, DHENKANAL | ODISHA | 25 | 26 | 6.2 | 7.2 | 68 | 144 | 1.1 | 1.1 | 0.34 | 0.59 | 130 | 130 | 350 | 350 | - | - | 0.25 | 0.44 | - | - |
| 4864 | DHENKANAL DAILY MARKET AREA | ODISHA | 25 | 26 | 6.5 | 7.1 | 184 | 339 | 1.1 | 1.2 | 0.42 | 1.21 | 79 | 79 | 240 | 240 | - | - | 0.34 | 0.47 | - | - |
| 4865 | DISTRICT HEAD QUARTER HOSPITAL PREMISES, BHADRAK | ODISHA | 22 | 24 | 6.9 | 7.2 | 305 | 361 | 1.2 | 1.2 | 0.37 | 0.42 | BDL | BDL | BDL | BDL | - | - | 0.3 | 0.57 | - | - |
| 4866 | SALANDI HOSPITAL PREMISES NEAR UNAUTHORISED GARBAGE DISPOSAL SITE BY THE SIDE OF NH, BHADRAK | ODISHA | 22 | 24 | 7.3 | 7.4 | 156 | 377 | BDL | BDL | 0.36 | 1.67 | BDL | BDL | BDL | BDL | - | - | 0.33 | 0.77 | - | - |
| 4867 | DHANGIDIMUTA VILLAGE (KUSUMI GP OFFICE NEAR BADAMPAHAR MINING AREA, MAYURBHANJ | ODISHA | 22 | 24 | 6.7 | 7.2 | 155 | 184 | 1.1 | 1.1 | 0.62 | 0.85 | BDL | BDL | BDL | BDL | - | - | 0.33 | 0.46 | - | - |
| 4868 | DHANGIDIMUTA VILLAGE (BASTI SAHI) NEAR CATCH POND OF | ODISHA | 22 | 24 | 6.9 | 7.2 | 190 | 276 | 1.6 | 1.6 | 1.84 | 3.54 | 23 | 23 | 79 | 79 | - | - | 0.29 | 0.44 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | MINE RUN-OFF WATER NEAR BADAPAHAR MINING AREA, MAYURBHANJ | | | | | | | | | | | | | | | | | | | | | |
| 4869 | JODA WEST MANGANESE MINE OF M/S TATA STEEL LTD. (BICHHAKUNDI COLONY), JODA, KEONJHAR | ODISHA | 22 | 26 | 6.3 | 7.2 | 101 | 118 | 1.3 | 1.3 | 0.67 | 0.92 | BDL | BDL | BDL | BDL | - | - | 0.67 | 0.67 | - | - |
| 4870 | BALDA BLOCK IRON ORE MINES OF M/S SIRAJUDDIN & CO. (NEAR TIME OFFICE INSIDE THE MINE LEASEHOLD AREA), KEONJHAR | ODISHA | 22 | 25 | 5.6 | 6.8 | 76 | 86 | 1.5 | 1.5 | 0.42 | 0.8 | BDL | BDL | BDL | BDL | - | - | 0.64 | 0.64 | - | - |
| 4871 | ROIDA-II IRON ORE MINES OF M/S K N RAM & CO., TANTO, BHADRASAH, BARBIL, KEONJHAR | ODISHA | 22 | 25 | 5.6 | 6.9 | 101 | 158 | BDL | BDL | 1.72 | 2.2 | BDL | BDL | BDL | BDL | - | - | 0.47 | 0.47 | - | - |
| 4872 | THAKURANI IRON ORE MINES OF M/S KAYPEE ENTERPRISES NEAR VT CENTRE, BARBIL, KEONJHAR | ODISHA | 21 | 25 | 5.6 | 6.7 | 67 | 102 | BDL | BDL | 2.39 | 2.52 | 79 | 79 | 140 | 140 | - | - | 0.46 | 0.46 | - | - |
| 4873 | DDM OFFICE, KOIRA PREMISES, SUNDARGARH | ODISHA | 22 | 31 | 6.9 | 7.1 | 70 | 145 | BDL | BDL | 0.6 | 1.41 | BDL | BDL | BDL | BDL | - | - | 0.31 | 0.97 | - | - |
| 4874 | TENSA RESIDENTIAL AREA, KOIRA, SUNDARGARH | ODISHA | 22 | 31 | 6.8 | 6.9 | 218 | 224 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | - | - | 0.28 | 0.35 | - | - |
| 4875 | COLLECTOR OFFICE PREMISES, DEOGARH | ODISHA | 22 | 30 | 6.6 | 6.9 | 320 | 338 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | - | - | 0.29 | 0.37 | - | - |
| 4876 | GOVT. MODEL DEGREE COLLAGE PREMISES, DEOGARH | ODISHA | 22 | 22 | 6.8 | 6.8 | 522 | 522 | BDL | BDL | 3.88 | 3.88 | BDL | BDL | BDL | BDL | - | - | 0.29 | 0.29 | - | - |
| 4877 | INSIDE THE PREMISES OF DISTRICT HEAD QUARTER HOSPITAL, PARALAKHEMUNDI, GAJAPATI | ODISHA | 26 | 27 | 6.7 | 7.2 | 665 | 1035 | 1.1 | 1.1 | 4.45 | 17.52 | BDL | BDL | BDL | BDL | - | - | 0.35 | 0.49 | - | - |
| 4878 | NEAR SOLID WASTE DISPOSAL SITE OF GAJAPATI MUNICIPALITY AT KELLY SAHI, GAJAPATI | ODISHA | 26 | 27 | 6.9 | 7.1 | 1005 | 1975 | 1.1 | 1.1 | 4.91 | 17.51 | BDL | BDL | BDL | BDL | - | - | 0.32 | 0.46 | - | - |
| 4879 | INSIDE THE PREMISES OF DISTRICT HEAD QUARTER HOSPITAL, PHULBANI | ODISHA | 21 | 32 | 6.6 | 7.2 | 287 | 306 | BDL | BDL | 1.98 | 4.62 | BDL | BDL | BDL | BDL | - | - | 0.3 | 0.53 | - | - |
| 4880 | NEAR SOLID WASTE DISPOSAL SITE OF PHULBANI MUNICIPALITY AT DADA PUJA MOUZA, PHULBANI | ODISHA | 22 | 31 | 6.8 | 7.1 | 241 | 305 | BDL | BDL | 1.52 | 4.02 | BDL | BDL | BDL | BDL | - | - | 0.26 | 0.66 | - | - |
| 4881 | INSIDE THE PREMISES OF DISTRICT HEAD QUARTER HOSPITAL, NAYAGARH | ODISHA | 21 | 32 | 6.9 | 7.7 | 497 | 1138 | BDL | BDL | 1.46 | 3.62 | BDL | BDL | BDL | BDL | - | - | 0.29 | 0.47 | - | - |
| 4882 | NEAR SOLID WASTE DISPOSAL SITE OF NAYAGARH NAC AT | ODISHA | 21 | 31 | 7.1 | 7.3 | 425 | 1145 | BDL | BDL | 1.71 | 4.03 | BDL | BDL | BDL | BDL | - | - | 0.31 | 0.46 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | BHALUKHOLA VILLAGE, NAYAGARH | | | | | | | | | | | | | | | | | | | | | |
| 4883 | NEAR BARGARH GOVT. HOSPITAL, BARGARH | ODISHA | 27 | 29 | 7.1 | 7.4 | 553 | 1238 | BDL | BDL | 2.25 | 7.84 | BDL | BDL | BDL | BDL | - | - | 0.49 | 0.67 | - | - |
| 4884 | NEAR GANAPATI GOVT. HOSPITAL, BARGARH | ODISHA | 26 | 29 | 6.6 | 7.1 | 791 | 1095 | BDL | BDL | 1.51 | 8.53 | BDL | BDL | BDL | BDL | - | - | 0.35 | 0.63 | - | - |
| 4885 | NEAR NUAPADA GOVT. HOSPITAL, NUAPADA | ODISHA | 27 | 29 | 6.8 | 7.3 | 458 | 546 | BDL | BDL | 0.82 | 4.72 | BDL | BDL | BDL | BDL | - | - | 0.31 | 0.33 | - | - |
| 4886 | NEAR NILASAILA NAGAR (BACKSIDE OF VETERINARY OFFICE, NUAPADA | ODISHA | 28 | 28 | 6.9 | 7.3 | 523 | 598 | BDL | BDL | 1.8 | 3.33 | BDL | BDL | BDL | BDL | - | - | 0.39 | 0.47 | - | - |
| 4887 | NEAR BOLANGIR MEDICAL COLLEGE, BALANGIR | ODISHA | 26 | 29 | 7.1 | 7.4 | 1059 | 1105 | BDL | BDL | 1.35 | 5.72 | BDL | BDL | BDL | BDL | - | - | 0.41 | 0.42 | - | - |
| 4888 | NEAR SUDPADA POST OFFICE, BALANGIR | ODISHA | 27 | 30 | 6.9 | 7.5 | 1226 | 1533 | BDL | BDL | 4.5 | 5.92 | BDL | BDL | BDL | BDL | - | - | 0.42 | 0.48 | - | - |
| 4889 | NEAR TOWN GIRLS PRIMARY SCHOOL AND IN FRONT OF HEAD POST OFFICE, BOUDH | ODISHA | 27 | 31 | 7.2 | 8.2 | 816 | 891 | BDL | BDL | 0.72 | 0.88 | BDL | BDL | BDL | BDL | - | - | 0.31 | 0.34 | - | - |
| 4890 | NEAR BUTUPALLI CHHAK, MAULISINGHA ROAD, BOUDH | ODISHA | 28 | 31 | 7.1 | 7.7 | 580 | 692 | BDL | BDL | 4.87 | 6.62 | BDL | BDL | BDL | BDL | - | - | 0.35 | 0.64 | - | - |
| 4891 | DISTRICT HEAD QUARTER HOSPITAL CAMPUS, SONEPUR | ODISHA | 27 | 30 | 7.4 | 7.8 | 636 | 796 | BDL | BDL | 4.1 | 5.42 | BDL | BDL | BDL | BDL | - | - | 0.53 | 0.6 | - | - |
| 4892 | NEAR GUNDICHA TEMPLE AT TENTEL GHAT, SONEPUR | ODISHA | 26 | 30 | 7.4 | 8 | 551 | 768 | BDL | BDL | 2.12 | 4.38 | BDL | BDL | BDL | BDL | - | - | 0.39 | 0.53 | - | - |
| 4893 | WITNIN THE PREMISES OF BURDELLA PULLAMA TEMPLE, RAYAGADA | ODISHA | 25 | 25 | 6.6 | 7.1 | 322 | 458 | 1.1 | 1.1 | 4.66 | 7.54 | BDL | BDL | 130 | 130 | - | - | 0.27 | 0.56 | - | - |
| 4894 | KASTURI NAGAR, RAYAGADA | ODISHA | 25 | 26 | 6.7 | 7.4 | 263 | 307 | 1.1 | 1.1 | 4.41 | 9.03 | BDL | BDL | 240 | 240 | - | - | 0.26 | 0.49 | - | - |
| 4895 | BADACHINDRI, KORAPUT | ODISHA | 24 | 24 | 6.1 | 6.6 | 503 | 560 | 1.1 | 1.1 | 4.61 | 15.54 | BDL | BDL | BDL | BDL | - | - | 0.23 | 0.57 | - | - |
| 4896 | JAGANNATH TEMPLE, KORAPUT | ODISHA | 24 | 24 | 7.3 | 7.4 | 96 | 175 | 1.5 | 1.5 | 1.76 | 2.62 | BDL | BDL | BDL | BDL | - | - | 0.26 | 0.6 | - | - |
| 4897 | TOTAGUDA, NAWARANGPUR | ODISHA | 25 | 26 | 6.2 | 6.8 | 513 | 568 | 1.1 | 1.1 | 1.95 | 18.41 | BDL | BDL | BDL | BDL | - | - | 0.41 | 0.41 | - | - |
| 4898 | GABRALGUDA, NAWARANGPUR | ODISHA | 25 | 26 | 6.5 | 6.8 | 91 | 142 | 1.1 | 1.1 | 1.19 | 2.44 | 240 | 240 | 540 | 540 | - | - | 0.21 | 0.43 | - | - |
| 4899 | GOSALPADA COLONY (WARD NO. 7), BHAWANIPATNA | ODISHA | 25 | 27 | 6.8 | 6.9 | 668 | 846 | 1.1 | 1.1 | 4.09 | 15.76 | BDL | BDL | BDL | BDL | - | - | 0.3 | 0.4 | - | - |
| 4900 | SITABUDIPARA (IRRIGATION COLONY, WARD NO. 17), BHAWANIPATNA | ODISHA | 26 | 27 | 7.2 | 7.2 | 517 | 545 | 1.1 | 1.2 | 1.82 | 3.52 | BDL | BDL | BDL | BDL | - | - | 0.46 | 0.46 | - | - |
| 4901 | MV-43, MALKANIGIRI | ODISHA | 25 | 26 | 6.4 | 6.5 | 307 | 341 | 1.1 | 1.1 | 3.73 | 7.55 | BDL | BDL | BDL | BDL | - | - | 0.3 | 0.39 | - | - |
| 4902 | TEKBADI OF NETAJI NAGAR, MALKANIGIRI | ODISHA | 25 | 26 | 6.7 | 6.7 | 447 | 550 | 1.4 | 1.4 | 4.26 | 5.92 | BDL | BDL | BDL | BDL | - | - | 0.23 | 0.5 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4903 | HAZARIBAGICHA PRIMARY SCHOOL, HAZARIBAGICHA, KENDRAPARA | ODISHA | 28 | 29.2 | 7.6 | 8.1 | 435 | 5161 | 1.1 | 1.1 | 0.92 | 4.39 | BDL | BDL | BDL | BDL | - | - | 0.55 | 1.33 | - | - |
| 1397 | KRISHNA NAGAR BOREWELL, PUMPING STATION, EAST COAST ROAD, LAWSPET, NEAR DEPUTY COLLECTOR OFFICE, PUDUCHERRY. | PUDUCHERRY | 31 | 31 | 6.07 | 6.07 | 1123 | 1123 | BDL | BDL | 8.93 | 8.93 | - | - | - | - | 627 | 627 | - | - | BDL | BDL |
| 1398 | THENGAITHITTU BOREWELL, PUMPING STATION, II CROSS, PUDHU NAGAR, THENGAITHITTU, PUDUCHERRY. | PUDUCHERRY | 31 | 31 | 6.29 | 6.29 | 2030 | 2030 | BDL | BDL | 1.75 | 1.75 | - | - | - | - | 1209 | 1209 | - | - | BDL | BDL |
| 1453 | MUTHIRAIPPALAYAM BOREWELL, PUMPING STATION, MUTHIRAIPPALAYAM, PUDUCHERRY. | PUDUCHERRY | 30.5 | 30.5 | 6.54 | 6.54 | 955 | 955 | BDL | BDL | 4.12 | 4.12 | - | - | - | - | 494 | 494 | - | - | BDL | BDL |
| 1454 | PONDICHERRY UNIVERSITY BOREWELL, PUMPING STATION, STAFF QUARTERS, PONDICHERRY UNIVERSITY CAMPUS, KALAPET, PUDUCHERRY. | PUDUCHERRY | 31 | 31 | 5.7 | 5.7 | 560 | 560 | BDL | BDL | 2.43 | 2.43 | - | - | - | - | 292 | 292 | - | - | BDL | BDL |
| 1687 | CHETTY KOIL OPENWELL, CHETTY KOIL, MISSION STREET, PUDUCHERRY. | PUDUCHERRY | 30 | 30 | 7.32 | 7.32 | 2370 | 2370 | BDL | BDL | 0.32 | 0.32 | - | - | - | - | 1143 | 1143 | - | - | BDL | BDL |
| 1688 | KATTERIKUPPAM BOREWELL, PUMPING STATION, ERIKKARAI ROAD, KATTERIKUPPAM, PUDUCHERRY. | PUDUCHERRY | 29.5 | 29.5 | 7.33 | 7.33 | 1038 | 1038 | BDL | BDL | 0.64 | 0.64 | - | - | - | - | 437 | 437 | - | - | BDL | BDL |
| 2009 | KURUMBAPET BOREWELL, PUMPING STATION, GOPALAN KADAI ROAD, KURUMBAPET, PUDUCHERRY. | PUDUCHERRY | 31 | 31 | 6.55 | 6.55 | 916 | 916 | BDL | BDL | 4.08 | 4.08 | - | - | - | - | 401 | 401 | - | - | BDL | BDL |
| 2010 | METTUPALAYAM BOREWELL, PUMPING STATION, PIPDIC INDUSTRIAL ESTATE, METTUPALAYAM, PUDUCHERRY. | PUDUCHERRY | 31 | 31 | 6.39 | 6.39 | 1504 | 1504 | BDL | BDL | 0.76 | 0.76 | - | - | - | - | 955 | 955 | - | - | BDL | BDL |
| 2011 | URUVAIYAR BOREWELL, PUMPING STATION, LAKSHMI NARASIMMAR NAGAR, URUVAIYAR, PUDUCHERRY. | PUDUCHERRY | 31 | 31 | 7.1 | 7.1 | 2850 | 2850 | BDL | BDL | 1.85 | 1.85 | - | - | - | - | 1512 | 1512 | - | - | BDL | BDL |
| 2012 | MARUTHI SCHOOL BOREWELL, MARUTHI SCHOOL, MARUTHI NAGAR, KARUVADIKUPPAM, PUDUCHERRY. | PUDUCHERRY | 31 | 31 | 6.38 | 6.38 | 2290 | 2290 | BDL | BDL | 1.45 | 1.45 | - | - | - | - | 1141 | 1141 | - | - | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|-----|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2013 | T.R.PATTINAM BOREWELL, PUMPING STATION, NAGAPATTINAM MAIN ROAD, T.R. PATTINAM, KARAİKAL, U.T OF PUDUCHERRY. | PUDUCHERRY | 26.8 | 29.5 | 8.44 | 8.69 | 1990 | 2760 | BDL | BDL | 0.32 | 0.32 | - | - | - | - | 1038 | 1096 | - | - | BDL | BDL |
| 2014 | VADAMATTAM BOREWELL, PUMPING STATION, KOTTUCHERRY - NEDUNKADU ROAD, VADAMATTAM, KARAİKAL, U.T OF PUDUCHERRY. | PUDUCHERRY | 26.8 | 31 | 8.52 | 8.67 | 1550 | 2020 | BDL | BDL | 0.36 | 0.4 | - | - | - | - | 828 | 869 | - | - | BDL | BDL |
| 2446 | PALLUR OPENWELL, GOVT HEALTH STAFF QUARTERS CAMPUS, PALLUR, MAHE, U.T OF PUDUCHERRY. | PUDUCHERRY | 27.5 | 27.5 | 5.44 | 5.44 | 344 | 344 | BDL | BDL | 3.89 | 3.89 | - | - | - | - | 270 | 270 | - | - | BDL | BDL |
| 2447 | PANDAKKAL OPENWELL, KIZHAKKU EDUTHA COLONY, PANTHAKKAL, MAHE, U.T OF PUDUCHERRY. | PUDUCHERRY | 27 | 27 | 5.4 | 5.4 | 102 | 102 | BDL | BDL | 1.2 | 1.2 | - | - | - | - | 50 | 50 | - | - | BDL | BDL |
| 3882 | ECHANGADU BOREWELL, PUMPING STATION, PANITHITTU ROAD, ECHANGADU, KIRUMAMPAKKAM, PUDUCHERRY. | PUDUCHERRY | 32 | 32 | 6.38 | 6.38 | 630 | 630 | BDL | BDL | 0.32 | 0.32 | - | - | - | - | 265 | 265 | - | - | BDL | BDL |
| 3883 | BAHOUR BOREWELL, PUMPING STATION, BAHOUR LAKE ROAD, BAHOUR, PUDUCHERRY. | PUDUCHERRY | 32 | 32 | 6.78 | 6.78 | 767 | 767 | BDL | BDL | 0.32 | 0.32 | - | - | - | - | 206 | 206 | - | - | BDL | BDL |
| 3884 | CHEVALIER SELLANE GOVT SCHOOL BOREWELL, CHEVALIER SELLANE GOVT HIGHER SECONDARY SCHOOL, EAST COAST ROAD, KALAPET, PUDUCHERRY. | PUDUCHERRY | 31 | 31 | 7.31 | 7.31 | 1247 | 1247 | BDL | BDL | 4.84 | 4.84 | - | - | - | - | 640 | 640 | - | - | BDL | BDL |
| 3885 | SEDARAPET BOREWELL, PUMPING STATION, DHANDERAR KULAM, SEDARAPET, PUDUCHERRY. | PUDUCHERRY | 29 | 29 | 6.82 | 6.82 | 2110 | 2110 | BDL | BDL | 3.04 | 3.04 | - | - | - | - | 1150 | 1150 | - | - | BDL | BDL |
| 3886 | KOTHAPURINATHAM BOREWELL, PUMPING STATION, THIRUVANDOR KOIL MAIN ROAD, KOTHAPURINATHAM, PUDUCHERRY. | PUDUCHERRY | 32 | 32 | 7.35 | 7.35 | 1353 | 1353 | BDL | BDL | 3 | 3 | - | - | - | - | 647 | 647 | - | - | BDL | BDL |
| 4631 | THIRUKKANUR BOREWELL, PUMPING STATION, OPP. BONNE NEHRU HIGHER SECONDAR SCHOOL, THIRUKKANUR, MCP | PUDUCHERRY | 30.5 | 30.5 | 7.51 | 7.51 | 1376 | 1376 | BDL | BDL | 0.74 | 0.74 | - | - | - | - | 624 | 624 | - | - | BDL | BDL |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | ROAD, THIRUKKANUR, PUDUCHERRY. | | | | | | | | | | | | | | | | | | | | | |
| 4632 | MADUKARAI BOREWELL, PUMPING STATION, MOLAPPAKKAM ROAD, NEAR DR THOPPU, MADUKARAI, PUDUCHERRY | PUDUCHERRY | 30 | 30 | 7.06 | 7.06 | 2300 | 2300 | BDL | BDL | 5.48 | 5.48 | - | - | - | - | 1100 | 1100 | - | - | BDL | BDL |
| 4633 | PANITHITTU BOREWELL, PUMPING STATION, PANITHITTU ROAD, KIRUMAMPAKKAM, PUDUCHERRY. | PUDUCHERRY | 31 | 31 | 6.3 | 6.3 | 1196 | 1196 | BDL | BDL | 1.8 | 1.8 | - | - | - | - | 483 | 483 | - | - | BDL | BDL |
| 1898 | PETROL PUMP OPP. HERO CYCLE, LUDHIANA | PUNJAB | - | - | 7.5 | 7.5 | 1415 | 1415 | BDL | BDL | 1.2 | 1.2 | BDL | BDL | BDL | BDL | 850 | 850 | 0.9 | 0.9 | BDL | BDL |
| 1900 | GURCHAARAN SINGH HAIBOWAL DAIRY COMPLEX, LUDHIANA | PUNJAB | - | - | 7.7 | 8 | 886 | 9710 | BDL | BDL | 0.6 | 5.1 | BDL | BDL | BDL | BDL | 423 | 527 | 0.33 | 0.33 | BDL | BDL |
| 1901 | DUSHERA GROUND INDUSTRIAL ESTATE, LUDHIANA | PUNJAB | 36 | 36 | 7.1 | 7.7 | 645 | 2691 | BDL | BDL | 0.4 | 2.9 | BDL | BDL | BDL | BDL | 160 | 368 | 0.3 | 1.3 | BDL | BDL |
| 1902 | SHUKLA TEA STAL POINT, LUDHIANA | PUNJAB | - | - | 7.8 | 7.8 | 1331 | 1331 | BDL | BDL | 1 | 1 | BDL | BDL | BDL | BDL | 797 | 797 | 0.8 | 0.8 | BDL | BDL |
| 1903 | PUNJAB AGRICULTURAL UNIVERSITY, LUDHIANA | PUNJAB | - | - | 7.8 | 7.9 | 442 | 469 | BDL | BDL | 0.4 | 4.7 | BDL | BDL | BDL | BDL | 263 | 282 | 0.29 | 0.29 | BDL | BDL |
| 2916 | NEAR LANDFILL SITE, AMRITSAR, PUNJAB | PUNJAB | - | - | 7.5 | 7.6 | 453 | 856 | BDL | BDL | 2.22 | 2.22 | BDL | BDL | BDL | BDL | 270 | 493 | 0.21 | 0.21 | BDL | BDL |
| 2917 | NEAR HARMANDIR SAHEB, AMRITSAR, PUNJAB | PUNJAB | - | - | 7.5 | 7.6 | 1016 | 1094 | BDL | BDL | 0.64 | 5.39 | BDL | BDL | BDL | BDL | 593 | 645 | 0.41 | 0.59 | BDL | BDL |
| 2918 | DERA BASSI, PUNJAB | PUNJAB | - | - | 7.4 | 7.4 | 1757 | 2368 | BDL | BDL | 0.49 | 2.4 | BDL | BDL | BDL | BDL | 997 | 1574 | 0.57 | 0.92 | BDL | BDL |
| 2919 | DERA BASSI, PUNJAB | PUNJAB | - | - | 7.2 | 7.4 | 1362 | 2598 | BDL | BDL | 0.78 | 2.6 | BDL | BDL | BDL | BDL | 798 | 1829 | 0.41 | 1.1 | BDL | BDL |
| 2920 | HAMIRA VILLAGE, PUNJAB | PUNJAB | 32 | 36 | 7.4 | 7.4 | 815 | 1334 | BDL | BDL | 0.32 | 1.3 | BDL | BDL | BDL | BDL | 476 | 824 | 0.4 | 0.51 | BDL | BDL |
| 2921 | HAMIRA VILLAGE, PUNJAB | PUNJAB | 32 | 35 | 7.8 | 7.8 | 413 | 427 | BDL | BDL | | | BDL | BDL | BDL | BDL | 251 | 262 | 0.39 | 0.39 | BDL | BDL |
| 2922 | LEATHER COMPLEX, JALANDHAR, PUNJAB | PUNJAB | 30 | 38 | 7.6 | 7.6 | 929 | 942 | BDL | BDL | 1.4 | 4.32 | BDL | BDL | BDL | BDL | 559 | 828 | 0.5 | 0.5 | BDL | BDL |
| 2923 | LEATHER COMPLEX, JALANDHAR, PUNJAB | PUNJAB | 30 | 35 | 7.4 | 7.5 | 1043 | 2358 | BDL | BDL | 0.47 | 1.8 | BDL | BDL | BDL | BDL | 572 | 1588 | 0.49 | 0.6 | BDL | BDL |
| 2924 | MANDI GOBINDGARH, PUNJAB | PUNJAB | - | - | 7.4 | 7.4 | 885 | 887 | BDL | BDL | 0.4 | 0.8 | BDL | BDL | BDL | BDL | 532 | 580 | 0.5 | 0.6 | BDL | BDL |
| 2925 | MANDI GOBINDGARH, PUNJAB | PUNJAB | - | - | 7.4 | 7.4 | 924 | 1018 | BDL | BDL | 0.8 | 0.9 | BDL | BDL | BDL | BDL | 583 | 733 | 0.7 | 0.8 | BDL | BDL |
| 2926 | NANGAL, PUNJAB | PUNJAB | - | - | 7.7 | 7.7 | 857 | 857 | BDL | BDL | 1.32 | 1.32 | BDL | BDL | BDL | BDL | 520 | 520 | BDL | BDL | BDL | BDL |
| 2927 | NANGAL, PUNJAB | PUNJAB | - | - | 7.9 | 7.9 | 740 | 740 | BDL | BDL | 0.99 | 0.99 | BDL | BDL | BDL | BDL | 447 | 447 | BDL | BDL | BDL | BDL |
| 2928 | ROPAR, PUNJAB | PUNJAB | - | - | 7.8 | 7.8 | 688 | 688 | BDL | BDL | 0.7 | 0.7 | BDL | BDL | BDL | BDL | 409 | 409 | 0.3 | 0.3 | BDL | BDL |
| 2929 | ROPAR, PUNJAB | PUNJAB | - | - | 8.4 | 8.4 | 265 | 265 | BDL | BDL | | | BDL | BDL | BDL | BDL | 153 | 153 | BDL | BDL | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2930 | TOANSA, PUNJAB | PUNJAB | - | - | 8.4 | 8.4 | 1452 | 1452 | BDL | BDL | 2.2 | 2.2 | BDL | BDL | BDL | BDL | 795 | 795 | 0.9 | 0.9 | BDL | BDL |
| 2931 | TOANSA, PUNJAB | PUNJAB | - | - | 7.4 | 7.4 | 2538 | 2538 | BDL | BDL | 2.7 | 2.7 | BDL | BDL | BDL | BDL | 1518 | 1518 | 1.2 | 1.2 | BDL | BDL |
| 4134 | TUBE WELL AT RSSB, TIBBA ROAD, LUDHIANA INDUSTRIAL AREA | PUNJAB | - | - | 7.9 | 8.1 | 558 | 631 | BDL | BDL | 0.4 | 0.4 | BDL | BDL | BDL | BDL | 310 | 378 | 0.29 | 0.29 | BDL | BDL |
| 4135 | MSW DUMPING SITE, JAMALPUR | PUNJAB | - | - | 7.5 | 7.7 | 772 | 1404 | BDL | BDL | 0.6 | 1.13 | BDL | BDL | BDL | BDL | 465 | 821 | 0.64 | 0.64 | BDL | BDL |
| 4136 | STP JAMALPUR | PUNJAB | - | - | 7.4 | 7.7 | 1565 | 1664 | BDL | BDL | 1.12 | 4.32 | BDL | BDL | BDL | BDL | 924 | 998 | 0.69 | 0.9 | BDL | BDL |
| 4137 | HANDPUMP IN M/S DEEP STEEL LTD, MUGHAL MAJRA, MANDI GOBBINDGARH | PUNJAB | - | - | 7.2 | 7.5 | 761 | 1443 | BDL | BDL | 0.8 | 2.31 | BDL | BDL | BDL | BDL | 437 | 1067 | 0.5 | 1.06 | BDL | BDL |
| 4138 | HANDPUMP, 149 NEAR SANT PRITAM SCHOOL, AMBEY MAJRA, MANDI GOBINDGARH | PUNJAB | - | - | 7.3 | 7.4 | 734 | 1127 | BDL | BDL | 0.9 | 0.91 | BDL | BDL | BDL | BDL | 515 | 629 | 0.8 | 0.9 | BDL | BDL |
| 4139 | HANDPUMP AT PARK ADJOINING TO NATIONAL INDUSTRIES, E-128, PH-IV, FOCAL POINT LUDHIANA | PUNJAB | - | - | 7.3 | 7.3 | 2125 | 2125 | BDL | BDL | 1.9 | 1.9 | BDL | BDL | BDL | BDL | 1253 | 1253 | 1.2 | 1.2 | BDL | BDL |
| 4140 | HANDPUMP IN SAHOTA BAGHBANI FARM, VILL HARIAN, MACHIWARA | PUNJAB | - | - | 7.3 | 7.3 | 1815 | 1815 | BDL | BDL | 1.6 | 1.6 | BDL | BDL | BDL | BDL | 1058 | 1058 | 1 | 1 | BDL | BDL |
| 4141 | HANDPUMP INSTRIAL GROWTH CENTRE, DEFENCE ROAD, PATHANKOT | PUNJAB | 32 | 32 | 7.7 | 7.7 | 325 | 325 | BDL | BDL | 0.5 | 0.5 | BDL | BDL | BDL | BDL | 195 | 195 | BDL | BDL | BDL | BDL |
| 4142 | HANDPUMP, VILL DHERIWAL, DIST PATHANKOT | PUNJAB | 32 | 32 | 7.4 | 7.4 | 310 | 310 | BDL | BDL | 0.4 | 0.4 | BDL | BDL | BDL | BDL | 184 | 184 | BDL | BDL | BDL | BDL |
| 4143 | HANDPUMP NEAR ASH DYKES OF NABHA POWER LTD, VILL NALASH, RAJPURA | PUNJAB | 29 | 29 | 7.7 | 7.9 | 557 | 1107 | BDL | BDL | 1.9 | 1.9 | BDL | BDL | BDL | BDL | 334 | 668 | 0.3 | 0.3 | BDL | BDL |
| 4144 | GROUND WATER SAMPLING BLOCATION IN VILLAGE MAIN | PUNJAB | 28 | 28 | 7.8 | 8.1 | 519 | 608 | BDL | BDL | 4.32 | 4.32 | BDL | BDL | BDL | BDL | 346 | 365 | 0.22 | 0.22 | BDL | BDL |
| 4145 | SAGAR PARA DRAIN MEETING WITH GHAGGAR NEAR VILL SAGAR PARA, PATRAN | PUNJAB | 29 | 29 | 8.2 | 8.2 | 577 | 577 | BDL | BDL | 0.69 | 0.69 | BDL | BDL | BDL | BDL | 347 | 347 | 0.24 | 0.24 | BDL | BDL |
| 4147 | NEAR ASH DYKES OF GURU NANAK THERMAL POWER PLANT/ NFL, BHATINDA | PUNJAB | - | - | 7.9 | 8 | 2234 | 2783 | BDL | BDL | 2.3 | 7.82 | BDL | BDL | BDL | BDL | 1382 | 1655 | 1 | 4.31 | BDL | BDL |
| 4148 | VILLAGE KANAKWAL/ PHUKOKARI GGS HMEL REFINERY, BHATINDA | PUNJAB | - | - | 7.6 | 7.9 | 315 | 2270 | BDL | BDL | 8.9 | 8.9 | BDL | BDL | BDL | BDL | 161 | 1270 | 1.4 | 1.4 | BDL | BDL |
| 4149 | ASH DYKES OF THERMAL POWER PLANT LEHRA MOHABBAT, BHATINDA | PUNJAB | - | - | 7.6 | 7.8 | 913 | 1186 | BDL | BDL | 0.82 | 2.01 | BDL | BDL | BDL | BDL | 558 | 710 | 0.64 | 2.35 | BDL | BDL |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4150 | 100 M D/S OF VILL RURIANWALI, DIST MUKTSAR | PUNJAB | - | - | 7.9 | 8 | 673 | 4580 | BDL | BDL | 0.47 | 3.61 | BDL | BDL | BDL | BDL | 383 | 2693 | 0.31 | 1.91 | BDL | BDL |
| 4151 | NEAR MALBORS INTERNATIONAL P LTD, VILL MANSOORWAL, DIST FEROPUR | PUNJAB | - | - | 7.5 | 7.5 | 1985 | 1985 | BDL | BDL | | | BDL | BDL | BDL | BDL | 1076 | 1076 | BDL | BDL | BDL | BDL |
| 4153 | DASHMESH NAGAR, GALI NO 12, LUDHIANA | PUNJAB | - | - | 7.6 | 7.8 | 381 | 1294 | BDL | BDL | 0.9 | 7.41 | BDL | BDL | BDL | BDL | 225 | 752 | 0.5 | 0.5 | BDL | BDL |
| 4154 | TSSM SR SEC SCHOOL SHIMLAPURI, LUDHIANA | PUNJAB | 36 | 36 | 7.5 | 7.7 | 751 | 904 | BDL | BDL | 0.8 | 0.9 | BDL | BDL | BDL | BDL | 453 | 519 | 0.6 | 0.6 | BDL | BDL |
| 4155 | DAIRY COMPLEX, TAJPUR ROAD, LUDHIANA OPP SATISH DAIRY MEAR AMRIT DHARAM KANTA | PUNJAB | | | 7.5 | 7.6 | 745 | 810 | BDL | BDL | 1 | 4.3 | BDL | BDL | BDL | BDL | 447 | 483 | 0.21 | 0.21 | BDL | BDL |
| 4156 | HANDPUMP IN AREA ON SUA ROAD NEAR DHANDARI KALAN, LUDHIANA | PUNJAB | 36 | 36 | 7.2 | 7.7 | 893 | 1027 | BDL | BDL | 0.6 | 1.1 | BDL | BDL | BDL | BDL | 508 | 631 | 0.5 | 0.8 | BDL | BDL |
| 4157 | HANDPUMP SHALLOW TUBEWELL IN THE AREA OF JANTA NAGAR, LUDHIANA | PUNJAB | 36 | 36 | 7.3 | 7.8 | 761 | 1248 | BDL | BDL | 0.6 | 1.4 | BDL | BDL | BDL | BDL | 455 | 749 | 0.5 | 0.9 | BDL | BDL |
| 1415 | WELL OF LOOMJI, CHAUDHARY, NEAR NAYAGAON, PALI, (U/S 1 KM. FROM PALI TOWN), RAJASTHAN | RAJASTHAN | 24 | 28 | 7.45 | 7.9 | 2830 | 9001 | - | - | 5.47 | 8.22 | 4 | 220 | 110 | 440 | 2034 | 6020 | 0.78 | 1.25 | - | - |
| 1706 | RIICO PUMP HOUSE NEAR MONTO MOTORS, MIA, ALWAR, RAJASTHAN | RAJASTHAN | 28 | 30 | 7.06 | 7.86 | 1309 | 1412 | - | - | 2.93 | 3 | 1.9 | 4 | 2 | 9 | 694 | 896 | 0.68 | 1.04 | - | - |
| 1707 | BORE WELL IN MODI ALKALIS & CHEMICALS, MIA, ALWAR, RAJASTHAN | RAJASTHAN | 26 | 33 | 7.19 | 7.56 | 1912 | 2890 | - | - | 2.76 | 2.85 | 2 | 3.5 | 4 | 6 | 1674 | 2109 | 0.48 | 0.64 | - | - |
| 1708 | KOTHI WALA WELL IN VILLAGE BAGAR RAJPUT, ALWAR, RAJASTHAN | RAJASTHAN | 27 | 30 | 7.14 | 7.48 | 1796 | 2417 | - | - | 1.24 | 1.71 | 6 | 7 | 17 | 23 | 739 | 1320 | 0.36 | 0.61 | - | - |
| 1710 | BOREWELL OF SHRI DULI CHAND DAYMA S/O SH. CHETRAM DAYMA, NEAR GOVT. SCHOOL, VILLAGE- ALUPUR (ALAMPUR), BHIWADI, DISTT- ALWAR, TEHSIL- TIJARA | RAJASTHAN | 27 | 27 | 7.14 | 8.01 | 1840 | 1972 | - | - | 2.38 | 2.42 | 4 | 54 | 7 | 135 | 910 | 1078 | 0.62 | 0.98 | - | - |
| 1713 | BOREWELL OF SH JAGDISH BHATI, NEAR SANJEEV ENTERPRISES, RIA, VILLAGE- GHATAL, BHIWADI, DISTRICT - ALWAR | RAJASTHAN | 28 | 29 | 7.17 | 8.03 | 1220 | 1272 | - | - | 1.86 | 4 | 4 | 58 | 7 | 126 | 720 | 840 | 0.34 | 0.68 | - | - |
| 1715 | HAND PUMP NEAR SECONDARY SCHOOL ABOUT 300MT. FROM | RAJASTHAN | 27 | 28 | 7.59 | 7.92 | 2100 | 2120 | - | - | 1.92 | 2.19 | 7.8 | 11 | 14 | 17 | 1365 | 1378 | 0.75 | 1.05 | - | - |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|---|------------|------------------|------|------|------|-------------------------|-------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | KANSUA NALLAH KOTA, RAJASTHAN | | | | | | | | | | | | | | | | | | | | | |
| 1720 | CHAUDHARY KA WELL VILLAGE PANIALA, KOTAPUTALI NEAR ASSOCIATED ALCOHOL BREWERIES LTD JAIPUR, RAJASTHAN | RAJASTHAN | 25 | 27 | 7.9 | 7.98 | 3770 | 3950 | - | - | 3.99 | 4.23 | 7.8 | 10 | 14 | 15 | 2450 | 2560 | 0.35 | 0.42 | - | - |
| 1721 | PHED WELL NEAR RAILWAY LINE JHOTAWARA, JAIPUR, RAJASTHAN | RAJASTHAN | 27 | 28 | 8.14 | 8.62 | 690 | 712 | - | - | 1.61 | 3.25 | 6 | 6.8 | 13 | 15 | 448 | 463 | BDL | BDL | - | - |
| 1723 | HAND PUMP OF VIDHANI VILLAGE GONER ROAD JAIPUR, RAJASTHAN | RAJASTHAN | 26 | 27 | 7.67 | 8.83 | 8740 | 10850 | - | - | 5.3 | 6.42 | 4.5 | 6.1 | 7.8 | 8.1 | 5680 | 7050 | 1.49 | 1.84 | - | - |
| 1724 | WELL OF GOOJARON KI TALAI, MOHANA ROAD SANGANER JAIPUR, RAJASTHAN | RAJASTHAN | 26 | 28 | 8.13 | 8.57 | 548 | 575 | - | - | 0.98 | 1.17 | 11 | 11 | 17 | 20 | 356 | 374 | 0.26 | 0.34 | - | - |
| 1725 | PUBLIC HAND PUMP BEFORE SANGANER PULIA, RAJASTHAN | RAJASTHAN | 26 | 27 | 7.28 | 7.76 | 4230 | 5030 | - | - | 4.88 | 5.42 | 6.8 | 9.1 | 11 | 12 | 2740 | 3270 | 0.31 | 0.42 | - | - |
| 2015 | PABUPURA ROAD NEAR CIVIL AIR PORT, JODHPUR (MANGILAL RATHOR) | RAJASTHAN | 27 | 31.4 | 7.1 | 7.37 | 2390 | 2540 | - | - | 3.62 | 5.12 | 2 | 2 | 11 | 12 | 1551 | 1710 | 0.54 | 1.62 | BDL | BDL |
| 2017 | VILLAGE VINAYAKIA, JODHPUR (BADRI KUMHAR) | RAJASTHAN | 27 | 29.8 | 7.25 | 7.65 | 2160 | 2200 | - | - | 2.92 | 4.22 | 4 | 6 | 13 | 13 | 1430 | 1460 | 0.85 | 1.34 | - | - |
| 2018 | VILLAGE VINAYAKIA, JODHPUR (HUKUM SINGH RATHORE) | RAJASTHAN | 27 | 29.6 | 7.16 | 7.47 | 8160 | 9140 | - | - | 4.12 | 13.32 | 4 | 6 | 16 | 21 | 5300 | 6120 | 1.69 | 2.7 | - | - |
| 2019 | NEAR UIT BRIDGE, UDAIPUR | RAJASTHAN | 25 | 25 | 8.18 | 8.18 | 1086 | 1086 | - | - | 2.22 | 2.22 | 10 | 10 | 18 | 18 | 760 | 760 | 0.68 | 0.68 | - | - |
| 2020 | NEW FATEHPURA, 200 FT.FROM PANCHWATI NALLAH, UDAIPUR | RAJASTHAN | 26 | 26 | 8.02 | 8.31 | 1571 | 1612 | - | - | 1.72 | 2.12 | 4 | 10 | 17 | 17 | 1100 | 1128 | 0.24 | 0.34 | - | - |
| 2021 | NEAR ARVIND GENERAL STORE, ALOO FACTORY, KACCHI BASTI, SARDARPURA, UDAIPUR | RAJASTHAN | 25 | 25 | 7.84 | 8.02 | 1650 | 1780 | - | - | 2.32 | 2.42 | 6 | 6 | 13 | 21 | 1155 | 1246 | 0.22 | 0.39 | - | - |
| 2022 | NEAR RANA PRATAP NAGAR, RAILWAY STATION, UDAIPUR | RAJASTHAN | 25 | 25 | 7.84 | 8.31 | 1496 | 1510 | - | - | 3.22 | 3.72 | 2 | 9 | 3 | 14 | 1047 | 1057 | 0.38 | 0.46 | - | - |
| 2023 | HOTEL ORIENT PLACE, SUBHAS NAGAR, UDAIPUR | RAJASTHAN | 26 | 26 | 8.21 | 8.29 | 973 | 997 | - | - | 2.82 | 2.92 | 4 | 8 | 14 | 17 | 681 | 698 | 0.28 | 0.39 | - | - |
| 2024 | IN SIDE SHIV TEMPLE NEAR AIR FORCE STATION AMER ROAD, JAIPUR | RAJASTHAN | 26 | 28 | 7.49 | 8.55 | 1575 | 2840 | - | - | 3.66 | 4.2 | 9.3 | 9.3 | 15 | 17 | 1023 | 1846 | 0.42 | 0.64 | - | - |
| 2025 | NEAR SHREE KALYANESHWAR MAHADEV TEMPLE, JAI SINGH PURA KHURD, JAIPUR. | RAJASTHAN | 26 | 28 | 8.1 | 8.82 | 1607 | 1623 | - | - | 2.83 | 4.5 | 4.5 | 6.1 | 9.3 | 10 | 1044 | 1055 | 0.33 | 0.34 | - | - |
| 2027 | NEAR ABN CENTRAL ACADEMY, SUSILPURA, SODALA, JAIPUR. | RAJASTHAN | 26 | 27 | 7.62 | 8.64 | 1237 | 2370 | - | - | 4.11 | 6.34 | 4 | 6 | 8.3 | 9.1 | 804 | 1540 | 0.28 | 0.28 | - | - |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|---|------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2028 | NEAR SAMSHAN VISHWAKARMA NAGAR, MAHARANIFARM, JAIPUR | RAJASTHAN | 26 | 26 | 8.19 | 8.68 | 735 | 862 | - | - | 0.8 | 0.93 | 4.5 | 6.8 | 9.2 | 11 | 478 | 560 | 0.22 | 0.22 | - | - |
| 2029 | NEAR GANDHI BHWAN, AJMER | RAJASTHAN | 20 | 24 | 7.56 | 7.76 | 2220 | 2610 | - | - | 2.78 | 6.67 | 5.6 | 6.1 | 8.2 | 10 | 1444 | 1696 | 0.69 | 0.72 | - | - |
| 2031 | NEAR 9 NO. PETROL PUMP, NEAR ADARSH NAGAR GATE, AJMER | RAJASTHAN | 20 | 24 | 7.73 | 7.91 | 1474 | 1706 | - | - | 1.53 | 5.95 | 4.5 | 4.5 | 9.1 | 9.3 | 958 | 1109 | 0.54 | 0.94 | - | - |
| 2032 | NEAR KHANPURA TALAB, AJMER | RAJASTHAN | 20 | 24 | 7.65 | 8.09 | 578 | 664 | - | - | 0.66 | 1.09 | 15 | 17 | 24 | 26 | 376 | 431 | 0.28 | 0.33 | - | - |
| 2960 | WELL INFRONT OF SINGHANA POLICE STATION, SINGHANA, JHUNJHUNU, RAJASTHAN | RAJASTHAN | 22 | 27 | 7.16 | 7.71 | 6910 | 7050 | - | - | 3.21 | 6.56 | 12 | 17 | 21 | 24 | 4490 | 4583 | 0.3 | 0.61 | - | - |
| 2961 | WELL OF SH MNAGAL CHAND MEENA, MANPUR MACHERI, JAIPUR, RAJASTHAN | RAJASTHAN | 28 | 28 | 8.03 | 8.51 | 997 | 1010 | - | - | 2.21 | 4.14 | BDL | BDL | 2 | 2 | 648 | 656 | 0.32 | 0.36 | - | - |
| 2962 | WELL OF SH MOOL CHAND RAIGER, MANPUR MACHERI, JAIPUR, RAJASTHAN | RAJASTHAN | 25 | 26 | 8.06 | 8.49 | 918 | 1047 | - | - | 2.3 | 6.14 | BDL | BDL | 3.6 | 4 | 596 | 680 | 0.31 | 0.62 | - | - |
| 2963 | WELL OF RIICO AT LEATHER COMPLEX, MANPUR MACHERI, JAIPUR, RAJASTHAN | RAJASTHAN | 25.5 | 26 | 7.72 | 7.97 | 5610 | 5700 | - | - | 5.29 | 6.19 | 9.1 | 12 | 14 | 17 | 3640 | 3700 | 0.32 | 0.51 | - | - |
| 2964 | WELL AT INDIA PUBLIC SCHOOL, MANPUR MACHERI, JAIPUR, RAJASTHAN | RAJASTHAN | 25 | 26 | 7.69 | 8.05 | 2300 | 2730 | - | - | 4.11 | 6.07 | 3.7 | 3.7 | 4.5 | 5.6 | 1497 | 1775 | 0.44 | 0.48 | - | - |
| 2965 | SHRI GIRDHARI SINGH CHOUDHARY NEAR BANDI BRIDGE, PALI BYE PASS ROAD, PALI, RAJASTHAN | RAJASTHAN | 19.8 | 24.8 | 7.52 | 7.68 | 4050 | 5500 | - | - | 5.7 | 5.74 | 5 | 70 | 75 | 120 | 2700 | 3570 | 1.34 | 1.38 | - | - |
| 2966 | SHRI GIRDHARI SINGH RAJPUROHIT NEAR VILLAGE PUNAYATA, JODHPUR-SUMERPUR BYE PASS ROAD, PALI, RAJASTHAN | RAJASTHAN | 19.6 | 23.5 | 7.52 | 7.65 | 1010 | 4728 | - | - | 2.12 | 2.52 | 5 | 6 | 12 | 14 | 637 | 3160 | 0.81 | 0.84 | - | - |
| 2967 | SH. POL SINGH PUROHIT, VILLAGE PUNAYATA, PALI, RAJASTHAN | RAJASTHAN | 19.7 | 25 | 7.74 | 7.82 | 3186 | 8820 | - | - | 4.8 | 4.84 | 2 | 4 | 9 | 10 | 2120 | 5290 | 0.95 | 0.96 | - | - |
| 2968 | SH. BHANA RAM KALAL, DHARU NAGAR, NEAR MAIN MANDIA ROAD, OPP. VILLAGE MANDIA, PALI, RAJASTHAN | RAJASTHAN | 19.9 | 23 | 8.92 | 9.08 | 5622 | 6810 | - | - | 3.24 | 3.33 | 7 | 10 | 13 | 14 | 3760 | 4420 | 1.25 | 1.27 | - | - |
| 2969 | M/S SPECIALTY SILICA LTD., MIA , NEAR AGRO FOOD PARK, ALWAR, RAJASTHAN | RAJASTHAN | 20 | 27 | 7.06 | 7.25 | 974 | 1004 | - | - | 0.94 | 1.65 | 9 | 11 | 14 | 17 | 619 | 812 | 0.36 | 0.54 | - | - |
| 2970 | RIICO TUBE WELL, RIA, BEHROR, RAJASTHAN | RAJASTHAN | 27 | 30 | 7.31 | 7.4 | 890 | 1440 | - | - | 1.95 | 1.98 | 6 | 9 | 14 | 26 | 850 | 1120 | 0.61 | 0.63 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|------|------|------|-------------------------|-------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|-------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2971 | RIICO TUBE WELL, RIA, NEEMRANA, RAJASTHAN | RAJASTHAN | 26 | 31 | 7.06 | 7.19 | 2410 | 3750 | - | - | 2.3 | 3.21 | 9 | 14 | 21 | 23 | 1940 | 2893 | 0.46 | 0.87 | - | - |
| 2972 | RIICO TUBE WELL, RIA, SOTANALA, RAJASTHAN | RAJASTHAN | 25 | 31 | 7.09 | 7.36 | 2972 | 3350 | - | - | 1.26 | 1.95 | 14 | 14 | 2 | 26 | 1812 | 2905 | 0.68 | 0.76 | - | - |
| 2973 | RIICO TUBE WELL, RIA, SHAHJAHANPUR, RAJASTHAN | RAJASTHAN | 26 | 30 | 6.99 | 7.43 | 3672 | 5404 | - | - | 2.2 | 2.73 | 14 | 14 | 21 | 22 | 2172 | 3442 | 0.59 | 0.88 | - | - |
| 2974 | VILLAGE AGYARA, TEHSIL-RAMGARH, ALWAR, RAJASTHAN | RAJASTHAN | 27 | 30 | 7.14 | 7.43 | 1871 | 2520 | - | - | 1.85 | 1.98 | 11 | 23 | 21 | 30 | 976 | 1885 | 0.69 | 0.99 | - | - |
| 2975 | VILLAGE BAGER MEO, TEHSIL-RAMGARH, ALWAR, RAJASTHAN | RAJASTHAN | 29 | 31 | 7.19 | 7.76 | 1874 | 2692 | - | - | 1.86 | 2.16 | 13 | 17 | 27 | 33 | 1112 | 1752 | 0.58 | 0.89 | - | - |
| 2976 | SUJAN GANGA, BHARATPUR, RAJASTHAN | RAJASTHAN | 27 | 29 | 7.72 | 8.46 | 4046 | 5523 | 4.4 | 5.6 | 8.96 | 9.34 | 210 | 280 | 480 | 500 | 2577 | 2694 | 0.46 | 0.7 | - | - |
| 2977 | WELL OF RAM CHANDRA DEWRA, VILLAGE- SANGARIA, JODHPUR, RAJASTHAN | RAJASTHAN | 27 | 29.8 | 7.52 | 7.85 | 19820 | 22700 | - | - | 4.92 | 10.97 | 6 | 8 | 14 | 20 | 13298 | 14740 | 1.92 | 2.31 | - | - |
| 2982 | WELL OF BIRMA RAM PATEL, SALAWAS, JODHPUR, RAJASTHAN | RAJASTHAN | 26 | 28.4 | 7.77 | 8.36 | 20200 | 22900 | - | - | 4.82 | 9.22 | 2 | 6 | 10 | 14 | 12622 | 14890 | 2.14 | 3.16 | - | - |
| 2985 | WELL OF GIRDHARI RAM MEGHWAL, VILLAGE- NANDWAN, JODHPUR, RAJASTHAN | RAJASTHAN | 27 | 29.8 | 7.26 | 7.78 | 11130 | 11880 | - | - | 4.82 | 12.52 | 2 | 4 | 9 | 11 | 7230 | 7840 | 1.56 | 1.9 | - | - |
| 2988 | WELL OF PEMA RAM MALI, BHITUJA, RAJASTHAN | RAJASTHAN | 28 | 30 | 7.7 | 7.91 | 4990 | 6300 | - | - | 3.42 | 4.12 | 4 | 4 | 11 | 11 | 3180 | 4090 | 1.49 | 1.6 | - | - |
| 2991 | WELL OF BHAG JI LAXMAN RAM MALI, SAKARNA BERA, BALOTRA, BARMER, RAJASTHAN | RAJASTHAN | 29 | 29 | 7.39 | 7.43 | 12880 | 13430 | - | - | 5.84 | 5.97 | 2 | 3 | 4.5 | 5 | 8720 | 8720 | 0.62 | 0.81 | - | - |
| 2993 | WELL OF CHOUTHAM RAM PUSA PAM, LEFT SIDE OF BRIDGE LUNI, BALOTRA, RAJASTHAN | RAJASTHAN | 28 | 30 | 7.81 | 7.92 | 6140 | 6260 | - | - | 6.83 | 7.04 | 7 | 11 | 16 | 21 | 3990 | 4200 | 1.72 | 1.89 | - | - |
| 3001 | BORE WELL OF M/S SHRI . BHRAM JEET SERVICE STATION, NEAR BUS STAND BHIWADI, TEHSIL-TIJARA, DISTT-ALWAR | RAJASTHAN | 28 | 29 | 7.2 | 8.03 | 1192 | 2200 | - | - | 1.72 | 3.98 | 3 | 78 | 9 | 156 | 752 | 1458 | 0.32 | 1.06 | - | - |
| 3002 | BORE WELL M/S R.C. PALACE HOTEL, HOTEL, NEAR LIC OFFICE, ALAMPUR ROAD , BHIWADI, TEHSIL-TIJARA DISS-ALWAR | RAJASTHAN | 29 | 29 | 7.26 | 7.93 | 1428 | 1510 | - | - | 2.3 | 3.4 | 3 | 68 | 9 | 114 | 936 | 1060 | 0.48 | 1.14 | - | - |
| 3003 | BORE WELL OFFICE OF RAJ. HOUSING BOARD OFFICE , BHIWADI, TEHSIL-TIJARA, DISTT-ALWAR | RAJASTHAN | 28 | 28 | 7.3 | 7.86 | 1485 | 2160 | - | - | 2.08 | 7.03 | 3 | 3 | 9 | 11 | 1260 | 1424 | 0.44 | 0.86 | - | - |
| 3004 | BORE WELL OF M/S MODERN PUBLIC SCHOOL, NEAR BHAGAT SINGH COLONY, ALWAR BY PASS | RAJASTHAN | 29 | 30 | 7.25 | 7.51 | 1320 | 1710 | - | - | 2.22 | 2.94 | 4 | 18 | 7 | 32 | 948 | 1058 | 0.56 | 0.98 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|------|------|------|-------------------------|-------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|-------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | ROAD BHIWADI, TEHSIL-TIJARA, DISTT-ALWAR | | | | | | | | | | | | | | | | | | | | | |
| 3006 | HAND PUMP NEAR NEVTA TIRAHA, NEVTA DAM, SANGANER, JAIPUR, RAJASTHAN | RAJASTHAN | 26 | 27 | 7.75 | 8.85 | 3070 | 3280 | - | - | 2.01 | 2.86 | 4 | 4.5 | 6.1 | 7.8 | 1995 | 2130 | 0.77 | 0.91 | - | - |
| 4165 | BORE WELL NEAR STP AT GAJADHARPURA, JAIPUR | RAJASTHAN | 26 | 27 | 7.62 | 8.26 | 1885 | 1885 | - | - | 2.09 | 5.2 | 9.2 | 11 | 17 | 17 | 1204 | 1225 | 0.38 | 0.38 | - | - |
| 4166 | BORE WELL NEAR MSW SITE/ KANOTA DAM, JAIPUR | RAJASTHAN | 27 | 28 | 8.17 | 8.91 | 3450 | 3570 | - | - | 3.59 | 4.56 | 6.8 | 8.3 | 10 | 11 | 2230 | 2310 | 1.04 | 1.74 | - | - |
| 4168 | HAND PUMP AT VILLAGE MANDAPIA, BHILWARA | RAJASTHAN | | | | | | | - | - | | | | | | | | | | | - | - |
| 4169 | HAND PUMP AT VILLAGE MANGROP, BHILWARA | RAJASTHAN | 19 | 19.5 | 7.73 | 8.26 | 545 | 1377 | - | - | 1.09 | 1.23 | 3.7 | 4 | 5.6 | 6.1 | 354 | 895 | 0.21 | 0.82 | - | - |
| 4170 | HAND PUMP AT VILLAGE ATOON, BHILWARA | RAJASTHAN | 18.5 | 19 | 7.52 | 7.81 | 2880 | 3430 | - | - | 3.14 | 5.71 | 3.6 | 4 | 5.5 | 6 | 1872 | 2480 | 0.54 | 0.61 | - | - |
| 4176 | HAND PUMP NEAR RIICO INDUSTRIAL AREA, AAJOLIYON KA KHERA, GANGRAR, CHITTORGARH | RAJASTHAN | 23 | 25 | 7.21 | 7.71 | 2208 | 2236 | - | - | 2.06 | 3.12 | 14 | 21 | 26 | 45 | 1896 | 1896 | 0.26 | 0.31 | - | - |
| 4180 | BOREWELL OF JYOTI UCHCH MADHYMIC VIDHYALAYA, NAYAGAON, RAMPUR MUNDANA, BHIWADI | RAJASTHAN | 30 | 30 | 7.31 | 7.51 | 1330 | 2330 | - | - | 8.22 | 8.82 | 3 | 42 | 7 | 72 | 988 | 1510 | 0.86 | 0.98 | - | - |
| 4181 | BOREWELL IN THE HOUSE AKRAM KHAN, AMLAKI, KAHARANI INDUSTRIAL AREA, BHIWADI, TEHSIL- TIJARA, ALWAR | RAJASTHAN | 28 | 29 | 7.26 | 7.43 | 3120 | 3640 | - | - | 1.68 | 2.82 | 4 | 34 | 7 | 72 | 1968 | 3065 | 0.4 | 0.76 | - | - |
| 4183 | BOREWELL AT STAR HOSPITAL, INFRONT OF STP, BHIWADI, TIJARA, ALWAR | RAJASTHAN | 28 | 28 | 7.39 | 7.9 | 2100 | 2830 | - | - | 1.84 | 8.22 | 4 | 220 | 7 | 440 | 1420 | 2034 | 0.78 | 0.92 | - | - |
| 4184 | BOREWELL IN CETP PREMISES, NEAR BUS STAND BHIWADI, TIJARA, ALWAR | RAJASTHAN | 28 | 29 | 7.21 | 7.64 | 2210 | 2440 | - | - | 1.62 | 4.36 | 4 | 8 | 7 | 18 | 1720 | 1741 | 0.46 | 0.98 | - | - |
| 4759 | HANDPUMP IN FRONT OF URBAN IMPROVEMENT TRUST, CIVIL LINES, AJMER | RAJASTHAN | 20 | 24 | 7.42 | 7.64 | 3420 | 3990 | - | - | 3.06 | 6.28 | 3.7 | 3.7 | 9.3 | 10 | 2220 | 2590 | 0.7 | 0.97 | - | - |
| 4760 | HANDPUMP WITHIN PREMISES OF NAGAR PARISHAD OFFICE, OLD CITY ROAD, DESHWALI MOHALLA, KRISHANGARH | RAJASTHAN | 20 | 24 | 7.6 | 7.83 | 2250 | 3450 | - | - | 3.16 | 6.25 | 4 | 4.5 | 9.1 | 9.1 | 1461 | 2240 | 1.07 | 1.23 | - | - |
| 4761 | TUBE WELL OF M/S BALOTRA WATER POLLUTION CONTROL AND RESEARCH FOUNDATION | RAJASTHAN | 28 | 31 | 7.31 | 7.46 | 33440 | 34900 | - | - | 5.08 | 5.52 | 7 | 15 | 16 | 24 | 23400 | 23660 | 1.33 | 1.52 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|-----|------|------|-------------------------|-------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|-------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | TRUST (CETP) KHED ROAD, BALOTRA, BARMER, RAJASTHAN | | | | | | | | | | | | | | | | | | | | | |
| 4763 | BOREWELL OF SHRI PEMARAM MALI/DHUDARAM MALI, BITHUJA, BALOTRA, BARMER, RAJASTHAN | RAJASTHAN | 28 | 30 | 7.44 | 7.52 | 6150 | 9350 | - | - | 5.26 | 6.22 | 9 | 12 | 16 | 21 | 4180 | 6070 | 0.92 | 0.95 | - | - |
| 4764 | M/S ABHISHEK KOTHARI, NAKODA ROAD MEWA NAGAR, JASOL, PACHPADRA, BARMER, RAJASTHAN | RAJASTHAN | 27 | 28 | 7.47 | 7.65 | 2710 | 3200 | - | - | 4.08 | 4.15 | 4 | 6 | 9 | 11 | 1860 | 2080 | 0.6 | 0.73 | - | - |
| 4765 | BOREWELL OF AJANTA TEXTILES NAKODA ROAD, JASOL, BARMER, RAJASTHAN | RAJASTHAN | 29 | 30 | 7.21 | 7.32 | 24500 | 30500 | - | - | 8.39 | 9.12 | 2 | 2 | 3.7 | 4 | 1652 | 19870 | 0.5 | 0.53 | - | - |
| 4766 | BOREWELL OF AMRITLAL S/O BACHARAJ & JOINT KRISHI FORM KH. NO. 66/15, BITHUJA, BARMER, RAJASTHAN | RAJASTHAN | 29 | 32 | 7.46 | 7.51 | 19370 | 22300 | - | - | 5.23 | 5.41 | 2 | 3 | 5 | 6 | 13120 | 14500 | 0.38 | 0.45 | - | - |
| 4767 | OPEN WELL OF SAGNARAM MALI S/O RAJARAM MALI, KHASRA NO. 9, SINDRI, BARMER, | RAJASTHAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4768 | OPENWELL OF SHRI ISHWAR SINGH MALI S/O BHURJI MALI, DHANNA KI DHANI BILASAR, BARMER | RAJASTHAN | 28 | 31 | 7.78 | 7.88 | 10550 | 12400 | - | - | 4.57 | 4.91 | 13 | 75 | 32 | 120 | 7840 | 8060 | 1.31 | 1.55 | - | - |
| 4774 | RIICO TUBWELL NO. 1, LOCATED NEAR GANPATI TUBES & FABRICATION (P) LTD SP-A-53(A), RIA, BHIWADI, OPPOSITE TO WHEEL'O CITY AT T-POINT, TEHSIL- TIJARA | RAJASTHAN | 29 | 29 | 7.04 | 7.9 | 1795 | 2552 | - | - | 2.7 | 3.16 | 3 | 132 | 7 | 190 | 1228 | 1560 | 0.34 | 0.82 | - | - |
| 4775 | RIICO TUBEWELL NO. 3 LOCATED ON ROAD SIDE CLOSE TO INDAG RUBBER AND OPPOSITE TO HONDA SHOWROOM, NEELAM CHOWK, BHIWADI, TEHSIL- TIJARA | RAJASTHAN | 28 | 30 | 6.94 | 7.54 | 1642 | 2170 | - | - | 3.18 | 3.74 | 3 | 34 | 7 | 64 | 1116 | 1356 | 0.38 | 0.64 | - | - |
| 4777 | RIICO TUBEWELL NO. 31, LOCATED NEAR BKL LIFESTYLE, PLOT NO. 1228, RIA, BHIWADI, OPP. TO ACRO PAINTS-II, TIJARA | RAJASTHAN | 28 | 28 | 7 | 7.79 | 1290 | 1666 | - | - | 3.76 | 4.22 | 3 | 6 | 7 | 12 | 920 | 1162 | 0.56 | 0.98 | - | - |
| 4778 | RIICO TUBEWELL NO. 34, LOCATED ON ROAD SIDE OF 220 KVA POWER STATION, CLOSE TO BKT(ESI HOSPITAL), RAMPUR MUNDANA RIS BHIWADI, TIJARA, | RAJASTHAN | 27 | 28 | 6.96 | 7.71 | 1310 | 1542 | - | - | 3.34 | 4.62 | 4 | 6 | 7 | 14 | 910 | 960 | 0.35 | 0.52 | - | - |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|---|------------|------------------|------|------|------|-------------------------|-------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4779 | BOREWELL OF VKIA RECREATIONAL CLUB JAIPUR | RAJASTHAN | 26 | 27 | 7.74 | 8.1 | 1388 | 1491 | - | - | 2.2 | 5.05 | 8.1 | 9.2 | 12 | 12 | 902 | 969 | 0.27 | 0.31 | - | - |
| 4782 | OFFICE OF ASSISTANT ENGINEER, JAIPUR, VIDHUT VITRAN NIGAM LTD, RIICO IND. AREA, BAGRU, TEHSIL-SANGANER, | RAJASTHAN | 26 | 28 | 7.88 | 8.79 | 2440 | 6820 | - | - | 4.29 | 6.03 | 2 | 3.6 | 8.2 | 9.2 | 1589 | 4430 | 1.2 | 1.44 | - | - |
| 4783 | JHALANA FOREST PARK, NEAR MALVIYA NAGAR IND. AREA, MALVIYA NAGAR JAIPUR | RAJASTHAN | 26 | 26 | 7.17 | 7.88 | 1372 | 3000 | - | - | 1.38 | 1.98 | 4 | 4 | 6 | 6.8 | 892 | 1951 | 0.36 | 0.36 | - | - |
| 4784 | WELL OF SHRI HAZARI SINGH GEHLOT, NEAR PATWAR BHAWAN, SALAWAS JODHPUR | RAJASTHAN | 27 | 29.8 | 7.87 | 8.1 | 3200 | 4740 | - | - | 3.22 | 7.42 | 2 | 4 | 7.8 | 9 | 2170 | 3080 | 0.36 | 0.62 | - | - |
| 4785 | WELL OF SHRI TILARAM, NANDWAN, JODHPUR | RAJASTHAN | 27 | 28.9 | 6.97 | 7.58 | 5280 | 5730 | - | - | 5.55 | 18.52 | 2 | 11 | 14 | 20 | 3430 | 3853 | 1.46 | 1.78 | - | - |
| 4786 | WELL OF SHRI DEVARAM, HEER KHERA, JODHPUR | RAJASTHAN | 27 | 29 | 7.11 | 7.19 | 8650 | 9030 | - | - | 4.12 | 4.62 | 4 | 10 | 13 | 21 | 5870 | 5890 | 1.94 | 2.32 | - | - |
| 4787 | WELL OF SHRI DALARAM, AHEER KHERA, JODHPUR | RAJASTHAN | 26 | 28.5 | 6.96 | 7.27 | 5200 | 6180 | - | - | 4.52 | 7.92 | 2 | 8 | 13 | 20 | 3330 | 4000 | 1.31 | 2.8 | - | - |
| 4788 | WELL OF SHRI MAGARAM, NANDWAN, JODHPUR | RAJASTHAN | 27 | 28.9 | 7.16 | 7.33 | 13980 | 18830 | - | - | 4.82 | 5.02 | 2 | 4 | 6 | 7 | 8230 | 9260 | 1.67 | 2.82 | - | - |
| 4789 | WELL OF SHRI BHAGARAM BHATIA, SALAWAS-JODHPUR ROAD, SALAWAS, JODHPUR | RAJASTHAN | 26 | 29.6 | 7.22 | 7.4 | 6390 | 6880 | - | - | 4.9 | 5.82 | 6 | 6 | 16 | 24 | 4280 | 4410 | 1.82 | 2.68 | - | - |
| 4791 | HANDPUMP NEAR M/S CHAMBLE FERTILIZER & CHEMICALS, GADEPAN | RAJASTHAN | 27 | 28 | 7.78 | 8.39 | 708 | 848 | - | - | 1.07 | 1.19 | 9.2 | 11 | 17 | 17 | 460 | 551 | 0.31 | 0.62 | - | - |
| 4792 | HANDPUMP NEAR M/S RAJASTHAN TEXTILE MILLS, BHAWANI MANDI | RAJASTHAN | 28 | 28 | 7.62 | 8.02 | 4750 | 5520 | - | - | 2.31 | 4.37 | 6.1 | 6.8 | 8.2 | 11 | 3080 | 3580 | 0.31 | 0.38 | - | - |
| 4793 | PUBLIC TUBEWELL, VILLAGE-NANI, TEHSIL-SIKAR, DIST-SIKAR | RAJASTHAN | 27 | 28 | 7.34 | 8.72 | 1220 | 2270 | - | - | 2.11 | 6.17 | 7.8 | 9.1 | 11 | 13 | 793 | 1474 | 0.45 | 0.53 | - | - |
| 4794 | TUBEWELL OF HARIPRASAD PANNALAL, BADA TALAB, VILL-NANI, TEHSIL-SIKAR | RAJASTHAN | 27 | 28 | 7.59 | 8.55 | 1275 | 1328 | - | - | 3.43 | 6.08 | 7.8 | 9.2 | 17 | 21 | 828 | 863 | 1.01 | 1.09 | - | - |
| 4796 | OPEN WELL OF SARAS DAIRY, VILAS, NH-08, UDAIPUR | RAJASTHAN | 26 | 27 | 7.92 | 8.01 | 1105 | 1164 | - | - | 2.12 | 2.42 | 2 | 6 | 7 | 21 | 774 | 815 | 0.35 | 0.43 | - | - |
| 4797 | BOREWELL NEAR MAIN GATE, CITY PALACE, NEAR SHEETLA MATA TEMPLE, UDAIPUR | RAJASTHAN | 25 | 26 | 8.08 | 8.18 | 985 | 1012 | - | - | 3.52 | 3.92 | 3 | 9 | 7 | 14 | 690 | 708 | 0.29 | 0.38 | - | - |
| 4798 | BOREWELL OF BSNL OFFICE, SECTOR-03, HIRAN MARG, UDAIPUR | RAJASTHAN | 26 | 26 | 8.02 | 8.23 | 714 | 769 | - | - | 1.42 | 1.92 | 4 | 10 | 17 | 18 | 500 | 538 | 0.28 | 0.37 | - | - |
| 4799 | HAND PUMP AT DISTRICT COLLECTOR OFFICE, BARAN | RAJASTHAN | 27 | 28 | 7.55 | 7.73 | 1324 | 1522 | - | - | 2.41 | 2.69 | 9.1 | 9.2 | 12 | 14 | 860 | 983 | 0.4 | 0.45 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4800 | TUBE WELL AT DISTRICT COLLECTOR OFFICE, CHURU | RAJASTHAN | 25 | 26.5 | 7.51 | 8.67 | 4610 | 5250 | - | - | 3.7 | 6.31 | 7.8 | 8.1 | 11 | 12 | 2996 | 3410 | 0.49 | 0.99 | - | - |
| 4801 | HAND PUMP AT DISTRICT COLLECTOR OFFICE, DAUSA | RAJASTHAN | 27 | 27 | 7.61 | 8.41 | 5470 | 7860 | - | - | 4.45 | 4.66 | 6.8 | 7.8 | 12 | 13 | 3550 | 5110 | 1.15 | 1.44 | - | - |
| 4802 | HAND PUMP AT DISTRICT COLLECTOR OFFICE, KARAU LI | RAJASTHAN | 27 | 27 | 7.21 | 7.21 | 1624 | 1624 | BDL | BDL | 2.8 | 2.8 | 7 | 7 | 13 | 13 | 796 | 796 | 0.59 | 0.59 | - | - |
| 4803 | SHAHID CAPT, CHANDRA CHOUDHARY PARK, BIKANER | RAJASTHAN | 28.7 | 28.7 | 7.02 | 7.34 | 7300 | 7420 | - | - | 3.23 | 5.37 | 2 | 2 | 3.7 | 4 | 4740 | 4740 | 0.45 | 0.51 | - | - |
| 4806 | SHRI BABUAL SOPATRA, SHEKHO KI DDHANI PALI | RAJASTHAN | 20 | 23 | 7.72 | 7.95 | 4286 | 4340 | - | - | 2.32 | 2.52 | 4 | 4 | 16 | 21 | 2780 | 2830 | 1.19 | 1.21 | - | - |
| 4807 | SHRI MUKESH RAJPUROHIT, INFORNT OF GS-197-A, PUNAYATA INDUSTRY ROAD, NEAR BY NATIONAL HIGHWAY PALI-JODHPUR, CETP-IV, PALI | RAJASTHAN | 19.6 | 24.9 | 7.3 | 7.41 | 7780 | 8670 | - | - | 3.5 | 3.57 | 6 | 7 | 10 | 13 | 5200 | 5630 | 1.23 | 1.27 | - | - |
| 4809 | SHRI RANARAM, NEAR BHANWAR SINGH MANDLI FROM HOUSE NH-PALI-SUMERPUR | RAJASTHAN | 19.8 | 25 | 7.12 | 7.25 | 1962 | 3040 | | | 3.84 | 3.93 | 2 | 6 | 11 | 11 | 1300 | 1980 | 1.52 | 1.58 | - | - |
| 32 | WELL AT MUSIRI, TAMIL NADU | TAMIL NADU | 26 | 34 | 7.45 | 7.95 | 1056 | 1243 | 2.6 | 2.8 | 0.32 | 6.57 | 11 | 68 | 26 | 460 | 672 | 806 | BDL | BDL | - | - |
| 1449 | COLLECTOR WELL AT THIRUPUVANAM FOR TAMILNADU | TAMIL NADU | 29 | 29 | 7.38 | 7.38 | 581 | 581 | 2 | 2 | 0.67 | 0.67 | 24 | 24 | 63 | 63 | 330 | 330 | - | - | BDL | BDL |
| 4810 | SURIYAMPALAYAM BOREWELL (HAND PUMP) OWNED BY ERODE CORPORATION LOATED OPPOSITE TO M/S. PIONEER PROCESSING INDIA PVT. LTD., BHAVANI MAIN ROAD, R.N. PUDUR POST, ERODE | TAMIL NADU | 31 | 34 | 7.12 | 8.01 | 2200 | 2446 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | 3.6 | 3.6 | 1520 | 1544 | 0.38 | 0.38 | BDL | BDL |
| 4811 | BOREWELL LOCATED AT M/S. PHOENIX TEXTILE PROCESSORS, VENDIPALAYAM, ERODE | TAMIL NADU | 28 | 32 | 6.12 | 7.75 | 2420 | 4580 | BDL | BDL | 0.32 | 0.33 | 11 | 11 | 2 | 24 | 1596 | 2856 | 0.42 | 0.42 | BDL | BDL |
| 4814 | HOUSE OF THIRU MURUGAN, S/O. ESAKKI, NO.16B, MEENAKSHIPURAM, ANNA NAGAR, TIRUNELVELI | TAMIL NADU | 27 | 32 | 7.24 | 8.29 | 1085 | 1155 | 2.8 | 12 | 0.32 | 4.94 | BDL | BDL | 4 | 8.1 | 760 | 768 | BDL | BDL | - | - |
| 4815 | MUNICIPAL CORPORATION BORE WELL LOCATED IN PERUMALPURAM STREET, NARANAMMALPURAM, TIRUNELVELI | TAMIL NADU | 28 | 31 | 7.15 | 8.35 | 745 | 935 | 2.3 | 7.8 | 0.32 | 4.41 | BDL | BDL | 2 | 3.6 | 464 | 656 | BDL | BDL | - | - |
| 4816 | AUTHOR A, A- MUKKANI AGRAGARAM STREET INFRONT | TAMIL NADU | - | - | 7.45 | 7.96 | 379 | 955 | 2.5 | 2.6 | 0.32 | 5.74 | BDL | BDL | 4 | 10 | 252 | 572 | BDL | BDL | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|---|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | OF THIRU N. SAMUTHRAPANDI HOUSE BORE WELL | | | | | | | | | | | | | | | | | | | | | |
| 4817 | ERAL Ā,Ā- CHARMAM ARUNACHALA SWAMY TEMPLE WEST OF BORE WELL | TAMIL NADU | - | - | 7.4 | 7.8 | 78 | 382 | 2.2 | 2.2 | 0.32 | 0.32 | 3.6 | 3.6 | 6 | 6 | 48 | 228 | BDL | BDL | - | - |
| 4818 | ALWARTHIRUNAGARI Ā,Ā- VETERINARY DISPENSARY, WEST CAR STREET NEAR OVER HEAD TANK OF BORE WELL | TAMIL NADU | - | - | 7.4 | 7.41 | 213 | 330 | 2.5 | 3.1 | 0.32 | 1.39 | 3.6 | 3.6 | 7.8 | 10 | 140 | 198 | BDL | BDL | - | - |
| 4819 | SRIVAİKUNDAM Ā,Ā- BLOCK DEVELOPMENT OFFICE Ā,Ā- OPEN WELL | TAMIL NADU | - | - | 7.26 | 7.5 | 1475 | 1864 | 2.3 | 2.3 | 0.32 | 0.32 | 3.6 | 3.6 | 3.7 | 17 | 826 | 1118 | BDL | BDL | - | - |
| 4820 | SRIVAİKUNDAM Ā,Ā- TNEB SUB STATION 33 KVA OPPOSITE TO TIRUNELVELI MAIN ROAD OPEN WELL | TAMIL NADU | - | - | 7.27 | 7.97 | 82 | 388 | 2.1 | 2.5 | 0.32 | 0.33 | 13 | 13 | 2 | 47 | 50 | 230 | BDL | BDL | - | - |
| 4821 | BOREWELL NEAR KAMBARASAMPETTAI INTAKE WELL (TRICHY UPSTREAM) | TAMIL NADU | 29 | 34 | 7.68 | 8.81 | 424 | 706 | 2.2 | 2.6 | 0.32 | 0.68 | 11 | 11 | 21 | 78 | 276 | 432 | BDL | BDL | - | - |
| 4822 | BOREWELL NEAR THOGUR INTAKE WELL (TRICHY DOWNSTREAM) | TAMIL NADU | 26 | 28 | 7.51 | 7.85 | 548 | 815 | 2 | 2 | 0.32 | 0.85 | 20 | 140 | 39 | 940 | 350 | 526 | BDL | BDL | - | - |
| 4824 | PARAMASIVAM WATER SERVICE STATION, BLOCK NO.13 BSNL EXCHANGE OPPOSITE, METTUR DAM Ā,Ā- 636 402. | TAMIL NADU | 35 | 35 | 7.65 | 7.65 | 2190 | 2190 | BDL | BDL | 0.32 | 0.32 | 11 | 11 | 24 | 24 | 1416 | 1416 | 0.26 | 0.26 | BDL | BDL |
| 4825 | M. KALIAPPAN, SANGILIMUNIYAPPAN KOVIL, ERIKKADU, METTUR | TAMIL NADU | 26 | 32 | 6.3 | 7.6 | 1388 | 1424 | BDL | BDL | 0.32 | 0.33 | 6.1 | 6.1 | 6.1 | 14 | 920 | 928 | BDL | BDL | BDL | BDL |
| 4826 | SAKTHI NAGAR, NEAR MUNICIPALITY SEWAGE TREATMENT PLANT, KOMPURANKADU, METTUR | TAMIL NADU | 24 | 27 | 6.82 | 7.11 | 870 | 1146 | 2.4 | 2.4 | 0.32 | 0.32 | BDL | BDL | 3.6 | 3.7 | 564 | 724 | BDL | BDL | BDL | BDL |
| 4907 | KOMBUPALLAM, SATHYAMANGALAM | TAMIL NADU | 28 | 30 | 6.96 | 7.67 | 270 | 289 | BDL | BDL | 0.32 | 0.32 | 25 | 27 | 58 | 79 | 180 | 192 | BDL | BDL | BDL | BDL |
| 4908 | ARIYAPPAMPALAYAM, SATHYAMANGALAM | TAMIL NADU | 29 | 32 | 6.34 | 7.62 | 177 | 266 | BDL | BDL | 0.32 | 0.33 | 22 | 23 | 49 | 58 | 124 | 180 | BDL | BDL | BDL | BDL |
| 4909 | THALAVAIPETTAI, BHAVANI | TAMIL NADU | 28 | 32 | 6.76 | 7.29 | 267 | 473 | BDL | BDL | 0.32 | 0.33 | 31 | 31 | 70 | 70 | 208 | 304 | BDL | BDL | BDL | BDL |
| 4911 | BOREWELL AT PASUPATHY PUDUR VILLAGE, PALANI TALUK, DINDIGUL DIST. | TAMIL NADU | 30 | 30 | 6.53 | 6.53 | 1540 | 1540 | BDL | BDL | 32.04 | 32.04 | BDL | BDL | 2 | 2 | 996 | 996 | 0.55 | 0.55 | BDL | BDL |
| 4912 | BORE WELL AT VANNIARVALASU VILLAGE, NEAR ELEMENTARY SCHOOL, THOPPAMPATTI | TAMIL NADU | 30 | 30 | 6.64 | 6.64 | 1599 | 1599 | BDL | BDL | 0.42 | 0.42 | BDL | BDL | 2 | 2 | 1024 | 1024 | 0.62 | 0.62 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|---------|-----------------|------|----------------|------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | PANCHAYAT UNION, PALANI TALUK, DINDIGUL DIST | | | | | | | | | | | | | | | | | | | | | |
| 15 | BOREWELL AT KOYYURA, JAYASHANKAR BHUPALAPALLI | TELANGANA | 28 | 31 | 7.36 | 8.51 | 195 | 216 | BDL | BDL | 1.2 | 2.2 | BDL | BDL | 17 | 27 | 114 | 128 | 0.42 | 0.98 | - | - |
| 16 | OPEN WELL AT GOVT ASHRAM SCHOOL, TADVAI (V), SS TADVAI (M), MULUGU DISTRICT | TELANGANA | 27 | 28 | 8.36 | 8.7 | 677 | 1007 | 1.1 | 2 | 1.4 | 408 | BDL | BDL | 11 | 27 | 420 | 614 | 0.66 | 0.82 | - | - |
| 27 | BOREWELL AT PEDDAVOORA (V&M), NALGONDA | TELANGANA | 22 | 23 | 7.52 | 7.69 | 1900 | 1988 | - | - | 7.26 | 16.29 | - | - | - | - | 1110 | 1235 | 0.3 | 0.33 | 0.01 | 0.01 |
| 1515 | BOREWELL AT NAGARAM, PALVANCHA, BHADRADRI KOTHAGUDEM | TELANGANA | 28 | 31.2 | 8.28 | 8.28 | 1150 | 1821 | BDL | BDL | 5.2 | 9.4 | BDL | BDL | 17 | 24 | 713 | 1092 | 1.1 | 1.14 | - | - |
| 1525 | BOREWELL AT PASHAMYLARAM NEAR M/S.SRI CHAITANYA CHLORIDES, SANGAREDDY | TELANGANA | 23 | 26 | 7.39 | 7.52 | 1900 | 3480 | - | - | 16.29 | 27.32 | - | - | - | - | 1235 | 1950 | 0.3 | 0.34 | 0.01 | 0.01 |
| 1791 | BOREWELL AT PYDIPALLY NEAR EAST SIDE OF SAI CHERUVU , PAIDIPALLY (V), WARANGAL (M&D) | TELANGANA | 27 | 27 | 7.83 | 8.09 | 613 | 3130 | 2 | 2 | 1.8 | 9.8 | BDL | BDL | 12 | 26 | 386 | 1972 | 0.98 | 1.08 | - | - |
| 1792 | BOREWELL AT CKM COLLEGE, ENAMAMULA (V), WARANGAL (M&D) | TELANGANA | 27 | 27 | 8.15 | 8.84 | 1012 | 1090 | BDL | BDL | 2.9 | 4.6 | BDL | BDL | 17 | 21 | 608 | 732 | 1.02 | 1.1 | - | - |
| 1793 | OPEN WELL AT KUNDANPALLY NEAR ASH PONDS OF NTPC, PEDDAPALLI , RAMAGUNDAM | TELANGANA | 28 | 29 | 7.48 | 7.99 | 1720 | 1933 | 1.6 | 1.6 | 2.9 | 4.8 | BDL | BDL | 21 | 38 | 1066 | 1218 | 1 | 1.1 | - | - |
| 1794 | BOREWELL AT MANAKONDUR , RAMAGUNDAM | TELANGANA | 28 | 30 | 7.81 | 7.92 | 926 | 989 | 2 | 2 | 2.9 | 3.2 | BDL | BDL | 33 | 48 | 564 | 604 | 0.86 | 0.96 | - | - |
| 1795 | BOREWELL AT BOLLARAM NEAR PANCHAYAT OFFICE, SANGAREDDY | TELANGANA | 23 | 24 | 7.05 | 7.27 | 2450 | 3850 | - | - | 15.24 | 18.22 | - | - | - | - | 1370 | 2502.5 | 0.25 | 0.27 | 0.01 | 0.01 |
| 1810 | BOREWELL AT BODHAN, SRIRAMNAGAR COLONY, SHAKKARNAGAR, NIZAMABAD | TELANGANA | 25 | 25 | 7.44 | 7.69 | 2240 | 2413 | - | - | 22.32 | 25.3 | - | - | - | - | 1260 | 1568.45 | 0.3 | 0.35 | 0.01 | 0.01 |
| 1811 | BOREWELL AT RUDRAVELLI NEAR PRIMARY SCHOOL, RUDRAVELLI (V), BIBINAGAR (M),YADADRI BHUVANAGIRI(D) | TELANGANA | 21 | 23 | 7.89 | 8.12 | 1764 | 1950 | - | - | 9.28 | 11.26 | - | - | - | - | 988 | 1267.5 | 0.26 | 0.29 | 0.01 | 0.01 |
| 3088 | BOREWELL AT J.NARASIMHA RAO'S HOUSE, 14NOS. AREA, RAMAVARAM, NEAR MWS DUMPSITE, KOTHAGUDEM | TELANGANA | 28 | 32.6 | 7.27 | 7.95 | 1364 | 1422 | 2 | 2 | 4.6 | 8.6 | BDL | BDL | 21 | 25 | 832 | 932 | 1.04 | 1.12 | - | - |
| 3094 | BOREWELL AT AKBARNAGAR, RAMAGUNDAM | TELANGANA | 28 | 30 | 7.88 | 8.34 | 968 | 1076 | 2 | 2 | 3 | 3.2 | BDL | BDL | 22 | 33 | 590 | 668 | 0.92 | 1.06 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|---------|-----------------|------|----------------|------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4260 | BOREWELL NEAR MSW DUMP YARD, MEDAK TOWN, MEDAK DISTRICT | TELANGANA | 34 | 35 | 7.15 | 7.48 | 1312 | 1802 | - | - | 8.35 | 12.32 | - | - | - | - | 738 | 1171.3 | 0.32 | 0.35 | 0.01 | 0.01 |
| 4262 | BOREWELL NEAR GRAMPANCHYAT OFFICE, KISTAIPALLY VILLAGE, JINNARM MANDAL, SANGAREDDY DISTRICT | TELANGANA | 35 | 35 | 6.78 | 7.41 | 2464 | 2770 | - | - | 20.34 | 23.32 | - | - | - | - | 1384 | 1800.5 | 0.4 | 0.46 | 0.01 | 0.01 |
| 4263 | BOREWELL NEAR MPP SCHOOL, GADDAPOTHARAM VILLAGE, JINNARAM MANDAL, SANGAREDDY DISTRICT | TELANGANA | 33 | 35 | 6.79 | 6.89 | 4900 | 4910 | - | - | 25.22 | 28.24 | - | - | - | - | 2760 | 3185 | 0.32 | 0.36 | 0.01 | 0.01 |
| 4264 | BOREWELL WATER POINT AT ZP GIRLS HIGH SCHOOL, BHUDAN POCHAMPALLY (V&M), YADADRI DISTRICT. | TELANGANA | 22 | 23 | 7.57 | 7.96 | 2201 | 2385 | - | - | 22.46 | 28.24 | - | - | - | - | 1234 | 1550.25 | 0.5 | 0.52 | 0.01 | 0.01 |
| 4265 | BOREWELL AT GRAM PANCHAYATH OFFICE NEAR SHIVA TEMPLE & WATER TANK , DOTHIGUDEM (V) , YADADRI BHUVANAGIRI DISTRICT | TELANGANA | 22 | 23 | 7.73 | 8.02 | 1581 | 1871 | - | - | 10.42 | 12.27 | - | - | - | - | 1027.65 | 1048 | 0.26 | 0.26 | 0.01 | 0.01 |
| 4266 | BOREWELL, NEAR PRIMARY SCHOOL, ADLOOR YELLAREDDY (V), SADASHIVANAGAR (M), KAMAREDDY DIST. | TELANGANA | 25 | 25 | 7.29 | 7.71 | 984 | 1405 | - | - | 12.21 | 14.19 | - | - | - | - | 560 | 913.25 | 0.4 | 0.43 | 0.01 | 0.01 |
| 4268 | BOREWELL LOCATED AT HOUSE OF SRI VITAL RAO, H.NO.2-42, 875, ABESTOS COLONY, GANDHI NAGAR, BALANAGAR, MEDCHAL DISTRICT | TELANGANA | 28 | 28 | 7.21 | 7.21 | 1073 | 1073 | BDL | BDL | 13.6 | 13.6 | BDL | BDL | 46 | 46 | 654 | 654 | 1.04 | 1.04 | - | - |
| 4269 | BOREWELL LOCATED AT HOUSE OF SRI P VEKATESH RAJU,PLOT NO.115, 22-321,APIIC, CO-OPERATIVE COLONY, JEEDIMETLA, QUTHBULLAPUR(M), MEDCHAL DISTRICT | TELANGANA | 31 | 31 | 7.17 | 7.17 | 2570 | 2570 | BDL | BDL | 12.4 | 12.4 | BDL | BDL | 120 | 120 | 1542 | 1542 | 1.16 | 1.16 | - | - |
| 4270 | BOREWELL LOCATED AT HOUSE OF P.ANJANEYULU , PLOT NO.25, SHAKTHIPURAM, PRASHANTH NAGAR, I.E.KUKATPALLY, MEDCHAL DISTRICT | TELANGANA | 30 | 30 | 7.52 | 7.52 | 3030 | 3030 | 6 | 6 | 13.2 | 13.2 | 49 | 49 | 920 | 920 | 1878 | 1878 | 1.28 | 1.28 | - | - |
| 4271 | BOREWELL LOCATED AT GOVERNMENT PRIMARY SCHOOL, SY.NO.32, DHULAPALLY | TELANGANA | 30 | 30 | 7.61 | 7.61 | 1273 | 1273 | BDL | BDL | 12.8 | 12.8 | BDL | BDL | 94 | 94 | 802 | 802 | 0.98 | 0.98 | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|--------|-----------------|------|----------------|------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | (V), QUTHBULLAPUR (M), MEDCHAL DISTRICT. | | | | | | | | | | | | | | | | | | | | | |
| 4272 | BOREWELL LOCATED AT RAJIV GRUHA KALPA, AHMEDGUDA, AMBEDKAR NAGAR, KAPRA MEDCHAL DISTRICT. | TELANGANA | 32 | 32 | 7.32 | 7.32 | 707 | 707 | BDL | BDL | 10.2 | 10.2 | BDL | BDL | 48 | 48 | 452 | 452 | 0.86 | 0.86 | - | - |
| 4273 | BOREWELL LOCATED AT THANDA DUNDIGAL (V), DHUNDIGAL (M), MEDCHAL DISTRICT. | TELANGANA | 28 | 28 | 7.19 | 7.19 | 2375 | 2375 | BDL | BDL | 11.8 | 11.8 | BDL | BDL | 110 | 110 | 1472 | 1472 | 1.32 | 1.32 | - | - |
| 4274 | BOREWELL POINTS AT THE PERIPHERY OF THE IDA, JEEDIMETLA, MEDCHAL | TELANGANA | 29 | 29 | 7.33 | 7.33 | 1651 | 1651 | BDL | BDL | 10.4 | 10.4 | BDL | BDL | 120 | 120 | 1040 | 1040 | 1.2 | 1.2 | - | - |
| 4275 | BOREWELL POINTS AT THE PERIPHERY OF THE IDA, BALANAGAR, MEDCHAL | TELANGANA | 32 | 32 | 7.71 | 7.71 | 2195 | 2195 | 2 | 2 | 9.3 | 9.3 | BDL | BDL | 110 | 110 | 1360 | 1360 | 1.02 | 1.02 | - | - |
| 4276 | BOREWELL NEAR GRAMPANCHYAT OFFICE, KHAZIPALLY VILLAGE, SANGAREDDY DISTRICT | TELANGANA | 34 | 35 | 7.27 | 7.84 | 2302 | 2430 | - | - | 18.16 | 19.18 | - | - | - | - | 1370 | 1496.3 | 0.3 | 0.31 | 0.01 | 0.01 |
| 4277 | BOREWELL AT ZP HIGH SCHOOL, SULTHANPUR (V), AMEENPUR (M), SANGAREDDY DISTRICT | TELANGANA | 24 | 24 | 7.22 | 7.22 | 2975 | 2975 | - | - | 26.49 | 26.49 | - | - | - | - | 1710 | 1710 | 0.46 | 0.46 | 0.01 | 0.01 |
| 4279 | BOREWELL NEAR M/S. AUROBINDO PHARMA UNIT -I, GATE 1 BORAPATLA (V), HATNOORA (M), SANGAREDDY DISTRICT | TELANGANA | 24 | 24 | 7.36 | 7.36 | 1239 | 1239 | - | - | 22.18 | 22.18 | - | - | - | - | 720 | 720 | 0.47 | 0.47 | 0.01 | 0.01 |
| 4280 | BOREWELL AT IDA RAMPUR, NEAR GWMC DUMP YARD, RAMPUR (V), KHAZIPET (M), HANAMKONDA, WARANGAL | TELANGANA | 28 | 28 | 6.99 | 6.99 | 7610 | 7610 | 18 | 18 | 24.8 | 24.8 | BDL | BDL | 220 | 220 | 4794 | 4794 | 1.02 | 1.02 | - | - |
| 4281 | BOREWELL NEAR BHIMANPALLI VILLAGE (OPEN LAND), BHUDAN POCHAMPALLY MANDAL, NALGONDA | TELANGANA | 22 | 23 | 7.47 | 7.74 | 2712 | 2886 | - | - | 26.19 | 29.25 | - | - | - | - | 1524 | 1875.9 | 0.21 | 0.26 | 0.01 | 0.01 |
| 4282 | BOREWELL NEAR AARLA BAVI (V) (AGRICULTURAL FIELD), POCHAMPALLY MANDAL, YADADRI BHUVANAGIR DISTRICT | TELANGANA | 22 | 23 | 7.43 | 7.65 | 1482 | 1542 | - | - | 17.14 | 17.18 | - | - | - | - | 830 | 1002.3 | 0.24 | 0.26 | 0.01 | 0.01 |
| 4283 | BOREWELL NEAR DANTUR (V), (OPEN LAND), BHUDAN POCHAMPALLY MANDAL, YADADRI BHUVANAGIRI DISTRICT | TELANGANA | 21 | 23 | 7.61 | 7.73 | 1594 | 3420 | - | - | 10.13 | 26.2 | - | - | - | - | 1036.1 | 1920 | 0.3 | 0.35 | 0.01 | 0.01 |
| 4284 | BOREWELL NEAR MALKAPUR LAKE, MALKAPUR VILLAGE | TELANGANA | 22 | 22 | 7.66 | 8.22 | 2261 | 2442 | - | - | 16.18 | 18.29 | - | - | - | - | 1274 | 1587.3 | 0.27 | 0.29 | 0.01 | 0.01 |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | | |
|--------------|---|------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|-------|----------------------------|-----|----------------------------|-----|-------------------------------|---------|-----------------|------|----------------|------|--|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | |
| | (AGRICULTURAL FIELD), CHOUTUPPAL MANDAL, NALGONDA | | | | | | | | | | | | | | | | | | | | | | |
| 4285 | BOREWELL NEAR PEDDAKONDUR VILLAGE (AGRICULTURAL FIELD), CHOUTUPPAL MANDAL, NALGONDA | TELANGANA | 21 | 23 | 7.13 | 7.35 | 2230 | 2312 | - | - | 12.26 | 14.31 | - | - | - | - | 1252 | 1502.8 | 0.3 | 0.32 | 0.01 | 0.01 | |
| 4286 | BOREWELL NEAR ANKIREDDIGUDEM VILLAGE (AGRICULTURAL FIELD), CHOUTUPPAL MANDAL, NALGONDA | TELANGANA | 22 | 23 | 7.21 | 7.48 | 2661 | 2744 | - | - | 21.23 | 24.28 | - | - | - | - | 1540 | 1729.65 | 0.28 | 0.29 | 0.01 | 0.01 | |
| 4287 | BOREWELL NEAR LINGAREDDYGUDEM VILLAGE (BESIDE CHOUTUPPAL-VALIGONDA ROAD), CHOUTUPPAL MANDAL, NALGONDA | TELANGANA | 21 | 23 | 7.42 | 7.71 | 1580 | 1663 | - | - | 15.32 | 16.2 | - | - | - | - | 950 | 1080.95 | 0.26 | 0.28 | 0.01 | 0.01 | |
| 4288 | BOREWELL NEAR NAGARAM CHERUVU, DEVALAMMA NAGARAM VILLAGE, NALGONDA | TELANGANA | 22 | 23 | 7.58 | 7.72 | 1164 | 1816 | - | - | 14.24 | 18.3 | - | - | - | - | 652 | 1180.4 | 0.25 | 0.27 | 0.01 | 0.01 | |
| 4289 | BOREWELL NEAR PITTAM PALLE VILLAGE (OPEN LAND BESIDE VILLAGE ROAD), CHITYAL MANDAL, NALGONDA | TELANGANA | 21 | 22 | 7.19 | 7.38 | 1375 | 1536 | - | - | 13.26 | 13.27 | - | - | - | - | 772 | 998.4 | 0.38 | 0.41 | 0.01 | 0.01 | |
| 4290 | BOREWELL NEAR PEDDAKAPARTHI VILLAGE (OPEN LAND BESIDE VILLAGE ROAD), CHITYAL MANDAL, NALGONDA | TELANGANA | 22 | 23 | 7.48 | 7.64 | 1729 | 2800 | - | - | 8.25 | 28.25 | - | - | - | - | 974 | 1820 | 0.36 | 0.45 | 0.01 | 0.01 | |
| 1405 | WELL AT UDAIPUR (TUBEWELL), TRIPURA | TRIPURA | 21 | 24 | 5.47 | 5.69 | 96 | 108 | BDL | BDL | 0.5 | 0.51 | BDL | BDL | BDL | BDL | 54 | 62 | BDL | BDL | - | - | |
| 1406 | WELL AROUND UDAIPUR (TUBEWELL), TRIPURA | TRIPURA | 22 | 24 | 5.5 | 5.61 | 108 | 113 | BDL | BDL | 0.43 | 0.48 | BDL | BDL | BDL | BDL | 62 | 68 | BDL | BDL | - | - | |
| 1730 | KUNJBAN, AGARTALA, TRIPURA | TRIPURA | 21.5 | 23 | 6.52 | 6.68 | 106 | 985 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 52 | 56 | BDL | BDL | - | - | |
| 1731 | LANKAMURA, TRIPURA | TRIPURA | 22 | 23.5 | 6.42 | 6.51 | 93 | 98 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 52 | 58 | BDL | BDL | - | - | |
| 1732 | A.D.NAGAR, AGARTALA, TRIPURA | TRIPURA | 21 | 23 | 5.95 | 6.18 | 121 | 129 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 72 | 76 | BDL | BDL | - | - | |
| 1733 | SHIBNAGAR, AGARTALA, TRIPURA | TRIPURA | 21.5 | 23 | 6.52 | 6.65 | 108 | 118 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 62 | 68 | BDL | BDL | - | - | |
| 1734 | GANDHIGRAM, AGARTALA, TRIPURA | TRIPURA | 22 | 23 | 6.31 | 6.49 | 108 | 114 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 62 | 64 | BDL | BDL | - | - | |
| 3423 | TUBE WELL AT HAPANIA, WEST TRIPURA | TRIPURA | 23 | 23 | 6.39 | 6.39 | 78 | 78 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 42 | 42 | BDL | BDL | - | - | |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|---|------------|------------------|------|------|------|-------------------------|-----|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|-----|----------------|-----|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3424 | TUBE WELL AT NAGICHERRA, WEST TRIPURA | TRIPURA | 21.5 | 22.5 | 5.97 | 6.11 | 87 | 94 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 46 | 50 | BDL | BDL | - | - |
| 3425 | TUBE WELL AT BODHJUNG NAGAR, WEST TRIPURA | TRIPURA | 22 | 23 | 5.65 | 5.81 | 101 | 116 | BDL | BDL | 0.6 | 0.76 | BDL | BDL | BDL | BDL | 58 | 66 | BDL | BDL | - | - |
| 3426 | TUBE WELL AT B.C.MANU, SOUTH TRIPURA | TRIPURA | 22.5 | 23 | 5.76 | 5.95 | 92 | 108 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 52 | 58 | BDL | BDL | - | - |
| 3427 | TUBE WELL AT SHANTIR BAZAR, SOUTH TRIPURA | TRIPURA | 22 | 22.5 | 6.22 | 6.35 | 76 | 91 | BDL | BDL | 0.32 | 0.46 | BDL | BDL | BDL | BDL | 44 | 52 | BDL | BDL | - | - |
| 3428 | TUBE WELL AT BAGAFI, SOUTH TRIPURA | TRIPURA | 22 | 22.5 | 6.09 | 6.15 | 88 | 97 | BDL | BDL | 0.32 | 0.53 | BDL | BDL | BDL | BDL | 52 | 52 | BDL | BDL | - | - |
| 3430 | TUBE WELL AT JAWAHANAGAR, DHALAI | TRIPURA | 21.5 | 22 | 6.28 | 6.34 | 87 | 98 | BDL | BDL | 0.32 | 0.62 | BDL | BDL | BDL | BDL | 52 | 54 | BDL | BDL | - | - |
| 3431 | TUBE WELL AT KULAI, DHALAI | TRIPURA | 21.5 | 22 | 6.56 | 6.68 | 72 | 89 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 48 | 48 | BDL | BDL | - | - |
| 3432 | TUBE WELL AT CHURAI BARI (INTERSTATE BOUNDARY), NORTH TRIPURA | TRIPURA | 22 | 22.5 | 5.93 | 5.99 | 98 | 108 | BDL | BDL | 0.63 | 0.73 | BDL | BDL | BDL | BDL | 58 | 62 | BDL | BDL | - | - |
| 3433 | TUBE WELL AT KAMESWAR, INDUSTRIAL ESTATE AREA, NORTH TRIPURA | TRIPURA | 22 | 22.5 | 6.83 | 6.99 | 98 | 105 | BDL | BDL | 0.72 | 0.84 | BDL | BDL | BDL | BDL | 52 | 58 | BDL | BDL | - | - |
| 3434 | TUBE WELL AT KUMARGHAT, INDUSTRIAL ESTATE AREA, NORTH TRIPURA | TRIPURA | 22 | 22.5 | 6.18 | 6.3 | 99 | 103 | BDL | BDL | 0.71 | 0.81 | BDL | BDL | BDL | BDL | 54 | 58 | BDL | BDL | - | - |
| 3435 | TUBE WELL AT GOUR NAGAR, NORTH TRIPURA | TRIPURA | 22 | 22.5 | 6.27 | 6.41 | 98 | 109 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 56 | 58 | BDL | BDL | - | - |
| 3436 | TUBE WELL AT KAILASHAHAR, NORTH TRIPURA | TRIPURA | 22 | 22.5 | 5.93 | 6.05 | 89 | 95 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 50 | 52 | BDL | BDL | - | - |
| 4185 | TUBE WELL AT JIRANIA | TRIPURA | 21 | 22 | 5.95 | 6.12 | 119 | 125 | BDL | BDL | 0.49 | 0.52 | BDL | BDL | BDL | BDL | 72 | 74 | BDL | BDL | - | - |
| 4186 | TUBE WELL AT DUKLI INDUSTRIAL AREA | TRIPURA | 21.5 | 22 | 6.05 | 6.29 | 127 | 133 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 72 | 76 | BDL | BDL | - | - |
| 4187 | TUBE WELL AT BADHARGHAT | TRIPURA | 21.5 | 22 | 6.29 | 6.56 | 121 | 127 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 68 | 70 | BDL | BDL | - | - |
| 4188 | TUBE WELL AT ARUNDHATI NAGAR | TRIPURA | 21 | 21.5 | 6.47 | 6.59 | 118 | 121 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 64 | 66 | BDL | BDL | - | - |
| 4189 | TUBE WELL AT NANADANNAGAR | TRIPURA | 21 | 21.5 | 6.55 | 6.63 | 105 | 109 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 58 | 58 | BDL | BDL | - | - |
| 4190 | TUBE WELL AT DEBENDRA CHANDRA NAGAR | TRIPURA | 21 | 21 | 5.85 | 5.97 | 108 | 114 | BDL | BDL | 0.6 | 0.74 | BDL | BDL | BDL | BDL | 64 | 66 | BDL | BDL | - | - |
| 4191 | TUBE WELL AT SURYAMONI NAGAR | TRIPURA | 21 | 21.5 | 6.57 | 6.69 | 99 | 102 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 52 | 58 | BDL | BDL | - | - |
| 4200 | TUBE WELL AT BISHALGARH | TRIPURA | 21 | 22.5 | 6.09 | 6.11 | 99 | 101 | BDL | BDL | 0.47 | 0.67 | BDL | BDL | BDL | BDL | 52 | 58 | BDL | BDL | - | - |
| 4201 | TUBE WELL AT SONAMURA | TRIPURA | 21 | 22 | 5.69 | 5.93 | 110 | 111 | BDL | BDL | 0.52 | 0.6 | BDL | BDL | BDL | BDL | 64 | 68 | BDL | BDL | - | - |
| 4202 | TUBE WELL AT BISHRAMGANJ | TRIPURA | 21 | 22.5 | 6.05 | 6.18 | 121 | 131 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 68 | 70 | BDL | BDL | - | - |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|---------------|------------------|------|------|------|-------------------------|-----|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4203 | TUBE WELL AT KARBOOK | TRIPURA | 20.5 | 21 | 5.84 | 5.95 | 110 | 116 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 60 | 68 | BDL | BDL | - | - |
| 4204 | TUBE WELL AT AMARPUR | TRIPURA | 21 | 21.5 | 5.77 | 5.89 | 105 | 110 | BDL | BDL | 0.47 | 0.5 | BDL | BDL | BDL | BDL | 60 | 62 | BDL | BDL | - | - |
| 4205 | TUBE WELL AT AMAR SAGAR, UDAIPUR | TRIPURA | 21 | 21.5 | 6.51 | 6.67 | 106 | 112 | BDL | BDL | 0.5 | 0.54 | BDL | BDL | BDL | BDL | 52 | 56 | BDL | BDL | - | - |
| 4206 | TUBE WELL AT DHANI SAGAR, UDAIPUR | TRIPURA | 21 | 21.5 | 6.62 | 6.71 | 101 | 108 | BDL | BDL | 0.4 | 0.43 | BDL | BDL | BDL | BDL | 56 | 58 | BDL | BDL | - | - |
| 4207 | TUBE WELL AT SABROOM | TRIPURA | 21 | 21.5 | 6.51 | 6.67 | 102 | 108 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 52 | 58 | BDL | BDL | - | - |
| 4208 | TUBE WELL AT JOLAIBARI | TRIPURA | 21 | 21 | 6.22 | 6.34 | 102 | 105 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 52 | 54 | BDL | BDL | - | - |
| 4209 | TUBE WELL AT BELONIA | TRIPURA | 21 | 21 | 6.29 | 6.31 | 104 | 111 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 56 | 58 | BDL | BDL | - | - |
| 4210 | TUBE WELL AT AMBASSA | TRIPURA | 20.5 | 21 | 5.89 | 5.97 | 105 | 118 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 60 | 64 | BDL | BDL | - | - |
| 4211 | TUBE WELL AT KAMALPUR | TRIPURA | 21 | 21.5 | 6.59 | 6.81 | 106 | 110 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 58 | 60 | BDL | BDL | - | - |
| 4213 | TUBE WELL AT TELIAMURA | TRIPURA | 21.5 | 21.5 | 6.62 | 6.77 | 105 | 118 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 56 | 62 | BDL | BDL | - | - |
| 4214 | TUBE WELL AT KHOWAI | TRIPURA | 21.5 | 21.5 | 6.79 | 6.81 | 103 | 114 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 56 | 58 | BDL | BDL | - | - |
| 4215 | TUBE WELL AT DHARMANAGAR | TRIPURA | 21 | 21.5 | 6.19 | 6.36 | 134 | 149 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 76 | 92 | BDL | BDL | - | - |
| 4216 | TUBE WELL AT DAMCHERRA | TRIPURA | 20.5 | 21 | 6.29 | 6.31 | 108 | 111 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 56 | 58 | BDL | BDL | - | - |
| 4217 | TUBE WELL AT KANCHANPUR | TRIPURA | 21 | 21 | 6.39 | 6.48 | 106 | 118 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 60 | 62 | BDL | BDL | - | - |
| 4218 | TUBE WELL AT PANISAGAR | TRIPURA | 21 | 21 | 6.69 | 6.74 | 109 | 114 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 58 | 58 | 0.22 | 0.22 | - | - |
| 4636 | TUBE WELL AT BISHALGARH | TRIPURA | 22.5 | 23 | 6.51 | 6.57 | 118 | 118 | BDL | BDL | 0.41 | 0.62 | BDL | BDL | BDL | BDL | 66 | 68 | BDL | BDL | - | - |
| 4637 | TUBE WELL AT RAJNAGAR | TRIPURA | 23 | 23.5 | 6.49 | 6.55 | 109 | 118 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 60 | 62 | BDL | BDL | - | - |
| 4638 | TUBE WELL AT CHAMPAKNAGAR | TRIPURA | 22 | 23 | 6.61 | 6.79 | 95 | 114 | BDL | BDL | 0.32 | 0.5 | BDL | BDL | BDL | BDL | 54 | 60 | BDL | BDL | - | - |
| 4639 | TUBE WELL AT RANIRBAZAR | TRIPURA | 22.5 | 23 | 6.77 | 6.85 | 99 | 108 | BDL | BDL | 0.32 | 0.6 | BDL | BDL | BDL | BDL | 56 | 58 | BDL | BDL | - | - |
| 4641 | TUBE WELL AT MELAGHAR | TRIPURA | 22 | 22 | 5.61 | 5.87 | 101 | 108 | BDL | BDL | 0.77 | 0.86 | BDL | BDL | BDL | BDL | 60 | 64 | BDL | BDL | - | - |
| 4647 | TUBE WELL AT MANUBAZAR | TRIPURA | 23 | 23.5 | 6.78 | 6.89 | 100 | 106 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 52 | 56 | BDL | BDL | - | - |
| 4648 | TUBE WELL AT KALADEPHA MANU | TRIPURA | 22 | 22.5 | 6.55 | 6.98 | 99 | 106 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 58 | 60 | BDL | BDL | - | - |
| 4651 | TUBE WELL AT CHAKMAGHAT, TELIAMURA | TRIPURA | 22 | 22.5 | 6.81 | 6.95 | 97 | 113 | BDL | BDL | 0.32 | 0.44 | BDL | BDL | BDL | BDL | 62 | 68 | BDL | BDL | - | - |
| 4652 | TUBE WELL AT TELIAMURA MARKET | TRIPURA | 22 | 22.5 | 6.25 | 6.37 | 108 | 115 | BDL | BDL | 0.32 | 0.4 | BDL | BDL | BDL | BDL | 64 | 68 | BDL | BDL | - | - |
| 4653 | TUBE WELL AT PECHARTHAL | TRIPURA | 22.5 | 23 | 6.18 | 6.33 | 102 | 109 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 64 | 68 | BDL | BDL | - | - |
| 1736 | GROUND WATER QUALITY STATION SARDARNAGAR, GORAKHPUR, U.P | UTTAR PRADESH | 20 | 24 | 5.99 | 6.16 | 570 | 688 | 4.6 | 5 | - | - | - | - | - | - | 220 | 388 | - | - | - | - |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|------|-------------------------------|-----|-----------------|------|----------------|-------|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1737 | GROUND WATER QUALITY STATION CAPTANGANJ, KHUSHINAGAR,U.P | UTTAR PRADESH | 18 | 23 | 6.12 | 6.76 | 672 | 680 | 5.8 | 5.9 | - | - | - | - | - | - | 460 | 466 | - | - | - | - |
| 1738 | SITE 1, INDUSTRIAL AREA NEAR ELECTRIC CONVERTOR REPAIRING WORKSHOP,THANA-DAHI UNNAO | UTTAR PRADESH | 27 | 33 | 7.78 | 7.86 | 599 | 752 | BDL | BDL | - | - | 21 | 21 | 210 | 300 | 365 | 470 | 0.53 | 0.53 | BDL | BDL |
| 1739 | SITE 2, INDUSTRIAL AREA NEAR M/S JAIJAGDAMBA METALOYS UNNAO, U.P | UTTAR PRADESH | 28 | 32 | 7.46 | 7.85 | 1025 | 1402 | BDL | BDL | - | - | 20 | 20 | 4 | 3000 | 628 | 872 | BDL | BDL | 0.002 | 0.002 |
| 1740 | AT ROADWAYS BUS STATION, UNNAO, U.P | UTTAR PRADESH | 29 | 32 | 7.46 | 8.01 | 649 | 6644 | BDL | BDL | 0.98 | 0.98 | 22 | 22 | 2 | 4000 | 385 | 418 | 0.85 | 0.85 | BDL | BDL |
| 1741 | MAGAWARA INDUSTRIAL AREA NEAR ORIENTAL PALACE UNNAO, U.P | UTTAR PRADESH | 28 | 31 | 7.58 | 7.91 | 796 | 852 | BDL | BDL | 1.1 | 1.1 | 25 | 25 | 2000 | 2000 | 525 | 538 | 0.88 | 0.88 | BDL | BDL |
| 1742 | CHINHAT INDUSTRIAL AREA IN LUCKNOW NEAR M/S INDIA PESTICIDES LUCKNOW, U.P | UTTAR PRADESH | - | - | 7.21 | 7.21 | 693 | 693 | BDL | BDL | 1.66 | 1.66 | 13 | 13 | 46 | 46 | 436 | 436 | 0.66 | 0.66 | BDL | BDL |
| 1743 | AISHBAGH INDUSTRIAL AREA AT LUCKNOW NEAR M/S EVEREADY INDUSTRIES LTD. LUCKNOW, U.P | UTTAR PRADESH | - | - | 7.88 | 7.88 | 745 | 745 | BDL | BDL | 1.6 | 1.6 | 4 | 4 | 12 | 12 | 474 | 474 | 0.6 | 0.6 | 0.006 | 0.006 |
| 1746 | NAGAR PALIKA TUBE WELL, SULTANPUR, U.P | UTTAR PRADESH | 19 | 20 | 7.81 | 8.02 | 788 | 981 | - | - | 0.16 | 0.18 | BDL | BDL | BDL | BDL | 462 | 482 | 0.66 | 0.66 | - | - |
| 1747 | INDIA MARKA HAND PUMP IN SAROWNI BLOCK AT RAIBAREILLY, U.P | UTTAR PRADESH | 20 | 20 | 7.88 | 8.11 | 868 | 922 | - | - | 0.2 | 0.2 | BDL | BDL | BDL | BDL | 458 | 492 | 0.88 | 0.9 | - | - |
| 1749 | TUBE WELL AT MEERUT CITY, U.P | UTTAR PRADESH | 14 | 15 | 7.1 | 7.2 | 610 | 620 | - | - | 1.6 | 2 | - | - | - | - | 390 | 410 | 0.4 | 0.5 | - | - |
| 1750 | TUBE WELL AT BAGPAT CITY, U.P | UTTAR PRADESH | 15 | 16 | 7.2 | 7.3 | 630 | 640 | - | - | 1.6 | 1.8 | - | - | - | - | 390 | 400 | 0.3 | 0.4 | - | - |
| 1751 | TUBE WELL IN INDUSTRIAL AREA AT GAJRAULA, AMROHA, U.P | UTTAR PRADESH | - | - | 7.27 | 7.8 | 534 | 597 | BDL | BDL | 4.88 | 4.88 | 110 | 110 | 3500 | 3500 | 267 | 376 | BDL | BDL | 0.018 | 0.018 |
| 1752 | SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P | UTTAR PRADESH | 20 | 20 | 7.2 | 7.3 | 2000 | 2100 | 1.1 | 1.1 | 0.42 | 0.43 | BDL | BDL | BDL | BDL | 900 | 923 | BDL | BDL | - | - |
| 1753 | MEERUT ROAD INDUSTRIAL AREA GHAZIABAD, U.P | UTTAR PRADESH | 20 | 21 | 7.5 | 7.8 | 1185 | 1290 | BDL | BDL | 0.33 | 0.33 | BDL | BDL | BDL | BDL | 625 | 720 | BDL | BDL | - | - |
| 1754 | HAPUR ROAD INDUSTRIAL AREA GHAZIABAD, U.P | UTTAR PRADESH | 20 | 20 | 7.2 | 7.6 | 820 | 925 | BDL | BDL | 0.32 | 0.32 | BDL | BDL | BDL | BDL | 240 | 270 | BDL | BDL | - | - |
| 1755 | PILKHUA INDUSTRIAL AREA GHAZIABAD, U.P | UTTAR PRADESH | 20 | 21 | 7.5 | 7.6 | 1125 | 1346 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 802 | 842 | BDL | BDL | - | - |
| 1756 | GOPIGANJ INDUSTRIAL AREA BHADOHI, VARANASI, U.P | UTTAR PRADESH | 26.5 | 28.5 | 7.56 | 7.6 | 526 | 540 | 7.2 | 7.2 | - | - | - | - | - | - | 320 | 326 | - | - | BDL | BDL |
| 1758 | GROUND AROUND STP DINAPUR, VARANASI, U.P | UTTAR PRADESH | 25.5 | 27.2 | 7.65 | 7.76 | 516 | 532 | - | - | - | - | - | - | - | - | 262 | 312 | - | - | 0.011 | 0.011 |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|---------------|------------------|------|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|-----|-----------------|------|----------------|--------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1759 | IFFCO, PHOOLPUR, PRAYAGRAJ ,U.P | UTTAR PRADESH | 25.2 | 25.4 | 7.15 | 7.18 | 1174 | 1190 | BDL | BDL | 0.92 | 1.88 | BDL | BDL | BDL | BDL | 245 | 264 | 0.38 | 0.42 | BDL | BDL |
| 2467 | CHANDPUR INDUSTRIAL AREA, LAHARTARA, VARANASI | UTTAR PRADESH | 25.5 | 27.5 | 7.72 | 7.78 | 548 | 562 | - | - | - | - | - | - | - | - | 332 | 337 | - | - | BDL | BDL |
| 2468 | BHADOHI INDUSTRIAL AREA, DEVELOPMENT AUTHORITY, SANT RAVIDAS NAGAR | UTTAR PRADESH | 26 | 28 | 7.63 | 7.68 | 530 | 564 | - | - | - | - | - | - | - | - | 340 | 346 | - | - | 0.0166 | 0.0166 |
| 2469 | AT INDUSTRIAL AREA. NAINI, ALLAHABAD | UTTAR PRADESH | 25.2 | 25.3 | 7.09 | 7.13 | 1140 | 1186 | BDL | BDL | 0.79 | 1.83 | BDL | BDL | BDL | BDL | 264 | 288 | 0.37 | 0.39 | BDL | BDL |
| 2470 | AT INDUSTRIAL AREA, FATEHPUR | UTTAR PRADESH | 25.1 | 25.2 | 7.09 | 7.15 | 1783 | 1854 | BDL | BDL | 1.04 | 1.12 | BDL | BDL | BDL | BDL | 237 | 256 | 0.35 | 0.36 | BDL | BDL |
| 2471 | GORAKHPUR INDUSTRIAL DEVELOPMENT AUTHORITY AREA (GIDA), GORAKHPUR | UTTAR PRADESH | 18 | 22 | 5.7 | 6.28 | 582 | 670 | 4.4 | 5.2 | - | - | - | - | - | - | 226 | 372 | - | - | - | - |
| 2472 | VILLAGE DAURALA, MEERUT | UTTAR PRADESH | 15 | 16 | 7.1 | 7.3 | 550 | 580 | - | - | 1.8 | 2 | - | - | - | - | 380 | 420 | 0.5 | 0.6 | - | - |
| 2473 | KHEKRA, BAGHPAT | UTTAR PRADESH | 14 | 15 | 7 | 7.1 | 570 | 590 | - | - | 1.7 | 2 | - | - | - | - | 370 | 390 | 0.4 | 0.5 | - | - |
| 2474 | UNCHAHAAR (NEAR THERMAL POWER PLANT) | UTTAR PRADESH | 18 | 21 | 7.78 | 7.81 | 811 | 988 | - | - | 0.16 | 0.2 | BDL | BDL | BDL | BDL | 460 | 568 | 0.68 | 0.7 | - | - |
| 2475 | INDUSTRIAL AREA, SULTANPUR ROAD | UTTAR PRADESH | 18 | 20 | 8.01 | 8.02 | 901 | 1022 | - | - | 0.2 | 0.2 | BDL | BDL | BDL | BDL | 562 | 618 | 0.74 | 0.76 | - | - |
| 2477 | GAUTAM BUDHA JUNIOR HIGH SCHOOL RAJENDRA NAGAR, ORAI | UTTAR PRADESH | 18 | 20 | 7.4 | 7.6 | 940 | 950 | - | - | - | - | - | - | - | - | 560 | 578 | - | - | - | - |
| 2478 | DEVA ROAD, INDUSTRIAL AREA, CHAINHAT, LKO NEAR UPTRON POLICE CHOWKI, LUCKNOW | UTTAR PRADESH | | | 7.78 | 7.78 | 536 | 536 | BDL | BDL | 1.52 | 1.52 | 2 | 2 | 4 | 4 | 342 | 342 | 0.82 | 0.82 | 0.008 | 0.008 |
| 2479 | NEAR M/S KUMAR INTER NATIONAL LAKDI FAZALPUR, DELHI ROAD, MORADABAD | UTTAR PRADESH | 22 | 26 | 7 | 7.4 | 230 | 390 | BDL | BDL | - | - | BDL | BDL | 21 | 21 | 210 | 240 | - | - | 0.043 | 0.043 |
| 2480 | NEAR BRAHMAN MAJRA, PILKHANI | UTTAR PRADESH | 18 | 18 | 7.3 | 7.3 | 310 | 310 | - | - | - | - | - | - | - | - | 240 | 240 | - | - | - | - |
| 2481 | NEAR PEER BEGRAJ INDUSTRIAL AREA, MUZAFFARNAGAR | UTTAR PRADESH | 21 | 22.5 | 7.3 | 7.5 | 490 | 530 | - | - | - | - | - | - | - | - | 370 | 398 | - | - | - | - |
| 1748 | HANDPUMP IN VILLAGE DAMAUDA AT KASHIPUR NEAR M/S INDIA GLYCOLES LTD. | UTTARAKHAND | 26 | 30 | 7.5 | 7.6 | 446 | 720 | - | - | 0.32 | 0.39 | - | - | - | - | 204 | 220 | 0.4 | 0.41 | BDL | BDL |
| 3440 | GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 1,US NAGAR | UTTARAKHAND | 26 | 31 | 7.4 | 7.4 | 313 | 410 | - | - | 0.32 | 0.46 | - | - | - | - | 214 | 276 | 0.33 | 0.68 | BDL | BDL |
| 3441 | GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 2,US NAGAR | UTTARAKHAND | 26 | 31 | 6.8 | 7.2 | 426 | 440 | - | - | 0.32 | 0.35 | - | - | - | - | 288 | 294 | 0.37 | 0.6 | BDL | BDL |
| 3442 | GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 1,US NAGAR | UTTARAKHAND | 26 | 30 | 7.4 | 7.4 | 313 | 330 | - | - | 0.36 | 0.46 | - | - | - | - | 214 | 220 | 0.33 | 0.75 | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|-------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-----|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3443 | GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 2,US NAGAR | UTTARAKHAND | 26 | 30 | 7.5 | 7.5 | 295 | 308 | - | - | 0.32 | 0.32 | - | - | - | - | 200 | 205 | 0.33 | 0.8 | BDL | BDL |
| 3444 | GROUND WATER AT SANTIPURI KICHHA- 1,US NAGAR | UTTARAKHAND | 26 | 30 | 7.2 | 7.7 | 348 | 350 | - | - | 0.32 | 0.76 | - | - | - | - | 230 | 234 | 0.37 | 0.4 | BDL | BDL |
| 3445 | GROUND WATER AT SANTIPURI KICHHA- 2,US NAGAR | UTTARAKHAND | 26 | 30 | 7.2 | 7.6 | 330 | 344 | - | - | 0.32 | 0.33 | - | - | - | - | 216 | 221 | 0.29 | 0.42 | BDL | BDL |
| 3446 | GROUND WATER AT KASHIPUR MORADABAD ROAD- 1,US NAGAR | UTTARAKHAND | 26 | 30 | 7.2 | 7.3 | 332 | 350 | - | - | 0.32 | 0.32 | - | - | - | - | 214 | 230 | 0.37 | 0.46 | BDL | BDL |
| 3447 | GROUND WATER AT KASHIPUR MORADABAD ROAD- 2,US NAGAR | UTTARAKHAND | 25 | 31 | 7.4 | 7.5 | 338 | 346 | - | - | 0.32 | 0.33 | - | - | - | - | 226 | 241 | 0.3 | 0.4 | BDL | BDL |
| 3448 | GROUND WATER AT KASHIPUR BAZPUR ROAD- 1,US NAGAR | UTTARAKHAND | 25 | 25 | 7.3 | 7.3 | 328 | 328 | - | - | 0.32 | 0.32 | - | - | - | - | 222 | 222 | 0.29 | 0.29 | BDL | BDL |
| 3449 | HAND PUMP NEAR KENDRIYA VIDYALAYA, BAZPUR ROAD KASHIPUR,US NAGAR | UTTARAKHAND | 26 | 26 | 7.3 | 7.3 | 356 | 356 | - | - | 0.38 | 0.38 | - | - | - | - | 262 | 262 | 0.28 | 0.28 | BDL | BDL |
| 3450 | GROUND WATER AT SIDCUL INDUSTRIAL AREA- 1, ROSHANABAD COLLECTORATE, HARIDWAR | UTTARAKHAND | 19.7 | 25 | 7.1 | 8 | 709 | 880 | - | - | 0.32 | 6.66 | - | - | - | - | 454 | 563 | 0.56 | 0.98 | BDL | BDL |
| 3451 | GROUND WATER AT SIDCUL INDUSTRIAL AREA- 2, SALEEMPUR CHOWK,ROORKEE,HARIDWAR | UTTARAKHAND | 20.9 | 25 | 6.98 | 7.6 | 1378 | 2030 | - | - | 0.79 | 2.79 | - | - | - | - | 882 | 1299 | 1.13 | 1.13 | BDL | BDL |
| 3452 | GROUND WATER AT RAMNAGAR INDUSTRIAL AREA-1,ROORKEE ,HARIDWAR | UTTARAKHAND | 20.1 | 26 | 7.2 | 8 | 606 | 892 | - | - | 0.32 | 0.63 | - | - | - | - | 388 | 570 | 0.31 | 0.74 | BDL | BDL |
| 3453 | GROUND WATER AT BHAGWAN INDUSTRIAL AREA- 2, SIKANDERPUR, LAKHESWARI, ROORKEE, HARIDWAR | UTTARAKHAND | 20.5 | 24 | 7.4 | 7.9 | 455 | 712 | - | - | 0.41 | 0.43 | - | - | - | - | 291 | 455 | 0.84 | 0.84 | BDL | BDL |
| 3454 | GROUND WATER AT ROORKEE INDUSTRIAL AREA- 1, CHC BHAGWANPUR,HARIDWAR | UTTARAKHAND | 20 | 25 | 7.39 | 8.1 | 509 | 757 | - | - | 0.37 | 0.47 | - | - | - | - | 326 | 484 | 0.9 | 0.9 | BDL | BDL |
| 3455 | GROUND WATER AT ROORKEE INDUSTRIAL AREA- 2, SUNEHRA | UTTARAKHAND | 19.4 | 22 | 7.6 | 8.1 | 563 | 725 | - | - | 0.37 | 0.49 | - | - | - | - | 360 | 464 | 0.23 | 0.88 | BDL | BDL |
| 3456 | GROUND WATER AT SELAQUI INDUSTRIAL AREA- 1, DEHRADUN | UTTARAKHAND | 15 | 23 | 5.96 | 6.55 | 178 | 274 | - | - | 0.32 | 0.32 | - | - | - | - | 100 | 182 | 0.33 | 0.48 | BDL | BDL |
| 3457 | GROUND WATER AT SELAQUI INDUSTRIAL AREA- 2, DEHRADUN | UTTARAKHAND | 14 | 23 | 6.22 | 6.76 | 195 | 286 | - | - | 0.32 | 0.32 | - | - | - | - | 105 | 199 | 0.43 | 0.49 | BDL | BDL |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|---|-------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-------|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1766 | MINE PIT WATER ASSANSOL, WEST BENGAL | WEST BENGAL | 27 | 28 | 8.34 | 8.67 | 362 | 426 | BDL | BDL | 0.72 | 0.72 | BDL | BDL | 2 | 2 | 248 | 352 | 0.31 | 0.41 | BDL | BDL |
| 1767 | DURGAPUR TOWN, NEAR IISCO, BURDWAN, WEST BENGAL | WEST BENGAL | 25 | 26 | 7.2 | 8.22 | 699 | 722 | BDL | BDL | 0.79 | 0.79 | BDL | BDL | 2 | 2 | 384 | 520 | 0.24 | 0.25 | 0.008 | 0.008 |
| 1768 | DURGAPUR TOWN, BURDWAN, WEST BENGAL | WEST BENGAL | 26 | 29 | 7.04 | 7.73 | 641 | 675 | BDL | BDL | 0.57 | 0.83 | 2 | 2 | 4 | 4 | 472 | 542 | 0.44 | 0.57 | 0.017 | 0.017 |
| 1769 | INSIDE HINDUSTAN LIVER FACTORY, HALDIA, WEST BENGAL | WEST BENGAL | 32 | 33 | 6.95 | 8.31 | 1995 | 2066 | BDL | BDL | 0.37 | 0.82 | BDL | BDL | BDL | BDL | 1128 | 1142 | BDL | BDL | BDL | BDL |
| 1770 | NEAR IOC REFINERY HALDIA, WEST BENGAL | WEST BENGAL | 33 | 34 | 7.73 | 7.95 | 2481 | 2769 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 1358 | 2196 | 0.22 | 0.22 | BDL | BDL |
| 1771 | KALYANI INDUSTRIAL AREA, NADIA, WEST BENGAL | WEST BENGAL | 28 | 29 | 7.1 | 7.38 | 625 | 954 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 384 | 524 | 0.4 | 0.4 | 0.008 | 0.012 |
| 1772 | BARSAT MUNICIPALITY NORTH 24-P, WEST BENGAL | WEST BENGAL | 27 | 30 | 7.29 | 7.93 | 864 | 930 | BDL | BDL | 0.92 | 0.92 | BDL | BDL | BDL | BDL | 434 | 482 | 0.23 | 0.24 | BDL | BDL |
| 1773 | TANGRA, CALCUTTA, WEST BENGAL | WEST BENGAL | 29 | 29 | 7.18 | 7.19 | 1784 | 1862 | BDL | BDL | - | - | 11 | 11 | 45 | 49 | 1518 | 1580 | 0.28 | 0.31 | BDL | BDL |
| 1774 | TOPSIA CALCUTTA, WEST BENGAL | WEST BENGAL | 30 | 30 | 7.13 | 7.32 | 1805 | 1861 | BDL | BDL | - | - | 2 | 2 | 7.8 | 13 | 1068 | 1624 | 0.31 | 0.32 | BDL | BDL |
| 1775 | DHAPA CALCUTTA, WEST BENGAL | WEST BENGAL | 27 | 28 | 7.2 | 7.33 | 1780 | 1876 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 1278 | 1330 | 0.23 | 0.33 | BDL | BDL |
| 1776 | GARIA CALCUTTA, WEST BENGAL | WEST BENGAL | 29 | 30 | 7.56 | 7.72 | 751 | 806 | BDL | BDL | 0.35 | 0.35 | BDL | BDL | BDL | BDL | 464 | 544 | 0.35 | 0.48 | BDL | BDL |
| 1777 | BEHALA CALCUTTA, WEST BENGAL | WEST BENGAL | 29 | 31 | 7.53 | 7.95 | 810 | 892 | BDL | BDL | 0.53 | 0.53 | BDL | BDL | 7.8 | 13 | 540 | 590 | 0.21 | 0.21 | BDL | BDL |
| 1778 | DOMJUR HOWRAH, WEST BENGAL | WEST BENGAL | 30 | 31 | 7.16 | 7.31 | 781 | 1324 | BDL | BDL | 0.41 | 0.41 | BDL | BDL | BDL | BDL | 436 | 792 | BDL | BDL | BDL | BDL |
| 1779 | DANKUNI (NEAR COAL COMPLEX), WEST BENGAL | WEST BENGAL | 25 | 28 | 7.4 | 7.82 | 893 | 1058 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 472 | 584 | 0.21 | 0.43 | 0.008 | 0.011 |
| 1813 | RISHRA, WEST BENGAL | WEST BENGAL | 26 | 28 | 7.52 | 7.9 | 508 | 520 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 258 | 340 | 0.72 | 0.72 | 0.006 | 0.008 |
| 1931 | COSSIPORE - NORTH KOLKATA | WEST BENGAL | 27 | 29 | 7.24 | 7.26 | 2266 | 2593 | BDL | BDL | - | - | 4 | 4.5 | 17 | 21 | 1812 | 1880 | 0.21 | 0.22 | BDL | BDL |
| 1932 | CENTRAL KOLKATA | WEST BENGAL | 29 | 30 | 7.26 | 7.5 | 625 | 631 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 408 | 496 | 0.44 | 0.46 | BDL | BDL |
| 1933 | NEAR GALVANISATION UNIT, HOWRAH | WEST BENGAL | 27 | 32 | 7.31 | 7.46 | 430 | 1012 | BDL | BDL | - | - | 4.5 | 4.5 | 13 | 23 | 340 | 652 | 0.28 | 0.28 | BDL | BDL |
| 1934 | CENTRAL HOWRAH-RESIDENTIAL AREA | WEST BENGAL | 27 | 31 | 7.09 | 7.3 | 2637 | 2656 | BDL | BDL | 0.33 | 0.33 | BDL | BDL | BDL | BDL | 1670 | 1670 | 0.35 | 0.39 | BDL | BDL |
| 1935 | INSIDE KOLKATA LEATHER COMPLEX | WEST BENGAL | 29 | 29 | 7.17 | 7.39 | 1311 | 1452 | BDL | BDL | 0.55 | 0.55 | 2 | 2 | 17 | 33 | 932 | 1020 | 0.24 | 0.35 | BDL | BDL |
| 1936 | RESIDENTIAL AREA - SONARPUR | WEST BENGAL | 29 | 30 | 7.36 | 7.45 | 892 | 945 | BDL | BDL | 0.56 | 0.75 | BDL | BDL | BDL | BDL | 480 | 574 | 0.27 | 0.46 | BDL | BDL |
| 1937 | RAJARHAT - NEW TOWNSHIP | WEST BENGAL | 29 | 30 | 6.78 | 7.13 | 1887 | 2120 | BDL | BDL | 0.48 | 0.48 | BDL | BDL | BDL | BDL | 1148 | 1610 | 0.37 | 0.53 | BDL | BDL |

| WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022 | | | | | | | | | | | | | | | | | | | | | | |
|--|--|-------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-------|
| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1938 | BSIRHAT MUNICIPALITY | WEST BENGAL | 29 | 30 | 8.33 | 8.43 | 1512 | 1921 | BDL | BDL | - | - | 9.2 | 9.2 | 5.1 | 12 | 756 | 1010 | BDL | BDL | BDL | BDL |
| 1939 | BARRAKPORE MUNICIPALITY | WEST BENGAL | 26.5 | 28 | 7.64 | 8.02 | 298 | 432 | BDL | BDL | 0.43 | 0.43 | BDL | BDL | BDL | BDL | 198 | 226 | 0.65 | 0.65 | BDL | BDL |
| 1940 | NEAR THE PHOSPHATE COMPANY-RISHRA | WEST BENGAL | 25 | 30 | 7.53 | 8.22 | 988 | 1076 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 524 | 528 | 0.22 | 0.39 | 0.008 | 0.01 |
| 1941 | NEAR FLY ASH DUMPING SITE-KUNTIGHAT, BANDEL | WEST BENGAL | 27 | 29 | 7.48 | 7.72 | 356 | 539 | BDL | BDL | - | - | BDL | BDL | 5.1 | 5.1 | 234 | 386 | 0.22 | 0.39 | BDL | BDL |
| 1942 | NEAR EXIDE INDUSTRIES-HALDIA | WEST BENGAL | 32 | 33 | 7.9 | 8 | 1361 | 1423 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 764 | 826 | BDL | BDL | BDL | BDL |
| 1943 | INSIDE TATA METALIKS, KHARAGPUR | WEST BENGAL | 31 | 32 | 7.12 | 7.18 | 471 | 600 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 226 | 592 | BDL | BDL | BDL | BDL |
| 1944 | KHARAGPUR INDUSTRIAL AREA | WEST BENGAL | 31 | 31 | 6.1 | 7.35 | 145 | 428 | BDL | BDL | 0.31 | 0.31 | BDL | BDL | BDL | BDL | 110 | 378 | BDL | BDL | BDL | BDL |
| 1945 | ENGLISH BAZAR- MALDAH | WEST BENGAL | 26 | 30 | 7.02 | 7.08 | 1070 | 1424 | BDL | BDL | 1.09 | 1.09 | 2.2 | 2.2 | 5.1 | 9.2 | 626 | 642 | 0.23 | 0.6 | BDL | BDL |
| 2510 | GEOKHALI BUNGLOW MIDNAPUR-EAST | WEST BENGAL | 25 | 29 | 7.4 | 8.32 | 1055 | 1105 | BDL | BDL | 0.98 | 0.98 | BDL | BDL | BDL | BDL | 672 | 700 | BDL | BDL | BDL | BDL |
| 2515 | SDO OFFICE, RANAGHAT | WEST BENGAL | 26 | 28 | 7.31 | 7.83 | 621 | 624 | BDL | BDL | - | - | BDL | BDL | 2.2 | 8 | 342 | 362 | 0.23 | 0.24 | 0.01 | 0.021 |
| 2516 | SDO OFFICE, KRISHNANAGAR | WEST BENGAL | 25 | 28 | 7.31 | 7.74 | 779 | 780 | BDL | BDL | - | - | 12 | 12 | 23 | 23 | 420 | 488 | 0.29 | 0.32 | 0.008 | 0.008 |
| 2526 | FULBARI BARRAGE | WEST BENGAL | 24 | 24 | 6.2 | 7.75 | 110 | 191 | BDL | BDL | 0.67 | 1.25 | BDL | BDL | BDL | BDL | 57 | 65 | BDL | BDL | BDL | BDL |
| 2528 | GROUND WATER POINT INSIDE BURDWAN UNIVERSITY | WEST BENGAL | 27 | 31 | 7.33 | 7.88 | 440 | 944 | BDL | BDL | 0.31 | 0.91 | BDL | BDL | BDL | BDL | 354 | 818 | 0.28 | 0.39 | BDL | BDL |
| 2529 | GROUND WATER POINT NEAR BURDWAN STATION | WEST BENGAL | 28 | 29 | 6.85 | 8.14 | 331 | 871 | BDL | BDL | 0.37 | 1.69 | BDL | BDL | BDL | BDL | 278 | 588 | 0.31 | 0.32 | 0.011 | 0.011 |
| 2530 | HOT SPRING AT BAKRESHWAR | WEST BENGAL | 60 | 68 | 9.2 | 9.6 | 417 | 587 | BDL | BDL | 1.09 | 1.71 | BDL | BDL | BDL | BDL | 412 | 460 | 10.3 | 14.5 | 0.013 | 0.013 |
| 2533 | SURI TOWN NEAR BUS STAND | WEST BENGAL | 28 | 29 | 7.17 | 7.28 | 795 | 815 | BDL | BDL | 0.4 | 0.94 | 2 | 2 | 2 | 4 | 604 | 776 | 0.29 | 0.29 | 0.009 | 0.009 |
| 2535 | VISVA BHARATI | WEST BENGAL | 25 | 30 | 7.84 | 8.3 | 362 | 370 | BDL | BDL | 0.39 | 0.39 | BDL | BDL | BDL | BDL | 226 | 240 | 0.35 | 0.38 | BDL | BDL |
| 2536 | NALHATI RAILWAY STATION OF BIRBHUM | WEST BENGAL | 28 | 31 | 7.45 | 8.11 | 576 | 680 | BDL | BDL | 0.99 | 0.99 | 2 | 4 | 6 | 8 | 250 | 560 | 0.26 | 0.29 | 0.008 | 0.008 |
| 2537 | BOLPUR NEAR RAILWAY STATION | WEST BENGAL | 26 | 31 | 8.02 | 8.26 | 309 | 472 | BDL | BDL | 0.55 | 0.55 | BDL | BDL | BDL | BDL | 266 | 372 | 0.39 | 0.39 | BDL | BDL |
| 2538 | MOREGRAM CROSSING | WEST BENGAL | 27 | 32 | 8.32 | 8.45 | 208 | 277 | BDL | BDL | 0.41 | 0.41 | BDL | BDL | BDL | BDL | 104 | 166 | 0.24 | 0.42 | BDL | BDL |
| 2540 | SATI GHAT AT BANKURA TOWN | WEST BENGAL | 26 | 28 | 7.49 | 7.96 | 847 | 977 | BDL | BDL | 0.63 | 0.63 | BDL | BDL | BDL | BDL | 640 | 670 | 0.96 | 1.04 | 0.015 | 0.015 |
| 2542 | DWARIKA AT BISHNUPUR TOWN | WEST BENGAL | 28 | 37 | 7.18 | 7.25 | 614 | 816 | BDL | BDL | 0.39 | 0.91 | BDL | BDL | BDL | BDL | 444 | 578 | 0.33 | 0.42 | 0.008 | 0.008 |
| 2543 | SDO OFFICE AT BISHNUPUR TOWN | WEST BENGAL | 27 | 36 | 6.92 | 7.48 | 166 | 166 | BDL | BDL | 0.36 | 1.7 | BDL | BDL | BDL | BDL | 106 | 114 | BDL | BDL | BDL | BDL |
| 2545 | GROUND WATER POINT AT PURULIA RK MISSION | WEST BENGAL | 24 | 30 | 7.13 | 8.26 | 451 | 558 | BDL | BDL | 0.65 | 0.89 | 2 | 2 | 4 | 4 | 294 | 416 | 0.58 | 0.58 | BDL | BDL |
| 2546 | ULUBERIA COLLEGE AT HOWRAH | WEST BENGAL | 30 | 30 | 7.36 | 7.5 | 1025 | 1052 | BDL | BDL | 0.42 | 0.53 | BDL | BDL | BDL | BDL | 536 | 624 | BDL | BDL | BDL | BDL |

WATER QUALITY DATA OF GROUND WATER UNDER NWMP - 2022

| Station Code | Name of Monitoring Location | State Name | Temperature (°C) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/L) | | Fecal Coliform (MPN/100ml) | | Total Coliform (MPN/100ml) | | Total Dissolved Solids (mg/L) | | Fluoride (mg/L) | | Arsenic (mg/L) | |
|--------------|--|-------------|------------------|-----|------|------|-------------------------|------|------------|-----|------------------------------|------|----------------------------|-----|----------------------------|-----|-------------------------------|------|-----------------|------|----------------|-------|
| | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2547 | AMTOLA ON DIAMOND HARBOUR ROAD, 24 PARGANAS (S) | WEST BENGAL | 29 | 31 | 7.39 | 7.48 | 2738 | 3099 | BDL | BDL | 0.34 | 0.46 | 2 | 2 | 11 | 21 | 1652 | 1734 | 0.21 | 0.23 | BDL | BDL |
| 2548 | HIDCO OFFICE, RAJARHAT | WEST BENGAL | 30 | 30 | 7.07 | 7.18 | 1548 | 1645 | BDL | BDL | 0.6 | 0.68 | 4 | 6.8 | 45 | 46 | 986 | 1038 | 0.24 | 0.36 | BDL | BDL |
| 4706 | GROUND WATER AT KHARDAH | WEST BENGAL | 26 | 28 | 7.27 | 7.6 | 928 | 1056 | BDL | BDL | | | BDL | BDL | BDL | BDL | 536 | 712 | 0.21 | 0.54 | 0.01 | 0.01 |
| 4707 | GROUND WATER AT NAIHATI | WEST BENGAL | 28 | 29 | 7.74 | 8.1 | 261 | 454 | BDL | BDL | 0.37 | 0.37 | BDL | BDL | BDL | BDL | 174 | 214 | 0.33 | 0.34 | BDL | BDL |
| 4708 | GROUND WATER AT BERHAMPORE | WEST BENGAL | 29 | 33 | 7.38 | 7.39 | 890 | 1078 | BDL | BDL | - | - | 5.1 | 5.1 | 12 | 12 | 424 | 536 | 0.33 | 0.33 | BDL | BDL |
| 4709 | GROUND WATER AT CHINSURA | WEST BENGAL | 27 | 28 | 7.92 | 7.98 | 318 | 331 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 202 | 216 | 0.44 | 0.45 | BDL | BDL |
| 4712 | BORE WELL INSIDE M/S UNITED PHOSPHOROUS LIMITED | WEST BENGAL | 31 | 32 | 7.61 | 8.36 | 1790 | 1995 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 1086 | 1096 | 0.21 | 0.21 | BDL | BDL |
| 4713 | TUB WELL BESIDE GREEN BELT CANAL POINT NO.8 | WEST BENGAL | 31 | 32 | 7.13 | 8.33 | 1583 | 1723 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 946 | 1044 | BDL | BDL | BDL | BDL |
| 4714 | GROUND WATER AT ANGADPUR ANGADPUR DURGAPUR | WEST BENGAL | 28 | 29 | 6.92 | 8.34 | 593 | 701 | BDL | BDL | 0.76 | 1.6 | BDL | BDL | BDL | BDL | 546 | 572 | 0.53 | 0.67 | 0.035 | 0.035 |
| 4715 | GROUND WATER AT MUCHIPARA DURGAPUR | WEST BENGAL | 27 | 28 | 6.74 | 8.08 | 147 | 236 | BDL | BDL | 0.91 | 1.26 | BDL | BDL | 2 | 2 | 48 | 230 | BDL | BDL | BDL | BDL |
| 4716 | GROUND WATER AT HURALALPUR, PURULIA | WEST BENGAL | 25 | 30 | 7.24 | 7.64 | 668 | 746 | BDL | BDL | 0.7 | 1.43 | BDL | BDL | BDL | BDL | 366 | 558 | 0.5 | 0.61 | BDL | BDL |
| 4721 | GROUND WATER AT MATIGARA BAZAAR | WEST BENGAL | 24 | 24 | 6.51 | 6.58 | 97 | 98 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 60 | 67 | 0.21 | 0.21 | BDL | BDL |
| 4726 | GROUND WATER MIRIK DUGWELL | WEST BENGAL | 15 | 23 | 6.5 | 6.89 | 98 | 158 | BDL | BDL | 4.82 | 4.82 | BDL | BDL | BDL | BDL | 64 | 121 | BDL | BDL | BDL | BDL |
| 4730 | GROUND WATER (DUGWELL) AT HARISHPAL MORE | WEST BENGAL | 25 | 26 | 6.52 | 6.8 | 484 | 550 | 1.8 | 1.8 | 4.5 | 4.5 | BDL | BDL | BDL | BDL | 230 | 385 | 0.21 | 0.21 | BDL | BDL |
| 4731 | GROUNDWATER AT UTTARBANGA KRISHI VISHWAVIDYALAYA | WEST BENGAL | 24 | 26 | 6.74 | 7.6 | 300 | 301 | BDL | BDL | 1.09 | 1.09 | BDL | BDL | BDL | BDL | 176 | 180 | BDL | BDL | BDL | BDL |
| 4732 | GROUNDWATER AT ANANDA MOHAN COMMERCE COLLEGE | WEST BENGAL | 25 | 27 | 6.86 | 7.97 | 281 | 525 | BDL | BDL | 0.78 | 4.6 | BDL | BDL | BDL | BDL | 180 | 341 | 0.21 | 0.21 | BDL | BDL |
| 4733 | GROUNDWATER AT SUKNA FOREST RANGE | WEST BENGAL | 24 | 28 | 6.66 | 7.69 | 114 | 125 | BDL | BDL | | | BDL | BDL | BDL | BDL | 72 | 87 | BDL | BDL | BDL | BDL |
| 4734 | TUBE WELL INSIDE MAHISHADAL RAJBARI | WEST BENGAL | 29 | 31 | 8.05 | 8.33 | 1527 | 1985 | BDL | BDL | 0.31 | 0.41 | BDL | BDL | BDL | BDL | 1406 | 1924 | 0.21 | 0.22 | BDL | BDL |
| 4735 | TUBE WELL INSIDE MECHEDA BUS STAND | WEST BENGAL | 27 | 29 | 7.46 | 7.96 | 751 | 981 | 1.4 | 1.4 | - | - | BDL | BDL | BDL | BDL | 502 | 620 | 0.23 | 0.23 | BDL | BDL |
| 4736 | TUBE WELL AT OLD DIGHA | WEST BENGAL | 29 | 31 | 7.56 | 8.07 | 3377 | 3600 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 2562 | 3282 | 0.23 | 0.23 | BDL | BDL |
| 4737 | GROUND WATER AT SHYAMPUR BUDGE BUDGE | WEST BENGAL | 27 | 32 | 7.26 | 7.62 | 1090 | 4380 | BDL | BDL | - | - | BDL | BDL | BDL | BDL | 636 | 2564 | 0.47 | 0.47 | BDL | BDL |

Note: -

- (i) Above data is as per the information provided by the SPCBs/PCCs through EWQDES Portal. Further clarifications, if any may please be obtained from respective SPCB/PCC.
- (ii) BDL value under NWMP are : - pH – (2.0), Conductivity ($\mu\text{mhos/cm}$) – (5), BOD (mg/L) – (1), Nitrate-N(mg/l) – (0.32) & Fecal Coliform & Total Coli form (MPN/100ml) – (1.8), Total Dissolved Solids (mg/L)-(10), Fluoride (mg/L)-(0.2) & Arsenic (mg/L)- (0.01).
- (iii) Data downloaded from EWQDES portal on 21.06.2023.