

Water Quality Data of STP under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
20004	STP AT RAJAHMUNDRY	STP	ANDHRA PRADESH	28	28	6.2	8.0	6.7	8.2	826	1615	8.0	72.0	1.80	4.08	7	21	150	1100	4	4
20013	PANAJI STP AT TONCA	STP	GOA	28	29	-	-	5.5	8.5	-	-	6.0	500.0	-	-	2	5400000	2	9200000	2	920000
20015	AHMEDABAD-1 BENRAMPURAPIRANA ROAD, AHMEDABAD	STP	GUJARAT	26	35	-	-	7.4	8.2	-	-	13.0	33.0	-	-	920	1600	1600	1600	1600	1600
20016	AHMEDABAD-2 NAROL SARKHEJ HIGHWAYNR. 35 MLD STP, NAROL-SARKHEJ HIGHWAY, VASNA AHMEDABAD	STP	GUJARAT	26	35	-	-	7.0	7.9	-	-	18.0	67.0	-	-	1600	1600	1600	1600	-	-
20017	STP NEAR PAMBA AT PATHANAMTHITTA KERALA	STP	KERALA	-	-	-	-	7.8	8.9	-	-	48.0	230.0	-	-	-	-	432	432	-	-
20018	STP, CUTTACK AT MATTAGAJPUR	STP	ODISHA	-	-	-	-	6.9	7.6	-	-	1.2	60.0	-	-	2	160000	2	160000	2	2
20019	STP, PURI AT MANGALAGHAT	STP	ODISHA	-	-	0.3	0.3	6.8	7.7	-	-	5.9	195.0	-	-	2	160000	2	160000	-	-
20020	WASTEWATER OF TALCHER	STP	ODISHA	-	-	-	-	6.5	7.4	-	-	3.8	145.0	-	-	13	160000	49	160000	-	-
20021	JALANDHAR	STP	PUNJAB	-	-	-	-	6.9	6.9	-	-	14.0	14.0	-	-	3300	3300	-	-	-	-
20022	LUDHIANA-1, BHATTIAN	STP	PUNJAB	-	-	-	-	6.8	7.7	-	-	12.0	148.0	-	-	93	280000	-	-	-	-
20023	LUDHIANA-2, BALLOKE	STP	PUNJAB	-	-	-	-	6.7	7.9	-	-	16.0	185.0	-	-	2	540000	2	2	2	2
20024	LUDHIANA-3, JAMALPUR	STP	PUNJAB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20025	PHAGWARA	STP	PUNJAB	-	-	-	-	7.1	7.7	-	-	17.0	28.0	-	-	540	2200	780	930	-	-
20026	PHILLAUR	STP	PUNJAB	-	-	-	-	7.1	11.9	-	-	6.0	25.0	-	-	2	1700	2	2	2	2
20027	KAPURTHALA	STP	PUNJAB	-	-	-	-	7.1	7.6	-	-	18.0	28.0	-	-	630	840	700	840	-	-
20028	SULTANPUR LODHI	STP	PUNJAB	-	-	-	-	6.9	8.5	-	-	20.0	30.0	-	-	830	14000	940	1200	-	-
20032	CHENNAI-1 NESAPAKKAM (ZONE-IV)	STP	TAMIL NADU	25	31	0.3	0.3	7.4	9.6	-	-	2.0	10.0	-	-	2	110	40	680	20	20
20033	CHENNAI-2 PERUNGADI(ZONE-V)	STP	TAMIL NADU	25	33	0.3	0.3	6.1	7.8	-	-	3.0	120.0	170.00	170.00	2	1300	18	3500	-	-
20034	CHENNAI-3KODUNGAIYUR (ZONE I&II)	STP	TAMIL NADU	25	32	0.3	0.3	6.2	8.1	-	-	4.0	20.0	-	-	2	93	61	460	-	-
20035	CHENNAI-4 KOYAMBEDU (ZONE-III)	STP	TAMIL NADU	25	32	-	-	6.2	7.5	-	-	3.0	13.0	-	-	2	78	78	680	-	-
20038	ERODE-2	STP	TAMIL NADU	23	36	0.3	6.3	5.6	8.4	604	1779	1.0	240.0	0.32	7.56	68	7000	210	11000	-	-

Water Quality Data of STP under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
20041	KARUR	STP	TAMIL NADU	25	33	0.3	4.1	5.3	9.0	1073	2180	10.2	1050.0	0.32	6.51	330	6300	790	12000	-	-
20042	MAYILADUTHURAI	STP	TAMIL NADU	20	34	0.3	4.7	6.0	8.0	963	1561	10.0	83.0	0.32	9.67	3	4900	24	9400	-	-
20043	TIRCHIRAPPALLI-SRIRANGAM	STP	TAMIL NADU	29	35	0.3	0.3	7.3	8.2	1055	1576	14.0	28.0	0.54	18.66	110	4900	790	14000	-	-
20044	THANJAVUR	STP	TAMIL NADU	29	36	0.3	0.3	7.0	8.0	140	1662	14.0	28.0	0.32	21.50	81	4900	580	11000	-	-
20045	TIRUNELVELI	STP	TAMIL NADU	-	-	0.3	0.3	7.1	8.5	782	816	9.0	49.0	-	-	10	7000	20	21000	-	-
20046	MADURAI	STP	TAMIL NADU	27	29	0.3	4.5	6.5	7.2	242	242	6.0	90.0	1.23	5.48	14	49000	22	79000	-	-
20047	KUMBAKONAM	STP	TAMIL NADU	27	33	0.3	0.3	7.1	7.9	1050	1674	18.0	62.0	0.32	22.00	56	6300	330	14000	-	-
3055	AMBERPET STP (339 MLD) - OUTLET , AMBERPET (V&M), HYDERABAD	STP	TELANGANA	28	30	3.2	4.9	6.6	8.6	1273	1720	6.0	28.0	-	-	2	17	2	1600	-	-
3056	LANGARHOUSE STP (1.25 MLD) - OUTLET, GOLCONDA (V&M) ,HYDERABAD	STP	TELANGANA	28	31	2.7	5.2	7.3	9.0	1151	2662	7.0	29.0	-	-	2	21	2	1600	2	2
3057	NAGOLE STP (172 MLD)- OUTLET, NAGOLE,RANGAREDDY	STP	TELANGANA	27	31	3.6	4.9	7.1	8.5	858	1638	7.0	26.0	-	-	2	32	11	1600	-	-
3058	KHAIRATABAD STP (20 MLD) - OUTLET, NEAR RAJ NAGAR, KHARITABAD , HYDERABAD	STP	TELANGANA	29	31	2.8	6.6	6.7	8.5	748	1403	4.0	19.0	-	-	2	13	32	920	-	-
3059	SAFILGUDA STP (0.6 MLD) - OUTLET, SAFILGUDA,MEDCHAL	STP	TELANGANA	29	32	2.8	4.2	7.2	8.1	1308	2836	7.0	29.0	-	-	2	70	140	1600	-	-
3060	DURGAM STP (5 MLD) - OUTLET, RAIDURG (V), SERILINGAMPALLY (M), RANGAREDDY (D)	STP	TELANGANA	28	32	2.3	4.9	7.0	8.2	1091	1891	10.0	28.0	-	-	2	26	84	1600	-	-
3061	NALLACHERUVU STP (30 MLD) - OUTLET, UPPAL, RANGAREDDY	STP	TELANGANA	27	31	3.4	4.8	7.2	8.6	1006	1820	8.0	26.0	-	-	2	26	94	1600	-	-
3062	SAROORNAGAR STP (2.5 MLD) - OUTLET, SAROORNAGAR (V & M), RANGAREDDY DISTRICT	STP	TELANGANA	26	31	3.4	5.4	6.5	7.9	1185	1720	3.0	22.0	-	-	2	17	33	1600	-	-

Water Quality Data of STP under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
20048	DRAIN AFTER STP AT SWARG ASHRAM	STP	UTTARAK HAND	11	24	4.8	10.6	6.6	7.9	81	503	1.0	10.0	0.32	0.40	10	3900	34	16000	2	540
20049	DRAIN AFTER STP AT LAKKARGHAT	STP	UTTARAK HAND	13	25	5.0	10.0	6.6	8.1	174	609	1.2	9.6	0.32	0.40	15	35000	38	54000	2	540
20050	DRAIN AFTER STP AT JAGJITPUR	STP	UTTARAK HAND	15	33	3.4	10.0	6.4	8.4	151	1082	1.4	6.0	0.32	2.90	21	84	70	120	10	33

Water Quality Data of WTP under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3042	WATER WORKS- SONIA VIHAR, DELHI	WATER TREATMENT PLANT (RAW WATER)	DELHI	-	-	-	-	7.0	7.7	-	-	-	-	0.30	0.49	-	-	-	-	-	-
3043	WATER WORKS- CHANDRAVAL, DELHI	WATER TREATMENT PLANT (RAW WATER)	DELHI	-	-	-	-	6.4	7.3	-	-	-	-	0.30	0.49	-	-	-	-	-	-
3044	WATER WORKS- NANGLOI, DELHI	WATER TREATMENT PLANT (RAW WATER)	DELHI	-	-	-	-	6.8	8.0	-	-	-	-	0.30	0.64	-	-	-	-	-	-
3045	WATER WORKS- HAIDERPUR, DELHI	WATER TREATMENT PLANT (RAW WATER)	DELHI	-	-	-	-	7.0	7.8	-	-	-	-	0.30	0.90	-	-	-	-	-	-
3046	WATER WORKS- DWARKA, DELHI	WATER TREATMENT PLANT (RAW WATER)	DELHI	-	-	-	-	7.0	7.8	-	-	-	-	0.30	0.60	-	-	-	-	-	-
4861	NEAR HUDA/ HSVP WATER WORKS, BASAI, GURUGRAM	WATER TREATMENT PLANT	HARYANA	4	35	7.0	7.3	7.0	7.3	850	1030	-	-	-	-	60	140	760	2400	-	-
3047	WATER WORKS- GURGAON	WATER TREATMENT PLANT (RAW WATER)	HARYANA	5	38	6.8	7.2	6.8	7.3	960	1260	-	-	-	-	90	240	2600	3600	-	-
3048	WATER WORKS- FARIDABAD	WATER TREATMENT PLANT (RAW WATER)	HARYANA	18	28	5.2	6.4	7.1	7.5	990	1040	1.0	1.0	-	-	2	2	2	2	2	2
3050	WATER WORKS- GHAZIABAD	WATER TREATMENT PLANT (RAW WATER)	UTTAR PRADESH	17	23	9.8	10.6	7.2	7.6	110	183	1.0	1.0	0.30	0.32	2	2	2	2	2	2

Water Quality Data of Drain under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
5266	KAILASH NAGAR DRAIN	DRAIN	DELHI	-	-	-	-	7.2	7.9	-	-	58.0	105.0	-	-	-	-	-	-	-	-
5267	DRAIN NO. 14	DRAIN	DELHI	-	-	-	-	7.0	7.6	-	-	16.0	36.0	-	-	-	-	-	-	-	-
5268	ABU FAZAL DRAIN	DRAIN	DELHI	-	-	-	-	6.9	7.7	-	-	52.0	72.0	-	-	-	-	-	-	-	-
5269	JAITPUR DRAIN	DRAIN	DELHI	-	-	-	-	7.3	7.6	-	-	40.0	66.0	-	-	-	-	-	-	-	-
5270	TUGHLAKABAD DRAIN	DRAIN	DELHI	-	-	-	-	7.3	7.8	-	-	11.0	102.0	-	-	-	-	-	-	-	-
5271	OLD AGRA CANAL AT OKHLA	DRAIN	DELHI	-	-	-	-	7.2	7.8	-	-	42.0	66.0	-	-	-	-	-	-	-	-
5273	OLD AGRA CANAL NEAR KALINDI KUNJ -SARITA VIHAR PULL	DRAIN	DELHI	-	-	-	-	7.4	7.7	-	-	34.0	58.0	-	-	-	-	-	-	-	-
5275	MOLARBANDH DRAIN	DRAIN	DELHI	-	-	-	-	7.1	7.5	-	-	46.0	72.0	-	-	-	-	-	-	-	-
5276	SONIA VIHAR DRAIN	DRAIN	DELHI	-	-	-	-	6.9	7.6	-	-	73.0	100.0	-	-	-	-	-	-	-	-
4860	RANIA DRAIN MEETING DISCHARGE OF PHED STP, 6 MLD, RANIA, SIRSA	DRAIN	HARYANA	-	-	5.5	6.3	7.6	8.7	572	1920	6.0	30.0	-	-	520	80000	2100	130000	-	-
1870	SUKHANA NALLAH AT PARWANOO NEAR KALKA BARRIER, EXIT POINT OF H. P.	DRAIN	HIMACHAL PRADESH	7	18	4.5	7.7	7.0	8.3	253	1392	1.0	60.0	3.10	11.57	2	1600	25	1600	2	2
3861	SALANI NALLAH NEAR BRIDGE, NH-7, MOGINAND KALA AMB	DRAIN	HIMACHAL PRADESH	15	25	6.5	8.8	7.2	8.1	323	588	1.3	2.8	0.32	1.50	33	280	220	920	2	2
3863	RAMPUR JATTAN MOGINAND NALA BEFORE CONFLUENCE TO RIVER MARKANDA NEAR RADHA SWAMI SATSANG BHAWAN	DRAIN	HIMACHAL PRADESH	17	27	5.5	6.6	7.3	8.3	358	5047	1.6	25.0	0.32	2.82	7	14700	280	162000	2	2
3865	ROON NALLAH NEAR MEERPUR KOTLA, GURUDWARA	DRAIN	HIMACHAL PRADESH	20	27	6.4	8.6	7.3	8.3	289	665	1.1	2.7	0.32	1.77	21	170	94	540	2	2
3867	SARVARI NALLAH BEFORE CONFLUENCE TO RIVER BEAS	DRAIN	HIMACHAL PRADESH	4	13	8.1	8.7	7.1	8.4	115	170	1.0	1.0	0.32	1.72	31	79	210	280	2	2
3868	BARAGRAM NALLAH BEFORE CONFLUENCE TO RIVER BEAS	DRAIN	HIMACHAL PRADESH	2	11	7.8	10.1	7.4	8.5	53	284	1.0	1.0	0.32	1.54	33	79	170	280	2	2
3875	SURAJMUKHI NALLAH U/S WSS GALAYANA D/S OF SHOOLINI UNIVERSITY	DRAIN	HIMACHAL PRADESH	8	18	6.8	7.8	7.4	8.4	473	995	1.0	2.8	3.24	12.44	2	17	21	120	2	2
3879	BHATIAN NALLAH U/S BHATIAN VILLAGE, NEAR TVS INDUSTRY, NALAGARH	DRAIN	HIMACHAL PRADESH	12	30	2.0	4.2	7.4	8.3	1062	4330	1.0	45.0	0.34	10.23	2	340	25	1840	2	2
3881	BHATIAN NALLAH D/S SARA TEXTILE, NALAGARH	DRAIN	HIMACHAL PRADESH	12	40	2.0	4.5	7.2	8.3	833	5550	1.0	33.0	0.35	11.35	2	920	21	1600	2	2
4029	TAALO NALA (FROM NAHAR TOWN) AT KHADDAR KA BAGH B/C TO RIVER MARKANDA	DRAIN	HIMACHAL PRADESH	17	24	5.9	8.6	7.3	8.3	267	837	1.0	2.8	0.32	6.14	25	350	130	1600	2	2

Water Quality Data of Drain under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4034	SAHU NALLAH U/S BHURI SINGH SHEP	DRAIN	HIMACHAL PRADESH	11	16	7.9	9.9	7.0	8.1	168	360	1.0	1.0	0.30	1.18	2	22	21	220	2	2
4035	SAHU NALLAH D/S BHURI SINGH SHEP	DRAIN	HIMACHAL PRADESH	11	17	7.8	9.8	6.8	8.2	177	377	1.0	1.0	0.30	2.30	2	33	22	280	2	2
4036	KUNNI PUL, VILL SAMAHU, PO KUNIHAR, TEHSIL ARKI	DRAIN	HIMACHAL PRADESH	9	16	7.3	8.6	7.5	8.5	132	572	1.0	1.8	0.32	6.22	2	21	21	58	2	2
4425	RAW WATER FOR LWSS OF CHURAT NALLAH	DRAIN	HIMACHAL PRADESH	6	15	7.1	8.9	7.5	8.4	102	1904	1.0	1.0	0.32	1.55	2	170	2	1600	2	4
4426	RAW WATER FOR LWSS OF JAGROTI NALLAH	DRAIN	HIMACHAL PRADESH	6	16	7.2	8.8	7.8	8.4	111	1447	1.0	1.0	0.32	1.27	2	220	2	1600	2	2
4430	LIFT NALLAH BEFORE CONFLUENCE TO ASHWANI KHAD NEAR DOGRHA BRIDGE	DRAIN	HIMACHAL PRADESH	6	25	5.8	7.8	7.4	8.1	279	3014	1.1	58.8	1.36	12.76	11	920	39	1600	4	140
4454	JARANGLA NALLAH U/S WATER SUPPLY SCHEME	DRAIN	HIMACHAL PRADESH	8	18	8.2	9.7	7.1	8.2	115	244	1.0	1.0	0.30	2.14	2	26	17	350	2	2
4455	KLUIN NALLAH U/S WATER SUPPLY SCHEME	DRAIN	HIMACHAL PRADESH	9	16	8.4	10.5	7.1	8.2	212	351	1.0	1.0	0.30	1.16	2	33	14	280	2	2
4462	SAINJ NALLAH (U/S SAINJ WATER SUPPLY SCHEME AT DARGI)	DRAIN	HIMACHAL PRADESH	7	19	6.5	8.9	7.6	8.5	99	2265	1.0	1.0	0.32	2.42	2	220	2	1600	2	2
4463	DHANESHAH NALLAH (U/S SAINJ WATER SUPPLY SCHEME) NEAR GYASI MATA MANDIR	DRAIN	HIMACHAL PRADESH	6	19	6.4	8.8	7.5	8.5	102	2409	1.0	1.0	0.32	2.90	2	280	2	1600	2	5
4464	ALHI KHAD NEAR INTAKE WSS AT VILL. NOG	DRAIN	HIMACHAL PRADESH	12	25	8.4	9.4	8.0	8.3	245	490	1.0	1.0	0.47	3.05	33	84	150	280	2	2
4466	JARANGLA NALLAH D/S WATER SUPPLY SCHEME	DRAIN	HIMACHAL PRADESH	8	18	8.4	9.7	7.1	8.3	130	1167	1.0	1.0	0.30	2.10	2	58	21	1600	2	2
4474	HALOG NALLAH NEAR HALOG WATER SUPPLY SCHEME	DRAIN	HIMACHAL PRADESH	7	14	9.3	9.7	7.5	8.5	101	1413	1.0	1.0	0.32	1.79	4	26	27	350	2	2
4475	MACHADA NALLAH, MAJHOUTI WATER SUPPLY SCHEME NEAR NIRATH	DRAIN	HIMACHAL PRADESH	8	14	9.4	9.7	7.5	8.5	106	1431	1.0	1.0	0.32	1.71	2	26	2	1600	2	2
4476	MANALSU NALLAH NEAR WATER SUPPLY SCHEME FOR MANALI TOWN	DRAIN	HIMACHAL PRADESH	1	8	8.2	10.2	7.0	8.2	35	277	1.0	1.0	0.32	1.37	23	84	150	280	2	2
4477	KHALADA NALLAH NEAR WATER SUPPLY SCHEME FOR KULLU TOWN	DRAIN	HIMACHAL PRADESH	3	12	8.2	9.1	7.5	8.4	110	2183	1.0	1.0	0.32	2.58	11	84	170	350	2	2

Water Quality Data of Drain under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4480	SURAJMUKHI NALLAH D/S STP AT U/S OF SHOOLINI UNIVERSITY SAMTI SOLAN	DRAIN	HIMACHAL PRADESH	8	17	6.8	8.9	7.3	8.5	468	5770	1.0	14.5	3.19	12.17	2	110	25	540	2	2
4481	HATHLI NALLAH LIFT WATER SUPPLY SCHEME FOR MUNICIPAL COUNCIL HAMIRPUR	DRAIN	HIMACHAL PRADESH	10	30	7.2	8.8	7.1	8.2	238	441	1.0	1.0	0.30	6.30	2	4	13	50	2	2
4482	LIFT WATER SUPPLY SCHEME (PANJARAR) AND BHOTA ROPARI & UJHAN	DRAIN	HIMACHAL PRADESH	10	31	7.0	8.6	7.0	8.2	245	356	1.0	1.0	0.30	2.12	2	11	13	170	2	2
5253	HURLA NALLA D/S HURLA BRIDGE, VPO HURLA, TEHSIL BHUNTER, DIS. KULLU	DRAIN	HIMACHAL PRADESH	4	15	6.4	8.2	7.7	8.4	71	152	1.0	1.0	0.32	1.32	58	94	280	430	2	2
5257	KALAM NALLA D/S OF MSW PROCESSING SITE AT CHOWRI, DIST. CHAMBA	DRAIN	HIMACHAL PRADESH	10	20	8.5	9.0	7.1	8.0	99	248	1.0	1.0	0.30	2.25	2	7	25	1600	2	2
4082	BAJU NALLAH AT KHOKHYAL NEAR BARAGE, CONFLUENCE POINT OF SAHAR-KHAD AND KATHUA CITY NALLAHS	DRAIN	JAMMU & KASHMIR	20	24	5.4	6.8	8.1	8.5	192	216	2.1	2.2	-	-	-	-	-	-	-	-
5172	NELLIKUNNU BRIDGE AT NELLIKUNNU, KASARAGOD	DRAIN	KERALA	-	-	2.1	7.7	6.1	7.7	5	5	1.0	2.9	-	-	48	810	152	152	-	-
2178	CHIKHALI NALA MEETS GODAVARI RIVER, VILLAGE-CHIKHALI, TALUKA- NASHIK, DISTRICT- NASHIK.	DRAIN	MAHARASHTRA	17	27	1.1	5.5	7.3	8.0	654	1009	3.8	16.0	0.30	3.70	6	17	58	170	2	2
2782	RABODI NALA, VILLAGE- RABODI, TALUKA- THANE, DISTRICT- THANE.	DRAIN	MAHARASHTRA	26	34	0.3	4.0	6.9	7.4	222	5426	8.0	160.0	0.30	12.40	170	1600	540	3500	-	-
2783	COLOUR CHEM NALA, VILLAGE- MAJIWADA, TALUKA- THANE, DISTRICT- THANE.	DRAIN	MAHARASHTRA	26	34	0.3	6.0	7.1	7.5	284	8716	5.0	75.0	0.30	20.85	540	1600	540	1700	-	-
2784	SANDOZ NALA, VILLAGE- SANDOZBAUG, TALUKA- THANE, DISTRICT- THANE.	DRAIN	MAHARASHTRA	21	34	0.3	4.9	7.1	7.5	517	9857	6.0	90.0	0.30	13.02	110	1600	540	1600	-	-
2785	BPT, NAVAPUR, VILLAGE- NAVAPUR, TALUKA- PALGHAR, DISTRICT- PALGHAR.	DRAIN	MAHARASHTRA	26	27	0.3	0.3	6.2	7.8	5690	51530	78.0	3750.0	0.86	71.90	13	920	70	1600	-	-
2786	TARAPUR MIDC NALA (NEAR SUMP 1), VILLAGE- MIDC TARAPUR, TALUKA- PALGHAR, DISTRICT- PALGHAR.	DRAIN	MAHARASHTRA	26	26	0.3	0.3	6.8	7.7	4624	6126	230.0	450.0	7.10	7.22	33	70	170	350	-	-

Water Quality Data of Drain under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2787	TARAPUR MIDC NALA (NEAR SUMP 2), VILLAGE- MIDC TARAPUR, TALUKA- PALGHAR, DISTRICT- PALGHAR.	DRAIN	MAHARASHTRA	26	26	0.3	0.3	6.9	6.9	2588	5622	165.0	230.0	3.80	6.92	13	34	79	220	-	-
2788	TARAPUR MIDC NALA (NEAR SUMP 3), VILLAGE- MIDC TARAPUR, TALUKA- PALGHAR, DISTRICT- PALGHAR.	DRAIN	MAHARASHTRA	26	26	0.3	0.3	2.0	7.1	2561	18120	170.0	210.0	4.29	4.71	22	23	210	220	-	-
2789	NALA AT D/S OF AKLAI MANDIR, VILLAGE- AKLAI, TALUKA- MALSHIRAS, DISTRICT- SOLAPUR.	DRAIN	MAHARASHTRA	26	30	4.1	5.7	8.1	8.6	755	1960	5.4	20.5	1.61	4.86	15	80	225	1800	8	25
2790	PIMPAL-PANERI NALA AT RATNAGIRI NEAR FINOLEX INDUSTRIES, VILLAGE- YAHGANIGAON, TALUKA- RATNAGIRI, DISTRICT- RATNAGIRI.	DRAIN	MAHARASHTRA	21	30	5.8	7.2	5.7	7.6	263	4876	1.6	2.4	0.30	2.40	6	6	17	33	2	2
3923	GURADIH NALLAH AT PANPOSH	DRAIN	ODISHA	22	30	1.6	6.8	6.9	8.2	310	606	4.2	8.3	1.15	13.18	7900	92000	24000	160000	13	350
3934	GANDA NALLAH AT MARTHAPUR	DRAIN	ODISHA	21	24	7.2	7.8	6.9	7.8	160	1054	1.0	1.7	0.32	19.25	45	1100	220	2800	-	-
3939	KUNDRA NALLAH AT JODA	DRAIN	ODISHA	20	30	4.8	7.2	6.9	7.7	94	147	1.1	1.5	0.42	1.62	45	1300	230	3500	-	-
2906	DHANAULA DRAIN FALLING INTO LASSARA DRAIN NEAR VILL. DHUNAS, PUNJAB	DRAIN	PUNJAB	11	28	0.3	0.3	7.1	8.2	3521	4738	19.0	124.0	3.20	6.30	110000	170000	280000	430000	-	-
2907	HUDIARA DRAIN AT VILL. DHAHUKE (WHERE IT ENTERS PAKISTAN), PUNJAB	DRAIN	PUNJAB	15	33	0.3	0.3	7.2	8.4	1120	1583	54.0	130.0	4.00	9.10	110000	330000	430000	700000	-	-
2908	OUTLET OF NADIALA DRAIN INTO DHAKANSU NALLAH, PUNJAB	DRAIN	PUNJAB	11	33	0.3	1.9	7.0	7.8	842	1252	24.0	58.0	2.00	4.20	21000	70000	110000	210000	-	-
2909	TALLEWAL DRAIN AT BRIDGE JALWALAN - LOHGARH LINK ROAD	DRAIN	PUNJAB	10	32	0.3	1.9	7.0	8.0	1315	2515	27.0	74.0	2.00	4.00	32000	120000	120000	350000	-	-
2910	BRIDGE ON TUNG DHAB DRAIN, FATENGARH CHURIAN ROAD, AMRITSAR	DRAIN	PUNJAB	15	33	0.3	0.3	6.7	8.2	1549	2700	145.0	258.0	6.00	13.00	170000	460000	630000	1100000	-	-
2914	POINT SOURCE BUDHA NALLAH, PUNJAB	DRAIN	PUNJAB	12	32	0.3	0.3	7.1	7.5	1107	2080	80.0	210.0	3.10	5.70	2200000	5400000	4900000	9400000	-	-
4158	SAGARPARA DRAIN AT VILL SAGRA DIST, PATIALA	DRAIN	PUNJAB	13	36	0.3	1.8	7.0	8.0	629	1035	15.0	29.0	1.20	2.40	6100	11000	35000	120000	-	-

Water Quality Data of Drain under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
10047	CHENNAI WATERWAYS AT OTTERI NULLAH (ORIGIN)	DRAIN	TAMIL NADU	25	32	0.3	0.3	6.3	7.2	1243	2670	9.0	192.0	0.32	1.14	20	2400	460	9200	-	-
10048	CHENNAI WATERWAYS AT OTTERI NULLAH (KILPAUK GARDEN)	DRAIN	TAMIL NADU	25	32	0.3	0.3	6.6	7.5	1156	2300	13.0	69.0	0.32	4.68	40	1300	340	5400	-	-
10051	CHENNAI WATERWAYS AT BUCKINGHAM CANAL X OTTERI NULLAH CONFLUENCE (GMR VASAVI INDUSTRIES)	DRAIN	TAMIL NADU	25	32	0.3	0.3	6.8	7.2	985	1992	9.0	67.0	0.32	7.20	40	460	230	2200	-	-
10056	CHENNAI WATERWAYS AT MAMBALAM DRAIN (GOLF COURSE)	DRAIN	TAMIL NADU	25	29	0.3	1.2	6.7	7.5	624	1535	9.0	72.0	0.32	3.65	18	790	140	1700	-	-
3054	RIVER GODAVARI - OUTLET OF ASH POND EFFLUENTS OF M/S.NTPC, RAMAGUNDAM	DRAIN	TELANGANA	25	31	3.3	6.4	8.0	11.4	881	1455	1.1	3.0	0.30	3.02	2	2	17	63	2	2
4665	RIVER MANERU (TRIBUTARY OF GODAVARI) - OUTLET OF KTPP ASH POND JOINING TO MORANCHA VAGU, CHELPUR (V), GHANPUR (MULUGU) (M), , JAYASHANKAR BHUPALAPALLI DISTRICT	DRAIN	TELANGANA	23	29	4.2	6.2	6.7	8.5	262	975	1.0	2.4	0.30	2.20	2	4	13	110	2	2

Water Quality Data of Canals under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2354	SAMARLA KOTA CANAL,SAMARLA KOTA (V & M)	CANAL	ANDHRA PRADESH	24	26	2.5	6.5	7.17	8.08	209	550	2.6	4	0.32	2.68	7	43	120	460	-	-
3051	BUDAMERU CANAL NEAR BDG AT NH-5, KEESARAPALLI (V), GANNAVARAM (M)	CANAL	ANDHRA PRADESH	24	24	2.2	6	7.14	7.72	1130	1825	4.2	9	2.69	6.91	3	972	440	4800	2	410
4356	ELERU CANAL, NEAR PHARMA CITY,THADI (V),PARAVADA (M)	CANAL	ANDHRA PRADESH	26	29	5.1	8.2	7.35	8.43	260	509	1.7	3.4	0.39	2.23	3	15	93	460	-	-
4370	KRISHNA CANAL AT HANUMAN NAGAR, NEAR SAIBABA TEMPLE, ELURU	CANAL	ANDHRA PRADESH	18	30	3.5	7.7	7.36	8.47	202	2990	2.1	4.2	0.32	3.82	7	21	120	460	-	-
4374	GOSTTA NADI- VELPURU CANAL AT HANUMAN TEMPLE, DOWNSTREAM OF TANUKU TOWN, TANUKU	CANAL	ANDHRA PRADESH	18	32	3.8	7.9	7.23	8.32	193	1797	1.9	5.6	0.52	2.73	4	21	120	460	-	-
1479	WESTERN YAMUNA CANAL AT HAIDERPUR WATER WORKS, DELHI	CANAL	DELHI	-	-	-	-	7	7.8	-	-	-	-	0.3	0.9	-	-	-	-	-	-
2057	AGRA CANAL, MADANPUR KHADAR, DELHI	CANAL	DELHI	-	-	0.3	0.3	7.2	7.51	-	-	60	70	-	-	380000	7000000	-	-	-	-
2265	CANAL UP STREAM OF CUNCOLIM INDL.EST. CUNCOLIM, SALCETE (1 KM FROM M/S NICOMENT INDUSTRIES)	CANAL	GOA	27	30	4.4	8.9	5.94	7.51	42	440	1	1.9	0.32	0.51	220	1400	270	2100	94	220
2266	CANAL DOWNSTREAM OF CUNCOLIM INDL.EST. CUNCOLIM, SALCETE (NEAR RAILWAY BRIDGE)	CANAL	GOA	27	30	6.2	9.5	5.75	7.59	49	1002	1	1.9	0.32	1.34	170	1700	220	2400	23	350
2268	CUMBARJUA CANAL CORLIM(DISCHARGE POINT OF SYNGENTA LIMITED)	CANAL	GOA	27	30	4.1	7.5	6.14	7.6	90	44720	1	2.3	0.32	2.57	230	2300	330	3300	22	490
2073	NARMADA MAIN CANAL, NR. VILLAGE. LIMBADIA, DIST. GANDHINAGAR.NARMADA CANAL AT LIMBADIYA	CANAL	GUJARAT	26	31	5.2	7.4	7.5	8.2	262	1600	1	2	0.4	0.74	2	4	6	21	-	-
2074	TAPI CANAL AT VILLAGE UMARWADA, NEAR GIDC ESTATE OF PANOLI.AT VILLAGE UMARVADA, TA: ANKLESHWAR, DIST BHARUCH	CANAL	GUJARAT	27	35	6.9	8.1	7.88	8.4	350	540	1	1.1	0.3	0.4	2	46	20	110	-	-
4421	FROM NARMADA MAIN CANAL AT INDIRAHMEDABAD HIGHWAY BRIDGE NEAR VILLAGE MOTIKANTADI TAL, GODHRA, DIST PANCHMAHALNARMADA	CANAL	GUJARAT	23	29	7.1	8.3	7.13	8.46	305	528	1	1	0.32	1.17	2	4	11	27	-	-

Water Quality Data of Canals under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
	MAIN CANAL AT INDR-AHMEDABAD HIGHWAY, VILLAGE MOTI KANTADI, TAL. GODHRA, DIST.																				
1109	WESTERN YAMUNA CANAL WC-1(Y.NAGAR)100M D/S AFTER RECEIVING IND.&SEW.EFFL	CANAL	HARYANA	-	-	6.9	6.9	7.06	7.06	307	307	4.2	4.2	0.3	0.3	-	-	100	100	-	-
1110	WESTERN YAMUNA CANAL WC-2 (NEAR KARNA LAKE)G.T.ROAD KARNAL	CANAL	HARYANA	-	-	6	8.6	6.71	8.46	265	386	3.8	4.6	0.3	0.3	100	4000	400	21200	-	-
1111	WESTERN YAMUNA CANAL C-3 DELHI BRANCH AT R.D.245250	CANAL	HARYANA	-	-	7	8.1	7.17	7.83	261	2380	2.4	5.2	0.3	0.3	100	300	500	900	-	-
1112	WESTERN YAMUNA CANAL C-4 BEFORE ENTER INTO DELHI BRANCH, R.D.282628	CANAL	HARYANA	-	-	6.8	7.6	7.76	7.92	282	612	2.4	3.6	0.02	0.3	100	200	600	700	-	-
1114	WESTERN YAMUNA CANAL WC-6 SIRSA BRANCH AT RD.BRIDGE JIND KAITHAL ROAD	CANAL	HARYANA	-	-	6.1	7.2	7.1	8.3	586	786	4.6	7	-	-	45	110	480	1200	-	-
1115	WESTERN YAMUNA CANAL C-7 DELHI PARALLEL BRANCH AT KHUBRU FALL RD-145250	CANAL	HARYANA	-	-	7.2	7.2	7.77	7.77	281	281	3.2	3.2	0.3	0.3	200	200	800	800	-	-
1116	WESTERN YAMUNA CANAL WC-4 DELHI PARALLEL BRANCH AT PANIPAT	CANAL	HARYANA	-	-	7.2	8	7.27	7.9	256	302	1.2	4.2	0.3	0.3	300	6500	800	25300	-	-
1419	GURGAON CANAL, GC-1, (NEAR BADARPUR BORDER)	CANAL	HARYANA	16	32	4.7	5.5	7.2	7.9	850	1340	18	27	-	-	7000	9000	40000	64000	-	-
1886	WESTERN YAMUNA CANAL AT TAJEWALA	CANAL	HARYANA	-	-	7.2	7.2	6.99	6.99	309	309	4.8	4.8	0.3	0.3	-	-	100	100	-	-
2056	WESTERN YAMUNA CANAL AT DAMLA D/S OF YAMUNA NAGAR	CANAL	HARYANA	-	-	6.1	6.7	7.34	8.19	210	816	3.8	4.5	0.3	0.3	100	6900	800	9200	-	-
3034	WESTERN YAMUNA CANAL-KHUBRU OUTFALL	CANAL	HARYANA	-	-	6.3	7.6	7.32	7.79	251	289	2.5	3.5	0.3	0.3	100	500	600	800	-	-
4858	AGRA CANAL AT VILLAGE MANDKOLA IN NUH DIST.	CANAL	HARYANA	19	32	5.1	6.2	7.1	7.7	1510	1920	17	25	-	-	6700	9800	7000	92000	-	-
4859	CONFLUENCE OF SOUTHERN GHAGGAR CANAL, SHERANWALI PARALLEL GHAGGAR CANAL AND HISAR GHAGGAR DRAIN	CANAL	HARYANA	-	-	5.4	6.4	7.6	8.5	514	2260	5.7	31	-	-	580	86000	4200	150000	-	-
3461	CANOLI CANAL AT ERANJIKKAL	CANAL	KERALA	26	30	4	7	6.6	7.6	112	43880	1	3.7	0.3	0.6	630	3800	920	5400	10	230
3467	UNTHITHODU AT ELOOR, ERNAKULAM	CANAL	KERALA	25	29	0.8	6.6	6.6	9.3	175	14000	1.3	3.6	0.3	3.63	2300	112000	4600	140000	150	6300
3469	PALAKKATTUTHAZHAMTHODU AT PERUMBAVOOR, ERNAKULAM	CANAL	KERALA	26	30	3.5	6.3	6.3	8.8	72	175	1.3	3.8	0.3	0.64	1700	400000	5400	430000	150	4000

Water Quality Data of Canals under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2836	MORAMBAMARINE CANAL NEAR PRESBYTERIAN CHURCH, TOKPACHING	CANAL	MANIPUR	15	27	7	7.4	7.2	7.5	130	225	2.5	3.4	-	-	20	45	50	75	-	-
2428	TALADANDA CANAL AT JOBRA(ORIGIN OF TALADANDA CANAL)	CANAL	ODISHA	27	30	7.6	8.5	7.5	8.2	154	201	1.1	1.4	0.32	0.62	230	1300	2200	3500	-	-
2429	TALADANDA CANAL AT NAUBAZAR, CUTTACK CITY	CANAL	ODISHA	26	29	7.2	7.9	7.2	8.1	150	189	1.1	1.7	0.45	0.72	4600	160000	17000	160000	-	-
2430	TALADANDA CANAL AT ATHARABANKI(WATER INTAKE POINT OF PPL, IFFCO & PPT)	CANAL	ODISHA	23	32	2.2	10	6.9	8.5	166	447	1.2	3.7	0.32	1.44	220	24000	1400	54000	-	-
3950	TALADANDA CANAL AT RANIHAT	CANAL	ODISHA	27	30	7.4	8.3	7.4	8.2	150	193	1.1	1.8	0.35	0.62	2700	13000	4000	92000	-	-
3951	TALADANDA CANAL AT CHHATRABAZAR	CANAL	ODISHA	27	31	7.4	7.9	7.3	8.1	148	194	1.1	1.5	0.32	0.72	330	17000	330	54000	-	-
3952	TALADANDA CANAL AT BIRIBATI	CANAL	ODISHA	26	29	7	7.8	7.1	8	155	196	1.1	1.6	0.32	0.72	78	7900	210	35000	-	-
3958	PURI CANAL AT HANSAPAL	CANAL	ODISHA	22	29	6.3	10.9	7.1	8.5	165	250	1.1	2.3	0.32	0.62	220	13000	490	28000	-	-
3959	PURI CANAL AT JAGANNATHPUR	CANAL	ODISHA	22	30	6.1	10.3	6.6	7.6	161	244	1.1	2.8	0.32	0.72	130	7000	1300	22000	-	-
3960	PURI CANAL AT CHANDANPUR	CANAL	ODISHA	23	33	5.4	7.1	7.2	8.5	162	238	1.1	2.4	0.32	0.38	330	2400	1100	7900	-	-
2932	NARMADA MAIN CANAL (BEFORE ENTERING IN RAJASTHAN STATE), TEHSIL SANCHORE, JALORE, RAJASTHAN	CANAL	RAJASTHAN	20	27	4.5	6.6	7.66	9.1	224	660	1.4	2	1.6	2.12	5	26	16	31	2	38
2933	GANG CANAL AT KHAKKA HEAR NEAR HINDUMAL KOT, GANGANAGAR, RAJASTHAN	CANAL	RAJASTHAN	12	35	4.6	6	7.5	8.6	254	550	1.2	1.8	0.89	2.76	46	79	110	170	21	27
2934	MASITAWALA HEAD HANUMANGARH	CANAL	RAJASTHAN	13	35	4.8	6	7.43	8.66	301	488	1.2	1.8	0.96	3.98	34	94	120	150	11	22
4773	INDIRA GANDHI FEEDER AT RAJASTHAN BORDER, TEHSIL-TIBI,	CANAL	RAJASTHAN	13	35	4.9	6.2	7.38	7.9	293	513	1	1.9	1.76	2.8	43	84	120	170	20	27
30022	INDIRA GANDHI CANAL AT SIRSA HANUMANGARH (RAJASTHAN)	CANAL	RAJASTHAN	17	28	6.4	10.6	7	8	328	353	1	8	0.96	1.6	200	21000	2600	280000	33	79
10049	CHENNAI WATERWAYS AT CAPTAIN COTTON CANAL (ERUKANJERI)	CANAL	TAMIL NADU	28	32	0.3	0.3	6.76	7.36	897	1791	8	63	0.32	6.45	40	230	260	1300	-	-
10054	CHENNAI WATERWAYS AT BUCKINGHAM CANAL (ICE HOUSE)	CANAL	TAMIL NADU	25	32	0.3	0.3	6.59	7.59	797	1658	10	75	0.32	1.52	45	250	220	1400	-	-
1729	KATAKHAL CANAL AT NEAR PRAGATI VIDYABHAWAN, AGARTALA, TRIPURA	CANAL	TRIPURA	18	33	1.1	1.6	5.55	6.71	303	476	48	88	19.4	43.1	920	2500	3800	6800	-	-
3387	GILATALI CANAL, WEST TRIPURA	CANAL	TRIPURA	19	30	5.2	6.8	6.97	7.89	128	184	1.1	1.9	0.9	2.2	21	58	94	210	-	-
3388	PALATANA CANAL AT D/S OF POLLUTION OUTFALL, SOUTH TRIPURA	CANAL	TRIPURA	20	31	5.2	6.2	7.05	7.57	141	194	1.2	2.1	0.8	2.2	27	63	130	280	-	-

Water Quality Data of Canals under NWMP-2022

STN Code	Monitoring Location	Type Water Body	State Name	Temperature (°C)		Dissolved O ₂ (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3389	GHANDHA CHARRA CANAL AT DOMBURNAGAR, DHALAI	CANAL	TRIPURA	19	30	5.4	6.6	7.01	7.48	138	194	1.1	1.9	0.8	1.8	17	47	79	240	-	-
3390	SAMANU CHARRA CANAL AT CHAWMANU, DHALAI	CANAL	TRIPURA	19	30	5.2	6.2	6.9	7.69	129	188	1.1	1.9	0.8	1.9	22	58	84	240	-	-
4198	CHANDRAPUR CANAL	CANAL	TRIPURA	19	32	5.2	6.3	7.05	7.89	138	199	1.3	2.4	1	2.8	34	63	130	350	-	-
4199	KATAKHAL CANAL AT KALIKAPUR	CANAL	TRIPURA	20	32	1.8	4.6	6.54	6.99	174	271	6.6	16	2.6	6.9	58	94	120	430	-	-
2512	NOAI CANAL NORTH 24 PARGANAS, NEAR GANGA NAGAR MOTIBRIDGE	CANAL	WEST BENGAL	18	35	0.3	0.3	7.3	8.23	791	2713	15.3	67	0.3	0.3	230000	5400000	790000	9200000	130000	920000
2513	KHARDA CANAL NORTH 24 PARGANAS, NEAR JAYSHREE CHEMICAL INDUSTRY	CANAL	WEST BENGAL	23	33	0.3	0.9	7.14	7.65	743	998	41.2	140	0.3	0.7	7900000	54000000	13000000	92000000	490000	9200000

Note: -ABOVE DATA IS AS PER THE INFORMATION PROVIDED BY THE SPCBS/PCCS THROUGH EWQDES PORTAL. FURTHER CLARIFICATIONS, IF ANY MAY PLEASE BE OBTAINED FROM RESPECTIVE SPCB/PCC.

- (-) DATA NOT AVAILABLE.
- DATA DOWNLOAD FROM EWQDES PORTAL 06, JULY 2023.