

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	173	PM _{2.5}	1
2	Agra	Moderate	136	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	126	PM _{2.5} , PM ₁₀ , NO ₂	9
4	Aizawl	Good	38	PM ₁₀	1
5	Ajmer	Moderate	104	PM _{2.5}	1
6	Alwar	Satisfactory	73	PM ₁₀	1
7	Ambala	Moderate	108	PM _{2.5}	1
8	Amritsar	Moderate	113	PM ₁₀	1
9	Ankleshwar	Moderate	159	PM _{2.5}	1
10	Araria	Moderate	122	PM _{2.5}	1
11	Arrah	Moderate	143	PM _{2.5}	1
12	Asansol	Moderate	177	03	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Satisfactory	98	PM ₁₀	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Baghpat	Moderate	172	PM _{2.5}	1
16	Bahadurgarh	Moderate	133	PM _{2.5}	1
17	Ballabgarh	Poor	259	PM _{2.5}	1
18	Bathinda	Satisfactory	81	PM ₁₀	1
19	Bengaluru	Satisfactory	72	PM ₁₀	9
20	Bettiah	Moderate	179	PM ₁₀	1
21	Bhagalpur	Moderate	199	PM _{2.5}	2
22	Bhilai	Good	49	PM ₁₀	1
23	Bhiwadi	Moderate	177	PM _{2.5}	1
24	Bhiwani	Moderate	162	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	105	PM ₁₀	1
26	Bidar	Moderate	195	PM ₁₀	1
27	Bihar Sharif	Moderate	111	PM _{2.5}	1
28	Bilaspur	Satisfactory	59	PM ₁₀	1
29	Bulandshahr	Poor	275	PM _{2.5}	1
30	Buxar	Poor	264	PM ₁₀	1
31	Chamarajanagar	Good	30	PM ₁₀	1
32	Chandigarh	Moderate	118	PM _{2.5} , PM ₁₀	2
33	Chandrapur	Moderate	121	PM _{2.5} , PM ₁₀	2
34	Charkhi Dadri	Moderate	122	со	1
35	Chennai	Good	50	PM ₁₀ , O ₃ , CO	7
36	Chhapra	Poor	268	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	72	PM _{2.5}	1
38	Chikkamagaluru	Good	45	PM ₁₀	1
39	Coimbatore	Satisfactory	90	PM _{2.5}	1
40	Darbhanga	Poor	208	PM _{2.5}	1
41	Davanagere	Moderate	151	PM ₁₀	1
42	Delhi	Poor	262	PM ₁₀ , PM _{2.5}	36
43	Dewas	Satisfactory	68	PM ₁₀	1
44	Dharuhera	Poor	205	PM _{2.5}	1
45	Durgapur	Moderate	170	PM ₁₀	1
46	Eloor	Satisfactory	54	PM _{2.5}	1
47	Faridabad	Poor	258	PM _{2.5}	2
48	Fatehabad	Moderate	121	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	164	PM _{2.5}	1
50	Gadag	Moderate	104	PM _{2.5}	1
51	Gandhinagar	Moderate	102	PM _{2.5} , PM ₁₀	3
52	Gaya	Moderate	164	PM _{2.5} , PM ₁₀	3
53	Ghaziabad	Poor	245	PM _{2.5}	3
54	Gorakhpur	Satisfactory	98	PM _{2.5}	1
55	Greater Noida	Poor	222	PM _{2.5}	2
56	Gurugram	Poor	228	PM _{2.5}	4
57	Guwahati	Moderate	140	PM _{2.5}	1
58	Gwalior	Moderate	198	PM _{2.5}	1
59	Hajipur	Moderate	187	PM _{2.5}	1
60	Haldia	Moderate	128	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	191	PM _{2.5}	1
62	Hassan	Moderate	109	PM ₁₀	1
63	Hisar	Moderate	163	PM _{2.5}	1
64	Howrah	Moderate	192	PM _{2.5}	3
65	Hyderabad	Moderate	161	PM _{2.5}	5
66	Indore	Satisfactory	71	PM ₁₀	1
67	Jabalpur	Moderate	165	PM _{2.5}	1
68	Jaipur	Moderate	128	PM ₁₀	2
69	Jalandhar	Satisfactory	84	PM ₁₀	1
70	Jind	Poor	229	PM _{2.5}	1
71	Jodhpur	Moderate	200	PM _{2.5}	1
72	Kaithal	Satisfactory	100	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	205	PM _{2.5}	1
74	Kannur	Moderate	101	PM ₁₀	1
75	Kanpur	Poor	222	PM _{2.5} , PM ₁₀	3
76	Karnal	Satisfactory	95	PM ₁₀	1
77	Katni	Moderate	148	PM _{2.5}	1
78	Khanna	Satisfactory	72	PM ₁₀	1
79	Kishanganj	Poor	274	PM _{2.5}	1
80	Kochi	Satisfactory	86	PM _{2.5}	1
81	Kolar	Satisfactory	51	SO ₂	1
82	Kolkata	Moderate	185	PM _{2.5}	7
83	Kollam	Satisfactory	64	PM ₁₀	1
84	Koppal	Moderate	117	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Moderate	147	PM _{2.5}	1
86	Kozhikode	Satisfactory	53	СО	1
87	Kurukshetra	Moderate	117	PM _{2.5}	1
88	Lucknow	Moderate	150	PM ₁₀ , PM _{2.5}	6
89	Ludhiana	Satisfactory	86	PM ₁₀	1
90	Madikeri	Moderate	109	PM ₁₀	1
91	Maihar	Satisfactory	57	со	1
92	Mandi Gobindgarh	Satisfactory	85	PM ₁₀	1
93	Mandideep	Satisfactory	60	PM _{2.5}	1
94	Mandikhera	Satisfactory	90	PM ₁₀	1
95	Manesar	Moderate	187	PM _{2.5}	1
96	Manglore	Satisfactory	61	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Moderate	192	PM _{2.5}	2
98	Moradabad	Moderate	148	PM _{2.5}	4
99	Motihari	Poor	251	PM _{2.5}	1
100	Mumbai	Poor	212	PM _{2.5} , PM ₁₀	14
101	Munger	Very Poor	308	PM _{2.5}	1
102	Muzaffarnagar	Poor	226	PM _{2.5}	1
103	Muzaffarpur	Poor	243	PM _{2.5}	2
104	Mysuru	Satisfactory	72	O ₃	1
105	Naharlagun	Satisfactory	56	SO ₂	1
106	Narnaul	Moderate	155	PM _{2.5}	1
107	Nashik	Satisfactory	82	PM ₁₀	1
108	Navi Mumbai	Poor	205	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	239	PM _{2.5}	3
110	Pali	Satisfactory	89	PM ₁₀	1
111	Palwal	Satisfactory	96	PM ₁₀	1
112	Patiala	Satisfactory	77	PM ₁₀	1
113	Patna	Moderate	190	PM _{2.5} , PM ₁₀	6
114	Pithampur	Satisfactory	95	03	1
115	Prayagraj	Satisfactory	98	PM ₁₀	3
116	Puducherry	Good	33	PM ₁₀	1
117	Rajamahendravaram	Moderate	108	PM ₁₀	1
118	Rajgir	Moderate	184	PM _{2.5}	1
119	Ramanagara	Satisfactory	66	PM ₁₀	1
120	Ratlam	Satisfactory	91	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Poor	256	PM _{2.5}	1
122	Rupnagar	Satisfactory	91	PM ₁₀	1
123	Saharsa	Moderate	189	PM ₁₀	1
124	Sasaram	Poor	210	PM _{2.5}	1
125	Satna	Satisfactory	57	PM ₁₀	1
126	Shivamogga	Satisfactory	91	NO ₂	1
127	Siliguri	Moderate	125	PM ₁₀	1
128	Sirsa	Moderate	117	PM ₁₀	1
129	Siwan	Very Poor	310	PM _{2.5}	1
130	Solapur	Satisfactory	75	PM ₁₀	1
131	Sonipat	Moderate	131	PM ₁₀	1
132	Srinagar	Moderate	118	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Talcher	Moderate	135	NO ₂	1
134	Thane	Moderate	183	O ₃	1
135	Thiruvananthapuram	Satisfactory	65	PM ₁₀ , PM _{2.5}	2
136	Thoothukudi	Good	43	PM ₁₀	1
137	Tirupati	Satisfactory	56	PM _{2.5}	1
138	Udaipur	Moderate	111	PM _{2.5}	1
139	Udupi	Good	42	O ₃	1
140	Ujjain	Moderate	142	PM _{2.5}	1
141	Varanasi	Satisfactory	91	PM _{2.5} , PM ₁₀	4
142	Vatva	Moderate	146	PM ₁₀	1
143	Vijayapura	Good	50	PM ₁₀	1
144	Visakhapatnam	Moderate	148	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vrindavan	Moderate	104	PM _{2.5}	1
146	Yadgir	Moderate	200	PM ₁₀	1
147	Yamunanagar	Moderate	111	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

Notes:

- * AQI is not calculated for today's bulletin for Amaravati, Brajrajnagar, Damoh, Ernakulam, Gummidipoondi, Hubballi, Jorapokhar, Kalaburgi, Katihar, Kohima, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Pune, Purnia, Raichur, Sagar, Shillong, Singrauli, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.